

# C.I.P. ACID

# Non-foaming acid cleaner

**C.I.P. ACID** is a highy powerful acid cleaner used for maintaining sanitary conditions in recirculating cleaning systems.

It is mainly used in food processing industries such as dairy, soft drinks, breweries, fruit juice as well as all other industries where scale deposits must be removed in closed systems.

**C.I.P. ACID** does not produce any foam, even under high agitation and varying temperatures, therefore it does not interfere with pumping or drainage.

#### **FEATURES AND BENEFITS**

- · Use hot or cold
- High acidity
- Reusable
- Does not release vapours even when stored at 35°C
- Does not release gases or unpleasant odours



# DIRECTION FOR USE

#### PROCEDURE #1

#### **EQUIPMENT TO BE TREATED**

All recirculating cleaning systems such as transportation circuits, pasteurizers, fermenters, holding tanks, storage tanks for pasteurized and untreated milk.

#### SOILS TO BE REMOVED

Mineral deposits i.e. scale, milk stone, water stains, beer stone. **USE PROCEDURE** 

Prepare a solution containing **C.I.P. ACID** and let circulate between 15 and 30 minutes in piping. Said treatment may precede or follow an alkaline cleaning. Then, rinse with potable water.

#### **CONCENTRATION**

Between 0.1% to 1.0% (1 to 10 ml)

#### **TEMPERATURE**

Between 10°C and 60°C (50 to 140°F)

#### **DWELL TIME / OPERATION TIME**

15 to 30 minutes.

#### **MECHANICAL ACTION**

Ensure a circulation speed between 1.5 and 3.0 meters per second in all parts of the system. Ensure that the product reaches all surfaces when cleaning through a sprinkler system.

#### **RINSING**

Warm or hot clean water.

#### **REUSE/RECYCLING**

Possible in systems adapted for recycling.

#### PROCEDURE #2

### **EQUIPMENT TO BE TREATED**

When installing stainless steel systems, it is recommended to use **C.I.P. ACID** for passivation of the metal.

#### **SOILS TO BE REMOVED**

Stainless steel passivation.

#### **USE PROCEDURE**

Degrease with an alkaline solution. Circulate **C.I.P. ACID** undiluted at room temperature in systems. The contact time must be at least 2 hours for effective passivation. **CONCENTRATION** 

#### As is.

#### **TEMPERATURE**

Ambient temperature or as recommended by the manufacturer.

#### **DWELL TIME / OPERATION TIME**

At least two hours.

#### **MECHANICAL ACTION**

It is best to provide some agitation or circulation.

#### **RINSING**

Rinse with water after treament.

#### REUSE/RECYCLING

May be reused several times in the case of passivation.

# PHYSICAL PROPERTIES

**Appearence** 

Specific gravity @ 20°C

Flash point (TCC)

Water solubility

Auto ignition temperature

**Boiling point** 

Freezing point

Foaming tendency

**Concentration monitoring techniques** 

Rinsing

Clear, light yellow liquid

Odorless

1.2

< 10 cps

< 1

None

Complete

None

100°C

Not available

Non-foaming

Titration, electrical conductivity, refractive index

Excellent

#### **INCOMPATIBILITY**

Bases, organic materials, light metals, bleach

#### **WAREHOUSING PRECAUTIONS**

Keep containers tightly closed in a dry, cool and well-ventilated place

### **AVAILABLE SIZES**







#### **IMPORTANT**

Before using C.I.P. ACID, always be sure to read and follow precautions and directions for use appearing on the product's container label, and on the safety data sheet (S.D.S).

#### FIRST AID MEASURES

#### Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

#### Skin contact

Remove/Take off immediately all contaminated clothing. Rinse skin with water/ shower. Wash contaminated clothing before reuse.

#### Inhalation

Remove person to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

Do not induce vomiting. Drink 1 or 2 glasses of water. Call a physician or Poison Control Centre immediately. Never give anything by mouth to an unconscious person.

## **PERSONAL** PROTECTION

















#### MONTRFAL

10,900 Secant Street Aniou, OC H1I 1S5 Tel.: 514-355-4660 Toll free: 1 800-361-8927

#### **EDMONTON**

11411-160 Street Edmonton, Alberta T5M 3T7 Tel.: 780-454-3919 Toll free: 1 866-454-3919