

1. IDENTIFICATION

Product Identifier

Product Name Acetic Acid 56%

Recommended use of the chemical and restrictions on use

Recommended use Acidifier
Restrictions on use For industrial use only

Supplier details

West Penetone Inc.
 10900 Secant
 Montreal, QC,
 H1J 5S1
 Tel: 514-355-4660

Emergency Telephone Number

Canutec (613)-996-6666

2. HAZARDS IDENTIFICATION

Classification

Skin Corrosion/Irritation	Category 1A
Eye damage/Irritation	Category 1
Flammable Liquids	Category 4

Label Elements

DANGER

Hazard Statements

Causes severe skin burns and eye damage.
 Combustible liquid.



Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray.
 Wash face, hands and any exposed skin thoroughly after handling.
 Wear protective gloves/protective clothing/eye protection/face protection.
 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 Immediately call a POISON CENTER or doctor/physician.
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
 Wash contaminated clothing before reuse.
 IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing.
 Immediately call a POISON CENTER or doctor/physician.
 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.
 Absorb spillage to prevent material damage.

Precautionary Statements - Storage

Store locked up. Store in a well-ventilated place. Keep cool.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant according to local, provincial/federal regulations.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
Acetic acid	64-19-7	56

4. FIRST AID MEASURES

Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician
Skin contact	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.
Ingestion	Do not induce vomiting. Drink 1 or 2 glasses of water. Call a physician or Poison Control Centre immediately. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Causes burns to eyes, skin and mucous membranes. Symptoms include tingling sensation and / or reddening of tissues.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE-FIGHTING MEASURES**Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

None

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. Use personal protective equipment.

Environmental Precautions

Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Handling Avoid contact with skin, eyes and clothing.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Materials Bases, bleach.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Chemical Name	ACGIH TLV
Acetic acid 64-19-7	TWA: 10 ppm STEL: 15 ppm

Appropriate engineering controls

Engineering Controls Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

Eye/face Protection Splash proof goggles or face shield.

Skin and body protection Wear rubber or neoprene gloves, rubber apron and boots.

Respiratory Protection If exposure limits are exceeded or if ventilation is inadequate, NIOSH/MSHA approved respiratory protection for acid fumes should be worn.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE :

Clear, colorless liquid

ODOR

Pungent vinegar

ODOR THRESHOLD :

Not available

VAPOR PRESSURE, hPa AT 25°C :

20.79

VAPOR DENSITY (Air = 1) :

2.1

RELATIVE DENSITY AT 25°C:

1.0446

pH :

< 1

MELTING POINT / FREEZING POINT :

-24°C

BOILING POINT/BOILING RANGE :

118 °C

FLASH POINT :

71-91°C

EVAPORATION RATE, water = 1 :

Not available

FLAMMABILITY (SOLID, GAS):

Not applicable

SOLUBILITY IN WATER :

Complete

PARTITION COEFFICIENT, N-OCTANOL/WATER :

Log Pow: -0.17

AUTO-IGNITION TEMPERATURE :

Not available

DECOMPOSITION TEMPERATURE:

Not available

VISCOSITY:

< 10 cps

FLAMMABLE LIMITS :**UPPER:** 19.9% v/v **LOWER :** 4% v/v**10. STABILITY AND REACTIVITY****Reactivity**

Not reactive.

Chemical Stability

Stable under normal conditions.

Possibility of hazardous reactions

Will generate chlorine gas when mixed with chlorinated products.

Conditions to Avoid

Store away from incompatible materials.

Incompatible Materials

Chlorinated products, bases.

Hazardous decomposition products

None known.

11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Acetic acid 64-19-7	3320 mg/kg (Rat)	1060 mg/kg (Rabbit)	16000 ppm (rat) 4 hours

Information on likely sources of exposure**Serious eye damage/irritation**

Corrosive to eyes and may cause grave lesions, including blindness.

Skin corrosion/irritation

Corrosive to skin.

Ingestion

Ingestion may cause burns to the digestive and respiratory tract.

Inhalation

Spray mist may cause irritation or burns to respiratory tract.

Delayed and immediate effects and also chronic effects from short and long-term exposure**Respiratory or skin sensitization**

Not a sensitizer.

Germ cell mutagenicity

None known.

Carcinogenicity

No listed human carcinogens.

Reproductive toxicity

None known.

STOT - single exposure

None known.

STOT-repeated exposure

None known.

Aspiration Hazard

None.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms include tingling sensation and / or reddening of tissues, eventually leading to burn lesions.

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Chemical Name	Fish	Waterflea
Acetic acid 64-19-7	> 300 mg/L fathead minnow 96 h LC50	> 300 mg/L Daphnia magna 48 h EC50

Persistence and degradability

Readily biodegradable.

Bioaccumulative potential

Bioconcentration factor: 3.16.

Mobility in soil

Log Koc: 0.062

Other adverse effects

None known

13. DISPOSAL CONSIDERATIONS**Waste Disposal Method**

Dispose of in accordance with local regulations.

Contaminated Packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

14. TRANSPORT INFORMATION**TDG classification**

UN2790, Acetic acid solution, class 8, PG II

15. REGULATORY INFORMATION

All ingredients are listed on the DSL

16. OTHER INFORMATION**Preparation Date**

January 2, 2017

Revision Date

not applicable

Revision Note

not applicable

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS