

BIOGUARD

HIGH-EFFICIENCY FOAMING SANITIZER

BIOGUARD is a free-rinsing, high foaming peroxyacetic acid-based liquid sanitizer. This unique product offers many advantages over conventional quaternary ammonium and chlorine. There is no cell resistance build-up as associated with quats, is not as sensitive to organic or hard water conditions, and will not corrode stainless steel like chlorine.

Furthermore, **BIOGUARD** is effective against a wide spectrum of microorganisms, and is one of the most effective sanitizers on the market.

DO NOT STORE WITH FOOD PRODUCTS.

FEATURES AND BENEFITS

- · High foaming acidic liquid
- Strong oxidizer
- Low viscosity
- Biodegradable
- · Highly efficient
- No cell resistance build-up
- Control of a broad spectrum of microorganisms



DIRECTION FOR USE

Equipment to be treated

Food processing equipment surfaces. Evaporator pasteuriser, ceiling, wall, floor.

Use procedure

Manually remove a maximum of soil. Clean with an adequate detergent solution then rinse with potable water. Spray, soak, foam or flood **BIOGUARD**.

Concentration

Surfaces in contact with food: Between 0.12% and 0.3% (5mL to 12mL / 4 litre of water) (75 PPM to 200 PPM).

All surfaces should be exposed to sanitizing solution for a period of at least 60 seconds. Drain thoroughly and rinse with potable water.

For shock treatment (500 PPM to 1000 PPM)

0.8% to 1.6% (8 to 16ml/litre of water). Must be rinsed with potable water.

Temperature

Between 4°C to 40°C (39 to 105°F).



BIOGUARD

HIGH-EFFICIENCY FOAMING SANITIZER



Bacterium	Glutaraldehyde 2%	Formaldehyde 8%	Phenol 5%	Cu/Asc 0.1%	Hypochlorite 0.05%	Peroxide 10%	Peracetic 0.03%
B.cereus	> 5.0(2)	> 5.0(2)	> 5.0(2)	> 5.0(2)	> 5.0(2)	> 5.0(2)	> 5.0(2)
C.perfringens	> 6.3(2)	> 6.3(2)	> 6.3(2)	> 6.3(2)	$0.14\pm0.05(2)$	> 6.3(2)	4.1±0.1(2)
E.coli	> 6.9(2)	> 6.9(2)	> 6.9(2)	6.3±0.8(2)	$6.2 \pm 0.9(2)$	> 6.9(2)	> 6.9(2)
L.monocytogenes	> 6.1(2)	> 6.1(1)	> 6.1(2)	> 6.1(1)	> 6.1(2)	> 6.1(2)	> 6.1(1)
P. aeruginosa	3.8±0.2(2)	> 6.1(3)	5.8±0.6(3)	5.6±0.9(3)	1.3±0.1(2)	> 6.1(3)	5.0±1.6(3)
S.typhimurium	> 6.4(3)	> 6.2(3)	> 6.4(3)	> 6.4(3)	4.1±1.3(2)	> 6.4(3)	> 6.4(3)
S.sonnei	> 6.3(2)	> 6.3(2)	> 6.3(2)	> 6.1(1)	> 6.3(2)	> 6.3(2)	> 6.3(2)
S.aureus	> 6.5(3)	> 6.3(3)	> 6.3(3)	5.5±1.2(3)	4.8±1.8(2)	5.6±0.7(3)	6.6±03(3)
S. epidermidis	> 6.3(2)	5.9±1.1(3)	> 6.3(2)	5.1±0.1(2)	6.3±0.4(3)	> 6.3(3)	> 6.3(3)
V.cholerae	> 6.4(2)	> 6.4(2)	> 6.4(2)	> 6.4(2)	> 6.4(2)	> 6.4(2)	> 6.4(2)
V.parahaemolyticus	> 6.2(1)	> 6.2(2)	> 6.2(2)	> 6.2(2)	> 6.2(2)	> 6.2(2)	> 6.2(2)
V.vulniticus	> 6.3(2)	> 6.3(2)	> 6.3(2)	> 6.3(2)	> 6.3(2)	> 6.3(2)	> 6.3(2)
Y.enterocolitica	> 6.8(2)	> 6.8(2)	> 6.8(2)	> 6.8(2)	> 6.8(2)	> 6.8(2)	> 6.8(2)

Calculated as $-\log$ (Td / Tw) where Td is the titer of bacteria surviving 30 min exposure at 20°C to a given disinfectant, and Tw is the titer of bacteria exposed under the same condition to water.results are expressed either as the limit of detection when no surviving colonies were obtained or as $x \pm s$ (n) where n is the number of replicate experiments.

From Sagripanti J-L,Eklund CA, TrstPA et al.Comparative sensitivity of 13 species of pathogenic bacteria to seven germicide. Am J Infect Control 1997;25:335-339

Disinfection, Sterilization, and Preservation EDITOR SEYMOUR S . BLOCK FIFTH EDITION

PAGE 3 ▶

PHYSICAL PROPERTIES

Appearence

Odour

Specific gravity @ 20°C

Viscosity

pН

Flash point (TCC)

Water solubility

Auto ignition temperature

Chlorine

Boiling point

Freezing point

Foaming tendency

Concentration monitoring techniques

Rinsing

Clear, colorless liquid		
Pungent vinegar		
1.10		
Not available		
1.2		
None		
Complete		
None		
None		
100°C		
-5°C		
High		

INCOMPATIBILITY

Chlorinated products, alkalis, metals, organic materials

WAREHOUSING PRECAUTIONS

Keep containers tightly closed in a dry, cool and well-ventilated place

AVAILABLE SIZES





IMPORTANT

Before using **BIOGUARD**, always be sure to read and follow precautions and directions for use appearing on the product's container label, and on the safety data sheet (S.D.S).

Electrical conductivity, titration

FIRST AID MEASURES

Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Excellent

Skin contact

Remove/Take off immediately all contaminated clothing. Rinse skin with water/ shower. Wash contaminated clothing before reuse.

Inhalation

Remove person to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

Ingestion

Do not induce vomiting. Drink 1 or 2 glasses of water. Call a physician or Poison Control Centre immediately. Never give anything by mouth to an unconscious person.

PERSONAL PROTECTION







MONTREAL

10,900 Secant Street Anjou, QC H1J 1S5 Tel.: 514-355-4660 Toll free: 1 800-361-8927

EDMONTON

11411-160 Street Edmonton, Alberta T5M 3T7 Tel.: 780-454-3919 Toll free : 1 866-454-3919

www.westpenetone.com