

## 1. IDENTIFICATION

**Product Identifier**

**Product Name** CITRIKLEEN CR34

**Recommended use of the chemical and restrictions on use**

**Recommended use** Degreaser  
**Restrictions on use** For industrial use only

**Supplier details**

West Penetone Inc.  
 11411-160 Street  
 Edmonton, AB,  
 T5M3T7  
 Tel: 780-454-3919

**Emergency Telephone Number**

Canutec (613)-996-6666

## 2. HAZARDS IDENTIFICATION

**Classification**

Flammable liquids	Category 3
Skin corrosion/irritation	Category 1C
Serious eye damage/eye irritation	Category 1
Skin sensitizer	Category 1
Specific target organ toxicity – single exposure	Category 3
Aspiration hazard	Category 1
Hazardous to the aquatic environment, acute hazard	Category 2

**Label Elements**

**DANGER**

**Hazard Statements**

Flammable liquid and vapor  
 Causes severe skin burns and eye damage  
 May cause an allergic skin reaction  
 May cause respiratory irritation  
 May be fatal if swallowed and enters airways  
 Toxic to aquatic life



**Precautionary Statements - Prevention**

Keep away from open flame.  
 Keep container tightly closed.  
 Do not breathe mist/vapors/spray.  
 Wash face, hands and any exposed skin thoroughly after handling.  
 Use only outdoors or in a well-ventilated area.  
 Contaminated work clothing must not be allowed out of the workplace.  
 Avoid release to the environment.  
 Wear protective gloves/protective clothing/eye protection/face protection.

**Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. If skin irritation occurs: get medical advice/attention. Wash contaminated clothing before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

**Precautionary Statements - Storage**

Store locked up. Store in a well ventilated place. Keep container tightly closed. Keep cool.

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant according to local, provincial/federal regulations.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
dipentene	68956-56-9	10-30
diethylene glycol monobutyl ether	112-34-5	10-30
sodium dodecylbenzene sulfonate	25155-30-0	10-30
d-limonene	5989-27-5	7-13
solvent naphtha (petroleum) light aromatic	64742-95-6	5-10
PEG 15 cocomonium chloride	61791-10-4	1-5
sodium hydroxide	1310-73-2	0.1-1.0

### 4. FIRST AID MEASURES

<b>Eye contact</b>	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician
<b>Skin contact</b>	Wash with plenty of water. If skin irritation or rash occurs, get medical advice/attention. Take off contaminated clothing and wash before reuse.
<b>Inhalation</b>	If difficulties occur after mist/vapors/spray has been inhaled, remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
<b>Ingestion</b>	Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

**Most important symptoms and effects, both acute and delayed**

Contact with eyes may cause serious damage leading to irritation, discomfort or pain, excess blinking and tear production with marked excess redness and swelling of the conjunctiva, blurred vision, and possible corneal injury. Contact with skin may cause irritation with local redness or burns and aggravate previous medical skin conditions. Contact may also cause an allergic skin reaction with prolonged or repeated exposure. Inhalation of mist/vapors/spray may cause respiratory tract irritation leading to a temporary burning sensation of the nose and throat, coughing, and difficulty breathing. High concentrations may cause central nervous system depression leading to headaches, dizziness, and nausea. Ingestion may cause irritation or a burning sensation of the mouth and throat and abdominal pain. Ingestion may cause pneumonitis if aspirated into lungs.

**Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media**

None.

#### **Specific hazards arising from the chemical**

During fire, gases hazardous to health may be formed including oxides of carbon, nitrogen, and sulfur and other irritating gases.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **6. ACCIDENTAL RELEASE MEASURES**

#### **Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation. Remove all sources of ignition. Avoid contact with skin, eyes and clothing. Use personal protective equipment.

#### **Environmental Precautions**

Avoid discharge into drains/surface waters/groundwater.

#### **Methods and material for containment and cleaning up**

Contain and solidify with inert absorbent material. Keep in suitable, closed containers for disposal. Following product recovery, flush the area with plenty of water. For large spills, stop flow of material, dike, and pump off product where this is without risk and possible. Proceed as above.

## **7. HANDLING AND STORAGE**

#### **Precautions for Safe Handling**

##### **Handling**

Avoid contact and inhalation of mist/vapors/spray. Avoid contact with skin, eyes and clothing. Ensure thorough ventilation of work areas.

#### **Conditions for safe storage, including any incompatibilities**

##### **Storage**

Keep containers tightly closed away from direct sunlight in a dry, cool and well-ventilated place, away from incompatible materials.

##### **Incompatible Materials**

Acids, oxidizing agents

## **8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

#### **Control parameters**

Only constituents with exposure limits are listed. Any constituent not listed has no known exposure limit.

<b>Chemical Name</b>	<b>ACGIH TLV</b>	<b>OSHA PEL</b>	<b>NIOSH IDLH</b>
diethylene glycol monobutyl ether 112-34-5	TWA: 10 ppm	Not available	Not available
d-limonene 5989-27-5	TWA: 30 ppm/165.5 mg/m <sup>3</sup> (AIHA)	Not available	Not available
solvent naphtha (petroleum) light aromatic 64742-95-6	Not available	TWA: 500 ppm/2000mg/m <sup>3</sup>	Not available
sodium hydroxide 1310-73-2	2 mg/m <sup>3</sup> ceiling	2 mg/m <sup>3</sup> ceiling	10 mg/m <sup>3</sup>

#### **Appropriate engineering controls**

##### **Engineering Controls**

Ensure adequate ventilation, especially in confined areas. Eye wash facilities and emergency shower must be made available when handling this product.

#### **Individual protection measures, such as personal protective equipment**

##### **Eye/face Protection**

Safety glasses with side shields or goggles or face shield with high splashing risk.

<b>Skin and body protection</b>	Wear protective gloves and protective clothing.
<b>Respiratory Protection</b>	Wear respiratory protection if ventilation is inadequate. Respiratory protection in case of vapor/aerosol release.
<b>General Hygiene Considerations</b>	Handle in accordance with good industrial hygiene and safety practice. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>APPEARANCE :</b> Clear, yellow liquid	<b>VAPOR PRESSURE, mm Hg AT 20°C :</b> Not available
<b>ODOR</b> Citrus/glycol	<b>VAPOR DENSITY (Air = 1) :</b> Not available
<b>ODOR THRESHOLD :</b> Not applicable	<b>RELATIVE DENSITY AT 20°C:</b> 0.960-0.970
<b>pH :</b> 12.4-12.8	<b>SOLUBILITY IN WATER :</b> Forms stable emulsion
<b>MELTING POINT / FREEZING POINT :</b> Approx. -18°C	<b>PARTITION COEFFICIENT, N-OCTANOL/WATER :</b> Not available
<b>BOILING POINT/BOILING RANGE :</b> Not available	<b>AUTO-IGNITION TEMPERATURE :</b> Not available
<b>FLASH POINT :</b> 50°C (TCC), 59°C (COC)	<b>DECOMPOSITION TEMPERATURE:</b> Not available
<b>EVAPORATION RATE, water = 1 :</b> 1	<b>VISCOSITY:</b> Not available
<b>FLAMMABILITY (SOLID, GAS):</b> Not applicable	<b>FLAMMABLE LIMITS :</b> <b>UPPER:</b> Not available <b>LOWER :</b> Not available

## 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive.

### Chemical Stability

Stable under normal conditions.

### Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

### Conditions to Avoid

Avoid all sources of ignition: open flame. Store away from incompatible materials.

### Incompatible Materials

Strong oxidizing materials, acids.

### Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition can lead to release of irritating gases and vapors such as oxides of carbon, nitrogen, and sulfur as well as other low molecular weight hydrocarbons.

## 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
dipentene 68956-56-9	>2000 mg/kg (rat)	Not listed	Not listed
diethylene glycol monobutyl ether 112-34-5	3384 mg/kg (rat)	2700 mg/kg (rabbit)	Not listed
sodium dodecylbenzene sulfonate 25155-30-0	500-2000 mg/kg (rat)	Not listed	Not listed

d-limonene 5989-27-5	4400 mg/kg (rat)	>5000 mg/kg (rabbit)	Not listed
solvent naphtha (petroleum) light aromatic 64742-95-6	Not listed	>2000 mg/kg (rabbit)	3400 ppm/>5.2 mg/L (rat) – 4 h
PEG 15 cocomonium chloride 61791-10-4	>5000 mg/kg (rat)	>11200 mg/kg (rabbit)	Not available
sodium hydroxide 1310-73-2	500 mg/kg (rabbit)	Not listed	Not listed

**Information on likely sources of exposure**

<b>Inhalation</b>	May cause respiratory irritation and possible damage.
<b>Serious eye damage/irritation</b>	Causes serious eye damage.
<b>Skin corrosion/irritation</b>	Causes skin irritation or burns and possible sensitization.
<b>Ingestion</b>	May be harmful if swallowed.

**Delayed and immediate effects and also chronic effects from short and long-term exposure**

<b>Respiratory or skin sensitization</b>	dipentene (CAS 68956-56-9)	1 May cause an allergic skin reaction
	d-limonene (CAS 5989-27-5)	1 May cause an allergic skin reaction
<b>Germ cell mutagenicity</b>	No information available.	
<b>Carcinogenicity</b>	No information available	
<b>Reproductive toxicity</b>	No information available	
<b>STOT - single exposure</b>	dipentene (CAS 68956-56-9)	3 May cause respiratory irritation
	d-limonene (CAS 5989-27-5)	3 May cause respiratory irritation
<b>STOT - repeated exposure</b>	No information available	
<b>Aspiration Hazard</b>	dipentene (CAS 68956-56-9)	1 May be fatal if swallowed and enters airways
	d-limonene (CAS 5989-27-5)	1 May be fatal if swallowed and enters airways

**Symptoms related to the physical, chemical and toxicological characteristics**

See Section 2 &amp; 4.

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

If available, ecotoxicity values of individual components are shown below.

Chemical Name	Fish	Waterflea	Algae
dipentene 68956-56-9	Not available	Not available	Not available
diethylene glycol monobutyl ether 112-34-5	1300 mg/L: 96 h lepomis macrochirus LC50	Not available	>100 mg/L: 96 h desmodemus subspicatus EC50
sodium dodecylbenzene sulfonate 25155-30-0	3.2-5.6 mg/L: 96 h rainbow trout LC50	6.3 mg/L: 48 h daphnia magna EC50	Not available
d-limonene 5989-27-5	0.702 mg/L: 96 h fathead minnow LC50	69.6 mg/L: 48 h daphnia pulex EC50	Not available
solvent naphtha (petroleum) light aromatic 64742-95-6	9.22 mg/L: 96 h rainbow trout LC50	Not available	Not available
PEG 15 cocomonium chloride 61791-10-4	26.7 mg/L: 96 h pimephales promelas LC50	42.0 mg/L: 48 h daphnia magna EC50	3.1 mg/L: 96 h selenastrum capricornutum EC50
sodium hydroxide 1310-73-2	1149 mg/kg: 96 h rainbow trout LC50	Not available	Not available

**Persistence and degradability**

Expected to be readily biodegradable.

**Bioaccumulative potential**

Accumulation in organisms is not to be expected.

**Mobility in soil**

No information available

**Other adverse effects**

Do not release untreated into natural waters. No other adverse environmental effects are expected.

**13. DISPOSAL CONSIDERATIONS**

**Waste Disposal Method** Dispose of in accordance with local regulations.

**Contaminated Packaging** Empty containers should be taken for local recycling, recovery or waste disposal.

#### 14. TRANSPORT INFORMATION

**TDG classification**

UN 2924, Flammable Liquid, Corrosive, N.O.S. (d-limonene, sodium hydroxide solution), Class 3 (8), PG III

#### 15. REGULATORY INFORMATION

All ingredients are listed on the DSL

#### 16. OTHER INFORMATION

**Preparation Date** 1 April, 2016  
**Revision Date** 23 November, 2017  
**Revision Note** not applicable

**Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of SDS**