

SAFETY DATA SHEET

IRON SULFIDE DISSOLVER OSP-1

Page 1 of 5

Date prepared: 3 November, 2016

MSDS: IRON SULFIDE DISSOLVER OSP-1 SDS GHS

1. IDENTIFICATION

Product Identifier

Product Name IRON SULFIDE DISSOLVER OSP-1

Recommended use of the chemical and restrictions on use

Recommended use Iron sulfide scale mitigation Restrictions on use Iron sulfide scale mitigation For industrial use only

Supplier details West Penetone Inc.

11411-160 Street Edmonton, AB,

T5M3T7

Tel: 780-454-3919

Emergency Telephone Number

Canutec (613)-996-6666

2. HAZARDS IDENTIFICATION

Classification

Acute toxicity, inhalation – mist	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin sensitizer	Category 1B
	·
Hazardous to the aquatic environment, acute hazard	Category 1

Label Elements

WARNING

Hazard Statements

Harmful if inhaled.

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

Very toxic to aquatic life.





Precautionary Statements - Prevention

Avoid breathing mist/vapours/spray.

Wash face, hands and any exposed skin thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing should not be allowed out of the workplace.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: get medical advice/attention.

IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Date prepared: 3 November, 2016

MSDS: IRON SULFIDE DISSOLVER OSP-1 SDS GHS

IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Collect spillage.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant according to local, provincial/federal regulations.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
Bis[tetrakis(hydroxymethyl)phosphonium] sulfate	55566-30-8	10-30
alcohols, C9-C11, ethoxylated	68439-46-3	7-13
DETA-phosphonate	15822-60-8	1-5
lauramine oxide	1643-20-5	1-5
ammonium chloride	12125-02-9	0.1-1.0

4. FIRST AID MEASURES

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: get medical advice/attention.

Skin contactWash with plenty of water. If skin irritation or rash occurs: get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell.

Ingestion Do NOT induce vomiting. Drink 1 or 2 glasses of water. Call a physician or Poison Control

Centre immediately. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Contact with eyes may cause serious irritation, discomfort or pain, excess blinking and tear production with marked excess redness and swelling of the conjunctiva, and possible corneal injury. Contact with skin may cause irritation with local redness or an allergic skin reaction with prolonged or repeated exposure. Inhalation of mist/vapors/spray may cause respiratory tract irritation leading to a temporary burning sensation of the nose and throat, coughing, and difficulty breathing. Excessive exposure may aggravate preexisting asthma and other respiratory disorders. Ingestion may cause irritation or a burning sensation of the mouth and throat, nausea, vomiting, abdominal pain and damage to the gastrointestinal tract.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

None.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed including oxides of carbon, phosphorous, and sulfur and other toxic or irritating compounds.

<u>Protective Equipment and Precautions for Firefighters</u>

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Material supports combustion.

Page 3 of 5

Date prepared: 3 November, 2016

MSDS: IRON SULFIDE DISSOLVER OSP-1 SDS GHS

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. Use personal protective equipment. Keep unnecessary and unprotected personnel from entering the area.

Environmental Precautions

Avoid discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

Contain and solidify with inert absorbent material. Keep in suitable, closed containers for disposal. For large spills, stop flow of material, prevent product from entering drains, and pump off product where this is without risk and possible. Proceed as above.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Handling Avoid contact with skin, eyes and clothing. Avoid prolonged or repeated contact with skin.

Avoid inhalation of mist/vapors/spray. Keep containers closed when not in use.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place away from incompatible

materials.

Incompatible Materials Strong oxidizing, reducing or alkaline materials.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Only constituents with exposure limits are listed. Any constituent not listed has no known exposure limit.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Bis[tetrakis(hydroxymethyl)phosphonium] sulfate 55566-30-8	TWA: 2 mg/m ³	Not available	Not available
ammonium chloride 12125-02-9	TWA: 10 mg/m ³ – fume STEL: 20 mg/m ³ – fume	Not available	Not available

Appropriate engineering controls

Engineering Controls Ensure adequate ventilation, especially in confined areas. Eye wash facilities and emergency

shower must be made available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face Protection Safety glasses with side shields or goggles or face shield with high splashing risk.

Skin and body protection Wear protective gloves and protective clothing.

Respiratory Protection Respiratory protection if ventilation is inadequate or in case of vapor/mist/aerosol

release.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Wash soiled

clothing immediately.

MSDS: IRON SULFIDE DISSOLVER OSP-1 SDS GHS

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: VAPOR PRESSURE, mm Hq AT 25°C:

Clear, yellow liquid Not available

ODOR VAPOR DENSITY (Air = 1) :
Acidic Not available

ODOR THRESHOLD: RELATIVE DENSITY AT 20°C:

Not applicable 1.090

pH: SOLUBILITY IN WATER: 4.0-5.0 Complete

MELTING POINT / FREEZING POINT : PARTITION COEFFICIENT, N-OCTANOL/WATER :

Not available Not available

BOILING POINT/BOILING RANGE : AUTO-IGNITION TEMPERATURE :

Not available Not available

FLASH POINT: DECOMPOSITION TEMPERATURE: None > 160°C

EVAPORATION RATE, water = 1 : VISCOSITY:

Not available

FLAMMABILITY (SOLID, GAS): FLAMMABLE LIMITS:

Not applicable UPPER: Not applicable LOWER: Not applicable

10. STABILITY AND REACTIVITY

Reactivity Conditions to Avoid

Not reactive under normal conditions.

Store away from incompatible materials. Temperatures

above 130°C. High pH.

<u>Chemical Stability</u> <u>Possibility of hazardous reactions</u>

Stable under normal conditions.

Under normal conditions of storage and use, hazardous

reactions will not occur.

<u>Incompatible Materials</u> <u>Hazardous decomposition products</u>

Strong oxidizing, reducing or alkaline materials.

Oxides of carbon, phosphorous, and sulfur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

ATE_{mix} - LD50 oral - approx. ≥2116 mg/kg (rat), LD50 dermal - approx. ≥5175 mg/kg (rat), LC50 inhalation-mist - ≥2.76 mg/L - 4 h (rat)

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Bis[tetrakis(hydroxymethyl)phosphonium] sulfate 55566-30-8	248-575 mg/kg (rat)	>2000 mg/kg (rat)	5.55 mg/L – 4 h, vapor (rat) 0.59 mg/L – 4 h mist (rat)
alcohols, C9-C11, ethoxylated 68439-46-3	>2000 mg/kg (rat)	>2000 mg/kg (rabbit)	Not listed
DETA-phosphonate 15827-60-8	7180 mg/kg (rat)	7940 mg/kg (rabbit)	Not listed
lauramine oxide 1643-20-5	>1065 mg/kg (rat)	>2000 mg/kg (rabbit)	Not listed
ammonium chloride 12125-02-9	1650 mg/kg (rat)	Not listed	Not listed

<u>Information on likely sources of exposure</u>

Serious eye damage/irritation May cause severe eye irritation and possible corneal injury.

Skin corrosion/irritation Brief contact essentially nonirritating. Repeated contact may cause sensitization.

IngestionMay be harmful if swallowed and irritate gastrointestinal tract.InhalationSpray mist may cause irritation or burns to respiratory tract.

Delayed and immediate effects and also chronic effects from short and long-term exposure

Respiratory or skin sensitization CAS 55566-30-8 - Has caused allergic skin reactions when tested in guinea pigs.

MSDS: IRON SULFIDE DISSOLVER OSP-1 SDS GHS

No information available. Germ cell mutagenicity

Carcinogenicity None known.

Reproductive toxicity No information available. STOT - single exposure No information available. STOT-repeated exposure No information available.

Aspiration Hazard None known.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms include eye irritation. May cause asthma-like symptoms. Respiratory symptoms, including pulmonary edema, may be delayed.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Fish	Waterflea	Algae
Bis[tetrakis(hydroxymethyl)phosphonium] sulfate		15-19.4 mg/L: 48 h daphnia	0.20 mg/L: 96 h green
55566-30-8	oncorhynchus mykiss LC50	magna EC50	algae EC50
alcohols, C9-C11, ethoxylated 68439-46-3	5-10 mg/L: 96 h LC50	5-10 mg/L: 48 h EC50	10-100 mg/L: 72 h EC50
DETA-phosphonate 15827-60-8	758 mg/L: 96 h fish LC50	242 mg/L: 48 h daphnia magna EC50	Not available
lauramine oxide 1643-20-5	2.67 mg/L: 96 h LC50	3.1 mg/L: 48 h Daphnia magna EC50	0.19 mg/L: 72 h EC50
ammonium chloride 12125-02-9	0.42-0.56 mg/L: 96 h oncorhynchus mykiss LC50	0.237-0.288 mg/L: 48 h Amer. lobster EC50	Not available

Persistence and degradability

Bioaccumulative potential

Expected to be readily biodegradable and not persistent.

Significant accumulation in organisms is not to be expected.

Mobility in soil

Other adverse effects

No information available Do not release untreated in natural waters.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method Dispose of in accordance with local regulations.

Empty containers should be taken for local recycling, recovery or waste disposal. **Contaminated Packaging**

14. TRANSPORT INFORMATION

TDG classification

UN 2810, Toxic Liquid, Organic, N.O.S. (Bis[tetrakis(hydroxymethyl)phosphonium] sulfate), Class 6.1, PG III

15. REGULATORY INFORMATION

All ingredients are listed on the DSL

16. OTHER INFORMATION

3 November, 2016 **Preparation Date Revision Date** 21 November, 2017

Revision Note Adjustments to Section 2 & Section 11 – updates in raw material information and hazard

classifications.

<u>Disclaimer</u>
The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for the information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information relates only to the safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.