

## **PREMISE AQUA**

ODINE-BASED SANITIZER

**PREMISE AQUA** is a sanitizer used for drinking water systems in agricultural premises such as hog and poultry barns.

## FEATURES AND BENEFITS

- Contains 1.75% of titratable iodine
- Effective in cold water
- · Maintains effectiveness in hard water
- Safe for human & animals at recommended dilution rates
- Fast acting
- Effective in the presence of organic matter



## DIRECTION FOR USE

Sanitizing drinking water

An initial dilution ratio of 1 part **PREMISE AQUA** to 5,000 parts of water is recommended as a starting point in order to give an initial concentration of approximately 4 ppm of iodine in the water. If the water is clean and has low alkalinity, it may be possible to use even less iodine. In such a case the dilution can be increased by as much as 1 to 10,000. (2 ppm)

When diluted through a medicator pump (Dosatron type), it is recommended that the product be pre-diluted at a rate of 1 part to 40 parts water or 2.5% by volume. This pre-diluted solution should then be diluted through the medicator pump at 1:128 to give a final dilution of approximately 1:5,000.

The system should be adjusted in such a way so that the final concentration of iodine in the water at the outlets is between 0.2 to 0.5 ppm. A residual amount of iodine left over as described means that all micro-organisms have been eliminated and that there is iodine to spare. Should the levels come out higher than 0.5 ppm, it is recommended to lower the iodine input. If the levels are lower or zero, this would indicate that there could still be micro-organisms present in the water, making it necessary to increase the amount of product. A test kit is available in order to monitor the iodine levels. During the first few days, it is important to monitor the iodine levels frequently to ensure that the system has stabilized.

The dilution ratios can be used to obtain the following starting iodine levels

PPM	Ratio	4 ml/X litres	1 ml/X litres	Dilution %
1	1:20,000	80	20	0,005
2	1:10,000	40	10	0,010
3	1:6,000	24	6	0,017
4	1:5,000	20	5	0,020
5	1:3,500	14	3,5	0,029
8	1:2,500	10	2,5	0,040

# PHYSICAL PROPERTIES

**Appearence** 

Odour

Specific gravity @ 20°C

Viscosity

рΗ

Flash point (TCC)

Water solubility

Auto ignition temperature

**Chlorine** 

**Boiling point** 

Freezing point

Foaming tendency

**Concentration monitoring techniques** 

Rinsing

Clear,	brown	liqui
Odorle	ess	

1.21

< 10 cps

< 1

None

Complete

None

None

100°C

Not available

Moderate

Titration

Excellent

## **INCOMPATIBILITY**

Chlorinated products, bases, reducing agents

### **WAREHOUSING PRECAUTIONS**

Keep containers tightly closed in a dry, cool and well-ventilated place

AVAILABLE SIZES					
	20L	205L			

### **IMPORTANT**

Before using **PREMISE AQUA**, always be sure to read and follow precautions and directions for use appearing on the product's container label, and on the safety data sheet (S.D.S).

## FIRST AID MEASURES

## Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

### Skin contact

Remove/Take off immediately all contaminated clothing. Rinse skin with water/ shower. Wash contaminated clothing before reuse.

### Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

#### Ingestion

Do not induce vomiting. Drink 1 or 2 glasses of water. Call a physician or Poison Control Centre immediately. Never give anything by mouth to an unconscious person.

# PERSONAL PROTECTION















**MONTREAL** 

10,900 Secant Street Anjou, QC H1J 1S5 Tel.: 514-355-4660 Toll free : 1 800-361-8927 **EDMONTON** 

11411-160 Street Edmonton, Alberta T5M 3T7 Tel.: 780-454-3919 Toll free : 1 866-454-3919