

SAFETY DATA SHEET

ROC 40 Page 1 of 5

Date prepared: 15 March 2016 MSDS: ROC 40 SDS GHS

1. IDENTIFICATION

Product Identifier

Product Name ROC 40

Recommended use of the chemical and restrictions on use

Recommended use Degasification aid and cleaner

Restrictions on use For industrial use only

Supplier details West Penetone Inc.

11411-160 Street Edmonton, AB, T5M3T7

Tel: 780-454-3919

Emergency Telephone Number

Canutec (613)-996-6666

2. HAZARDS IDENTIFICATION

Classification

Skin corrosion/irritation	Category 2	
Serious eye damage/eye irritation	Category 2A	
Hazardous to the aquatic environment, acute hazard	Category 3	

Label Elements

WARNING

Hazard Statements

Causes skin irritation
Causes serious eye irritation
Harmful to aquatic life



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water. If skin irritation occurs, get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant according to local, provincial/federal regulations.

Page 2 of 5
Date prepared: 15 March 2016

MSDS: ROC 40 SDS GHS

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
sodium lauryl ether sulphate	9004-82-4	3-7
alcohols (C12-C15 In. saturated) ethoxylate	68131-39-5	1-5
amide poylglycol ether	85536-23-8	1-5
lauramine oxide	1643-20-5	1-5
tetrasodium ethylenediaminetetraacetate	64-02-8	1-5
ethanol	64-17-5	0.5-1.5

4. FIRST AID MEASURES

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. If eye irritation persists: Get medical advice/attention.

Skin contact Wash with plenty of water. If skin irritation occurs, get medical advice/attention. Take off contaminated

clothing and wash it before re-use.

Inhalation If difficulties occur after mist/vapors/spray has been inhaled, remove person to fresh air and keep

comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Ingestion Rinse mouth. Remove person to fresh air and keep at rest in a position comfortable for breathing. Do not

induce vomiting unless directed by medical personnel. Call a POISON CENTER or doctor/physician if you

feel concerned or unwell.

Most important symptoms and effects, both acute and delayed

Contact with eyes may cause irritation, discomfort or pain, excess blinking and tear production with marked excess redness and swelling of the conjunctiva. Contact with skin may cause irritation with local redness.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

None.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed including oxides of carbon, nitrogen, and sulfur.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. Use personal protective equipment. High risk of slipping due to product leakage/spillage. Use appropriate containment to avoid environmental contamination.

Environmental Precautions

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains/surface waters/groundwater.

Date prepared: 15 March 2016 MSDS: ROC 40 SDS GHS

Methods and material for containment and cleaning up

Contain and solidify with inert absorbent material. Keep in suitable, closed containers for disposal. Following product recovery, flush the area with plenty of water. For large spills, stop flow of material, prevent product from entering drains, and pump off product where this is without risk and possible. Proceed as above.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Handling Avoid contact with skin, eyes and clothing.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed away from direct sunlight, away from incompatible materials.

Incompatible Materials Strong oxidizing materials, acids, amphoteric or light metals.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Only constituents with exposure limits are listed. Any constituent not listed has no known exposure limit.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
ethanol	STEL: 1000 ppm	1900 mg/m ³	TWA: 1900 mg/m ³
64-17-5		1000 ppm	1000 ppm

Appropriate engineering controls

Engineering Controls Under the intended modes of use, exposure control measures are not required.

Individual protection measures, such as personal protective equipment

Eye/face Protection Safety glasses with side shields or goggles.

Skin and body protection Wear protective gloves and protective clothing.

Respiratory Protection Respiratory protection not normally required.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Routinely wash work clothing

and protective equipment to remove contaminants.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: VAPOR PRESSURE, mm Hg AT 20°C:

Clear, green liquid ODOR Not applicable VAPOR DENSITY (Air = 1) :

Wintergreen Not applicable **ODOR THRESHOLD: RELATIVE DENSITY AT 20°C:**

Not applicable 1.015-1.025 **SOLUBILITY IN WATER:** pH:

9.9-10.9

Complete

MELTING POINT / FREEZING POINT: PARTITION COEFFICIENT, N-OCTANOL/WATER: Not available

BOILING POINT/BOILING RANGE: AUTO-IGNITION TEMPERATURE: 100°C None

FLASH POINT: **DECOMPOSITION TEMPERATURE:** Not available None

EVAPORATION RATE, water = 1: VISCOSITY: Not available

FLAMMABILITY (SOLID, GAS): FLAMMABLE LIMITS:

UPPER: Not applicable LOWER: Not applicable Not applicable

ROC 40

Page 4 of 5 Date prepared: 15 March 2016 MSDS: ROC 40 SDS GHS

10. STABILITY AND REACTIVITY

Reactivity

Not reactive.

Chemical Stability

Stable under normal conditions.

Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to Avoid

Extreme temperatures. Store away from incompatible materials.

Incompatible Materials

Strong oxidizing materials, acids, amphoteric or light metals.

Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decompositions can lead to release of irritating gases and vapors such as oxides of carbon, nitrogen, and sulfur as well as other low molecular weight hydrocarbons.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
sodium lauryl ether sulphate 9004-82-4	>2000 mg/kg (rat)	2000-5000 mg/kg (rabbit)	Not listed
alcohols, C12-C15, ethoxylated 68131-39-5	>2000 mg/kg (rat)	>2000 mg/kg (rabbit)	Not listed
amide polyglycol ether 85536-23-8	>2000 mg/kg (rat)	>2000 mg/kg (rat)	Not listed
lauramine oxide 1643-20-5	>1065 mg/kg (rat)	>2000 mg/kg (rabbit)	Not listed
tetrasodium ethylenediaminetetraacetate 64-02-8	>1780-<2000 mg/kg (rat)	Not listed	>1 mg/L (aerosol) (rat) – 6 h
ethanol 64-17-5	6200 mg/kg (rat)	19999 mg/kg (rabbit)	8001 mg/L (rat) - 4 h

Information on likely sources of exposure

Serious eye damage/irritation Causes serious eye irritation.

Skin corrosion/irritation Causes skin irritation.

IngestionExpected to be a low ingestion hazard.InhalationExpected to be a low inhalation hazard.

Delayed and immediate effects and also chronic effects from short and long-term exposure

Respiratory or skin sensitization
Germ cell mutagenicity
Carcinogenicity
Reproductive toxicity
Not a sensitizer.
None known.
No listed carcinogens.
None known.

STOT - single exposure No information available.

STOT-repeated exposure No information available.

Aspiration Hazard None.

Symptoms related to the physical, chemical and toxicological characteristics

May cause serious eye irritation. Skin irritation. See Section 2 for further characteristics.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Fish	Waterflea	Algae
ROC 40	35.4 mg/L: 96 h rainbow trout LC50	35.4 mg/L: 48 h EC50	Not available

ROC 40 Page 5 of 5
Date prepared: 15 March 2016

MSDS: ROC 40 SDS GHS

Persistence and degradability

Bioaccumulative potential

BOD (5 day) - 137000 mg/L (full formulation), 95700 mg/L (frag. & dye removed) Accumulation in organisms is not to be expected. COD - 440000 mg/L (full formulation), 122000 mg/L (frag. & dye removed)

Expected to be potentially biodegradable

Mobility in soil

No information available

Other adverse effects

Do not release untreated into natural waters. No other adverse environmental effects are expected.

13. DISPOSAL CONSIDERATIONS

<u>Waste Disposal Method</u> Dispose of in accordance with local regulations.

<u>Contaminated Packaging</u> Empty containers should be taken for local recycling, recovery or waste disposal.

14. TRANSPORT INFORMATION

TDG classification

Not regulated

15. REGULATORY INFORMATION

All ingredients are listed on the DSL

16. OTHER INFORMATION

Preparation Date15 March, 2016Revision Date6 April, 2017

Revision Note Adjustments to Sections 2, 3, 4, 8, 11

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS