

SAFETY DATA SHEET

RIDSTONE Page 1 of 5

Date prepared: January 2, 2017 MSDS: Ridstone SDS GHS

1. IDENTIFICATION

Product Identifier

Product Name Ridstone

Recommended use of the chemical and restrictions on use

Recommended use Foaming acid cleaner Restrictions on use For industrial use only

Supplier details

West Penetone Inc. 10900 Secant Montreal, QC, H1J 5S1

Tel: 514-355-4660

Emergency Telephone Number

Canutec (613)-996-6666

2. HAZARDS IDENTIFICATION

Classification

| Skin Corrosion/Irritation | Category 1 |
|---------------------------|------------|
| Eye damage/ irritation | Category 1 |
| Corrosive to metals | Category 1 |

Label Elements

DANGER

Hazard Statements

Causes severe skin burns and eye damage.

May be corrosive to metals.



Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash face, hands and any exposed skin thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

Keep only in original packaging.

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Wash contaminated clothing before reuse.

IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON CENTER or doctor/physician.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

Absorb spillage to prevent material damage.

RIDSTONE Page 2 of 5

Date prepared: January 2, 2017 MSDS: Ridstone SDS GHS

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant according to local, provincial/federal regulations.

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Chemical Name | CAS-No | Weight % |
|---------------------------------|------------|----------|
| Phosphoric acid | 7664-38-2 | 10-20 |
| Hydrofluoric acid | 7664-39-3 | 1-5 |
| Ethoxylated alcohol | 68439-46-3 | 1-5 |
| Dipropylene glycol methyl ether | 34590-94-8 | 1-5 |
| Alpha olefin sulfonate | 68439-57-6 | 1-5 |

4. FIRST AID MEASURES

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician

Skin contact Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Wash contaminated clothing before reuse

Inhalation Remove person to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician.

Ingestion Do not induce vomiting. Drink 1 or 2 glasses of water. Call a physician or Poison Control

Centre immediately. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Causes burns to eyes, skin and mucous membranes. Symptoms include tingling sensation and / or reddening of tissues.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

None

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

RIDSTONE Page 3 of 5

> Date prepared: January 2, 2017 MSDS: Ridstone SDS GHS

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. Use personal protective equipment.

Environmental Precautions

Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Handling Avoid contact with skin, eyes and clothing.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place.

Bases, organic materials, light metals, bleach. **Incompatible Materials**

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Only constituents with exposure limits are listed. Any constituent not listed has no known exposure limit.

| Chemical Name | OSHA PEL | |
|---------------------------------|---------------------------|--|
| Phosphoric acid | TWA: 1 mg/m ³ | |
| 7664-38-2 | STEL: 3 mg/m ³ | |
| Hydrofluoric acid | TWA: 3 ppm | |
| 7664-39-3 | STEL: 6 ppm | |
| Dipropylene glycol methyl ether | TWA: 100 ppm | |
| 34590-94-8 | STEL: 150 ppm | |

Appropriate engineering controls

Engineering Controls Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

Eye/face Protection Goggles.

Wear rubber or neoprene gloves, rubber apron and boots. Skin and body protection

Respiratory Protection If exposure limits are exceeded or if ventilation is inadequate, NIOSH/MSHA approved

respiratory protection should be worn.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:

Clear, colorless liquid

ODOR Acidic

Not applicable

ODOR THRESHOLD:

VAPOR PRESSURE, mm Hg AT 20°C:

Not applicable

VAPOR DENSITY (Air = 1):

Not applicable

RELATIVE DENSITY AT 20°C:

1.17

RIDSTONE Page 4 of 5

Date prepared: January 2, 2017 MSDS: Ridstone SDS GHS

SOLUBILITY IN WATER: pH:

Complete

PARTITION COEFFICIENT, N-OCTANOL/WATER: **MELTING POINT / FREEZING POINT:**

Not available Not available

BOILING POINT/BOILING RANGE: AUTO-IGNITION TEMPERATURE: 100 °C None

FLASH POINT: DECOMPOSITION TEMPERATURE:

Not available None VISCOSITY: **EVAPORATION RATE**, water = 1: <10 cps

FLAMMABILITY (SOLID, GAS): **FLAMMABLE LIMITS:**

Not applicable **UPPER:** Not applicable LOWER: Not applicable

10. STABILITY AND REACTIVITY

Reactivity **Chemical Stability**

Stable under normal conditions. Not reactive.

Possibility of hazardous reactions **Conditions to Avoid**

Will generate chlorine gas when mixed with chlorinated products. Store away from incompatible materials.

Hazardous decomposition products Incompatible Materials

Chlorinated products, bases, organic materials, light metals None known.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

| Chemical Name | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|--|--------------------------|--------------------------|--------------------------------|
| Phosphoric acid 7664-38-2 | 1530 mg/kg (Rat) | 2730 mg/kg(Rabbit) | 850 mg/m ³ (Rat)1 h |
| Ethoxylated alcohol 68439-46-3 | > 2 g/kg(Rat) | No information available | Not applicable |
| Hydrofluoric acid 7664-39-3 | No information available | No information available | 1300 ppm (Rat) 1 h |
| Dipropylene glycol methyl ether 34590-94-8 | > 5 g/kg(Rat) | 9510 mg/kg(Rabbit) | No information available |
| Alpha olefin sulfonate 68439-57-6 | 2310 mg/kg (Rat) | 6300 mg/kg (Rat) | Not applicable |

Information on likely sources of exposure

Serious eye damage/irritation Corrosive to eyes and may cause grave lesions, including blindness.

Skin corrosion/irritation Corrosive to skin.

Ingestion Ingestion may cause burns to the digestive and respiratory tract. Inhalation Spray mist may cause irritation or burns to respiratory tract.

Delayed and immediate effects and also chronic effects from short and long-term exposure

Respiratory or skin sensitization Not a sensitizer. Germ cell mutagenicity None known.

Carcinogenicity No listed carcinogens.

Reproductive toxicity None known. STOT - single exposure None known. STOT-repeated exposure None known. **Aspiration Hazard** None.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms include tingling sensation and / or reddening of tissues, eventually leading to burn lesions.

RIDSTONE Page 5 of 5

Date prepared: January 2, 2017 MSDS: Ridstone SDS GHS

12. ECOLOGICAL INFORMATION

Ecotoxicity

If available, ecotoxicity values of individual components are shown below.

| Chemical Name | Fish | Waterflea |
|-----------------|-------------------------|---------------------|
| Phosphoric acid | 3 - 3.5 mg/L 96 h LC50: | 4.6 mg/L EC50: 12 h |
| 7664-38-2 | Gambusia affinis | Daphnia magna |

Persistence and degradabilityBioaccumulative potentialNo information available.No information available.

Mobility in soil Other adverse effects

No information available None known

13. DISPOSAL CONSIDERATIONS

<u>Waste Disposal Method</u> Dispose of in accordance with local regulations.

<u>Contaminated Packaging</u> Empty containers should be taken for local recycling, recovery or waste disposal.

14. TRANSPORT INFORMATION

TDG classification

UN1760, corrosive liquid n.o.s. (hydrofluoric acid), class 8, PG II

15. REGULATORY INFORMATION

All ingredients are listed on the DSL

16. OTHER INFORMATION

Preparation DateJanuary 2, 2017Revision Datenot applicableRevision Notenot applicable

<u>Disclaimer</u>

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS