

SAFETY DATA SHEET

SUPER RAMFOAM Page 1 of 5

Date prepared: 16 November 2016 MSDS: SUPER RAMFOAM SDS GHS

1. IDENTIFICATION

Product Identifier

Product Name SUPER RAMFOAM

Recommended use of the chemical and restrictions on use

 Recommended use
 Foam conditioner – vehicle wash

 Restrictions on use
 For commercial or industrial use only

Supplier details

West Penetone Inc. 11411-160 Street Edmonton, AB, T5M3T7

Tel: 780-454-3919

Emergency Telephone Number

Canutec (613)-996-6666

2. HAZARDS IDENTIFICATION

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Carcinogenicity	Category 2
Reproductive toxicity	Category 1B
	·
Hazardous to the aquatic environment, acute hazard	Category 3

Label Elements

DANGER

Hazard Statements

Causes skin irritation
Causes serious eye irritation

Suspected of causing cancer

May damage fertility or the unborn child

Harmful to aquatic life





<u>Precautionary Statements - Prevention</u>

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wash face, hands and any exposed skin thoroughly after handling.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: get medical advice/attention.

IF ON SKIN: Wash with plenty of water. If skin irritation occurs, get medical advice/attention. Take off contaminated clothing and wash it before re-use.

If exposed or concerned: get medical advice/attention.

Precautionary Statements - Storage

Store locked up.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant according to local, provincial/federal regulations.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
triethanolamine dodecylbenzene sulfonate	27323-41-7	7-13
sodium xylene sulfonate	1300-72-7	1-5
sodium lauryl ether sulphate	9004-82-4	1-5
cocoamide DEA	68603-42-9	1-5
ethanol	64-17-5	0.1-1.0
triethanolamine	102-71-6	0.1-1.0

4. FIRST AID MEASURES

Eye contactRinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. If eye irritation persists: get medical advice/attention.

Skin contact Wash with plenty of water. If skin irritation occurs, get medical advice/attention. Take off contaminated

clothing and wash it before re-use.

Inhalation If difficulties occur after mist or spray has been inhaled, remove person to fresh air and keep comfortable

for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Ingestion Rinse mouth. Do not induce vomiting unless directed by medical personnel. Call a POISON CENTER or

doctor/physician if you feel concerned or unwell.

Most important symptoms and effects, both acute and delayed

Contact with eyes may cause irritation, discomfort or pain, excess blinking and tear production with marked excess redness and swelling of the conjunctiva. Contact with skin may cause irritation with local redness. Section 2 for possible delayed effects.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

None.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed including oxides of carbon, nitrogen, and sulfur.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes. Use personal protective equipment where needed or required. High risk of slipping due to product leakage/spillage.

Environmental Precautions

Avoid discharge into drains/surface waters/groundwater.

SUPER RAMFOAM Page 3 of 5 Date prepared: 16 November 2016

MSDS: SUPER RAMFOAM SDS GHS

Methods and material for containment and cleaning up

Contain and solidify with inert absorbent material. Keep in suitable, closed containers for disposal. Following product recovery, flush the area with plenty of water. For large spills, stop flow of material, prevent product from entering drains, and pump off product where this is without risk and possible. Proceed as above.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Handling Avoid contact with skin and eyes. Avoid prolonged exposure to concentrated material. Do not handle

until all safety precautions or special instructions have been read and understood.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed away from direct sunlight, away from incompatible materials.

Incompatible Materials Acids, strong oxidizing agents

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Only constituents with exposure limits are listed. Any constituent not listed has no known exposure limit.

I	Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
	ethanol 64-17-5	STEL: 1000 ppm	1900 mg/m ³ 1000 ppm	TWA: 1900 mg/m ³ 1000 ppm
	triethanolamine 102-71-6	TWA: 5 mg/m³ STEL: 5 ppm/31 mg/m³	Not listed	Not listed

Appropriate engineering controls

Engineering Controls Under the intended modes of use, exposure control measures are not required.

Individual protection measures, such as personal protective equipment

Eye/face Protection Under the intended modes of use, eye/face protection is not required.

Skin and body protection Under the intended modes of use, skin and body protection is not required.

Respiratory Protection Under the intended modes of use, respiratory protection is not required.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Routinely wash work clothing

and protective equipment to remove contaminants.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: VAPOR PRESSURE, mm Hg AT 20°C:

Clear, red liquid Not applicable **ODOR** VAPOR DENSITY (Air = 1): Cherry Not applicable

ODOR THRESHOLD: RELATIVE DENSITY AT 20°C:

Not applicable 1.030-1.040 **SOLUBILITY IN WATER:**

pH: 7.0-8.0 Complete

MELTING POINT / FREEZING POINT:

PARTITION COEFFICIENT, N-OCTANOL/WATER: Not available

Approx. -10°C

BOILING POINT/BOILING RANGE: AUTO-IGNITION TEMPERATURE: Approx. 100°C None FLASH POINT: **DECOMPOSITION TEMPERATURE:**

None Not available VISCOSITY: EVAPORATION RATE, water = 1:

Not available FLAMMABILITY (SOLID, GAS): FLAMMABLE LIMITS:

Not applicable **UPPER:** Not applicable LOWER: Not applicable SUPER RAMFOAM
Page 4 of 5
Date prepared: 16 November 2016

MSDS : SUPER RAMFOAM SDS GHS

10. STABILITY AND REACTIVITY

Reactivity

Not reactive.

Chemical Stability

Stable under normal conditions.

Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to Avoid

Store away from incompatible materials.

Incompatible Materials

Acids, strong oxidizing agents

Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decompositions can lead to release of irritating gases and vapors such as oxides of carbon, nitrogen, and sulfur as well as other low molecular weight hydrocarbons.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

ATE_{mix} - LD50 oral - approx. ≥ 7458 mg/kg (rat), LD50 dermal - approx. ≥ 9771 mg/kg (rabbit)

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
triethanolamine dodecylbenzene sulfonate 27323-41-7	500-2000 mg/kg (rat)	>2000 mg/kg (rabbit)	Not listed
sodium xylene sulfonate 1300-72-7	7200 mg/kg (rat)	>2000 mg/kg (rabbit)	Not listed
sodium lauryl ether sulphate 9004-82-4	>2000 mg/kg (rat)	2000-5000 mg/kg (rabbit)	Not listed
cocoamide DEA 68603-42-9	>5000 mg/kg (rat)	>2000 mg/kg (rabbit)	Not listed
ethanol 64-17-5	6200 mg/kg (rat)	19999 mg/kg (rabbit)	8001 mg/L (rat) - 4 h
triethanolamine 102-71-6	2200 mg/kg	18000 mg/kg	Not listed

Information on likely sources of exposure

Serious eye damage/irritation Causes serious eye irritation.

Skin corrosion/irritation Causes skin irritation.

IngestionExpected to be a low ingestion hazard.InhalationExpected to be a low inhalation hazard.

Delayed and immediate effects and also chronic effects from short and long-term exposure

Respiratory or skin sensitization Not a sensitizer. Germ cell mutagenicity None known.

CarcinogenicityCocoamide DEA (CAS 68603-42-9)2B Possibly carcinogenic to humansReproductive toxicityCocoamide DEA (CAS 68603-42-9)1B May damage fertility or the unborn child

STOT - single exposure No information available. STOT-repeated exposure No information available.

Aspiration Hazard None.

Symptoms related to the physical, chemical and toxicological characteristics

May cause serious eye irritation. Skin irritation. See Section 2 for further characteristics.

SUPER RAMFOAM

Date prepared: 16 November 2016 MSDS: SUPER RAMFOAM SDS GHS

Page 5 of 5

12. ECOLOGICAL INFORMATION

Ecotoxicity

If available, ecotoxicity values of individual components are shown below.

Chemical Name	Fish	Waterflea	Algae
triethanolamine dodecylbenzene sulfonate 27323-41-7	6 mg/L: 96 h LC50	6.9 mg/L: 48 h Daphnia magna EC50	50-100 mg/L: 72 h EC50
sodium xylene sulfonate 1300-72-7	> 1000 mg/L: 96 h LC50	> 1000 mg/L: 48 h EC50	> 230 mg/kg, 72 h EC50
sodium lauryl ether sulphate 9004-82-4	2.3 mg/L: 96 h LC50	>13 ppm: 48 h LC50	>56 ppm: 72 h EC50
cocoamide DEA 68603-42-9	<10 mg/L: 96 h LC50	<10 mg/L: 48 h LC50	<10 mg/L: 72 h LC50
triethanolamine 102-71-6	11800 mg/L: 96 h pimephales promelas LC50	1390 mg/L: 24 h daphnia magna EC50	169 mg/L: 96 h desmodesmus subspicatus EC50

Persistence and degradability

Expected to be readily biodegradable

Accumulation in organisms is not to be expected.

Mobility in soil

No information available

Other adverse effects

Bioaccumulative potential

Do not release untreated into natural waters. No other adverse environmental effects are expected.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method Dispose of in accordance with local regulations.

Empty containers should be taken for local recycling, recovery or waste disposal. **Contaminated Packaging**

14. TRANSPORT INFORMATION

TDG classification

Not regulated

15. REGULATORY INFORMATION

All ingredients are listed on the DSL

16. OTHER INFORMATION

16 November, 2016 **Preparation Date Revision Date** not applicable **Revision Note** not applicable

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.