

SAFETY DATA SHEET

SUPREME TRUCK

Page 1 of 6 Date prepared: 16 June 2016 MSDS : SUPREME TRUCK SDS GHS

1. IDENTIFICATION

Product Identifier Product Name	
	SUPREME TRUCK
Recommended use of the chen	nical and restrictions on use
Recommended use	Vehicle wash - powdered
Restrictions on use	For industrial use only
Supplier details	
	West Penetone Inc.
	11411-160 Street

11411-160 Street Edmonton, AB, T5M3T7 Tel: 780-454-3919

Emergency Telephone Number

Canutec (613)-996-6666

2. HAZARDS IDENTIFICATION

Classification

Acute toxicity, inhalation – dust/mist	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitizer	Category 1
Hazardous to the aquatic environment, acute hazard	Category 3

Hazardous to the aquatic environment, acute hazard

Label Elements

DANGER

Hazard Statements Harmful if inhaled Causes skin irritation Causes serious eye damage May cause an allergic skin reaction Harmful to aquatic life



Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs, get medical advice/attention. Take off contaminated clothing and wash it before re-use.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

Precautionary Statements - Storage

Store locked up.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant according to local, provincial/federal regulations.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
sodium carbonate	497-19-8	15-40
sodium tripolyphosphate	7758-29-4	10-30
sodium metasilicate	6834-92-0	3-7
sodium dodecylbenzene sulfonate	25155-30-0	1-5
alcohols, C9-C11, ethoxylated	68439-46-3	1-5
alcohols, C12-15, ethoxylated propoxylated	68551-13-3	1-5
C6-12 alkyl alcohol ethoxylated phosphoric acid	68921-24-4	1-5
2-propenoic acid, homopolymer, sodium salt	68479-09-4	1-5
sodium hydroxide	1310-73-2	0.5-1.5
sodium lauryl ether sulphate	9004-82-4	0.5-1.5
d-limonene	5989-27-5	0.5-1.5
propan-2-ol	67-63-0	0.5-1.5

4. FIRST AID MEASURES

Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
Skin contact	Wash with plenty of water. If skin irritation or rash occurs, get medical advice/attention. Take off contaminated clothing and wash it before re-use. Call a POISON CENTER or doctor/physician if you feel unwell.
Inhalation	Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
Ingestion	Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

Most important symptoms and effects, both acute and delayed

Contact with eyes may cause serious corneal damage or injury leading to irritation, discomfort or pain, excess blinking and tear production with marked excess redness and swelling of the conjunctiva. Contact with skin may cause irritation with local redness as well as an allergic skin response with prolonged or repeated exposure. Ingestion may cause irritation or a burning sensation of the mouth and throat and abdominal pain and possible pneumonitis if aspirated.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

None.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed including oxides of carbon, phosphorous, silicon, sodium, and sulfur and other irritating gases.

Protective Equipment and Precautions for Firefighter

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Sweep up to prevent slipping hazard.

Environmental Precautions

Avoid flushing product into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

Sweep up with broom and keep in suitable, closed containers for disposal. Following product recovery, flush contaminated area with water.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Handling

Avoid contact with skin and eyes.

Conditions for safe storage, including any incompatibilities

Storage

Store locked up away from incompatible materials.

Incompatible Materials

Acids, strong oxidizing agents, amphoteric or light metals.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Only constituents with exposure limits are listed. Any constituent not listed has no known exposure limit.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
sodium metasilicate	TWA: 2 mg/m ³	Not available	Not available
6834-92-0			
d-limonene	TWA: 30 ppm/165.5 mg/m ³	Not available	Not available
5989-27-5	(AIHA) – 8 h		
propan-2-ol	TWA: 200 ppm	TWA: 400 ppm/980 mg/m ³	Not listed
67-63-0	STEL: 400 ppm	STEL: 500 ppm/1225 mg/m ³	
sodium hydroxide	2 mg/m ³ ceiling	2 mg/m ³ ceiling	10 mg/m ³
1310-73-2			•

Appropriate engineering controls

Engineering Controls Under the intended modes of handling and use, exposure control measures are not required. Individual protection measures, such as personal protective equipment **Eye/face Protection** Safety glasses with side shields or goggles. Skin and body protection Wear protective gloves and protective clothing. **Respiratory Protection** No personal respiratory equipment normally required. Handle in accordance with good industrial hygiene and safety practice. Routinely wash work clothing to **General Hygiene Considerations** remove contaminants.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Green powder ODOR Citrus **ODOR THRESHOLD :** Not applicable

VAPOR PRESSURE, mm Hg AT 20°C : Not applicable VAPOR DENSITY (Air = 1) : Not applicable **RELATIVE DENSITY AT 20°C:** Not applicable

SUPREME TRUCK

pH :

10.5 (1% w/v solution) **MELTING POINT / FREEZING POINT :** Not applicable

BOILING POINT/BOILING RANGE : Not available

FLASH POINT :

None

EVAPORATION RATE, water = 1 :

Not applicable FLAMMABILITY (SOLID, GAS):

Not applicable

..

Page 4 of 6 Date prepared: 16 June 2016 MSDS : SUPREME TRUCK SDS GHS

SOLUBILITY IN WATER : Complete PARTITION COEFFICIENT, N-OCTANOL/WATER : Not available AUTO-IGNITION TEMPERATURE : None DECOMPOSITION TEMPERATURE: Not available VISCOSITY: Not available FLAMMABLE LIMITS :

UPPER: Not applicable LOWER : Not applicable

10. STABILITY AND REACTIVITY

Reactivity

Not reactive.

Chemical Stability

Stable under normal conditions.

Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to Avoid

Store away from incompatible materials.

Incompatible Materials

Acids, strong oxidizing agents, amphoteric or light metals.

Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decompositions can lead to release of irritating gases and vapors such as oxides of carbon, phosphorous, silicon, sodium, and sulfur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
sodium carbonate 497-19-8	2800 mg/kg (rat)	>2000 mg/kg (rabbit)	2.3 mg/L (rat)
sodium tripolyphosphate 7758-29-4	3100 mg/kg (rat)	>7940 mg/kg (rabbit)	Not listed
sodium metasilicate 6834-92-0	600 mg/kg (rat)	Not listed	Not listed
d-limonene 5989-27-5	4400 mg/kg (rat)	>5000 mg/kg (rabbit)	Not listed
sodium dodecylbenzene sulfonate 25155-30-0	500-2000 mg/kg (rat)	Not listed	Not listed
alcohols, C9-C11, ethoxylated 68439-46-3	>2000 mg/kg (rat)	>2000 mg/kg (rabbit)	Not listed
alcohols, C12-15, ethoxylated propoxylated 68551-13-3	1350 mg/kg (rat)	Not listed	Not listed
C6-12 alkyl alcohol ethoxylated phosphoric acid 68921-24-4	Not listed	>2500 mg/kg	Not listed
2-propenoic acid, homopolymer, sodium salt 9003-04-7	>5000 mg/kg (rat)	>5000 mg/kg (rabbit)	Not listed
sodium hydroxide 1310-73-2	500 mg/kg (rabbit)	Not listed	Not listed
sodium lauryl ether sulphate 9004-82-4	>2000 mg/kg (rat)	2000-5000 mg/kg (rabbit)	Not listed
d-limonene 5989-27-5	4400 mg/kg (rat)	>5000 mg/kg (rabbit)	Not listed
propan-2-ol 67-63-0	5000 mg/kg (rat)	12800 mg/kg (rabbit)	45248 ppm (rat) – 1 h

Information on likely sources of exposure

Serious eye damage/irritation	Causes serious eye damage.
Skin corrosion/irritation	Causes skin irritation and possible sensitization.
Ingestion	May be harmful if swallowed.
Inhalation	Expected to be a low inhalation hazard under the intended modes of use.

Delayed and immediate effects and also chronic effects from short and long-term exposure

Respiratory or skin sensitization	d-limonene (CAS 5989-27-5)	1 May cause an allergic skin reaction
Germ cell mutagenicity	None known.	
Carcinogenicity	No listed carcinogens.	
Reproductive toxicity	No information available	
STOT - single exposure	propan-2-ol (CAS 67-63-0)	3 May cause drowsiness or dizziness
	sodium metasilicate (CAS 6834-92-0)	3 May cause respiratory irritation
	sodium tripolyphosphate (CAS 7758-29-4)	3 May cause respiratory irritation
STOT-repeated exposure	No information available.	
Aspiration Hazard	d-limonene (CAS 5989-27-5)	1 May be fatal if swallowed and enters airways

Symptoms related to the physical, chemical and toxicological characteristics

Eye damage. Skin irritation and possible sensitization.

12. ECOLOGICAL INFORMATION

Ecotoxicity

If available, ecotoxicity values of individual components are shown below.

Chemical Name	Fish	Waterflea	Algae
sodium carbonate 497-19-8	300 mg/L: 96 h bluegill sunfish	227-1200 mg/L: 48 h ceriodaphnia EC50	Not available
sodium tripolyphosphate 7758-29-4	1650 mg/L: 48 h leuciscus idus LC50	Not available	Not available
d-limonene 5989-27-5	0.702 mg/L: 96 h fathead minnow LC50	69.6 mg/L: 48 h daphnia pulex EC50	Not available
sodium dodecylbenzene sulfonate 25155-30-0	3.2-5.6 mg/L: 96 h rainbow trout LC50	6.3 mg/L: 48 h daphnia magna EC50	Not available
alcohols, C9-C11, ethoxylated 68439-46-3	5-10 mg/L: 96 h LC50	5-10 mg/L: 48 h EC50	10-100 mg/L: 72 h EC50
C6-12 alkyl alcohol ethoxylated phosphoric acid 68921-24-4	189 ppm: 96 h LC50	111 ppm: 96 h LC50	94 ppm: 78 h EC50
2-propenoic acid, homopolymer, sodium salt 9003-04-7	>1000 mg/L: 96 h lepomis macrochirus LC50	> 1000 mg/L: 48 h EC50	>180 mg/L: 96 h EC50
sodium hydroxide 1310-73-2	1149 mg/kg: 96 h rainbow trout LC50	Not available	Not available
sodium lauryl ether sulphate 9004-82-4	2.3 mg/L: 96 h LC50	>13 ppm: 48 h LC50	>56 ppm: 72 h EC50
d-limonene 5989-27-5	0.702 mg/L: 96 h fathead minnow LC50	69.6 mg/L: 48 h daphnia pulex EC50	Not available
propan-2-ol 67-63-0	4200 mg/L: 96 h Rasbora hetermorpha LC50	1400-1950 mg/L: 48 h Crangon crangon EC50	Not available

Persistence and degradability

Expected to be readily biodegradable. Not applicable to inorganic materials.

Bioaccumulative potential

Accumulation in organisms is not to be expected.

Mobility in soil

Inorganic substances will dissociate into ions.

Other adverse effects

Do not release untreated into natural waters. No other adverse environmental effects are expected.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method

Dispose of in accordance with local regulations.

Contaminated Packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

14. TRANSPORT INFORMATION

TDG classification

UN 3262, Corrosive Solid, Basic, Inorganic, N.O.S. (contains sodium metasilicate), Class 8, PG III

15. REGULATORY INFORMATION

All ingredients are listed on the DSL

16. OTHER INFORMATION

Preparation Date Revision Date Revision Note 16 June, 2016 not applicable not applicable

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS