

1. IDENTIFICATION

Product Identifier
Product Name XTREME LAUNDRY

Recommended use of the chemical and restrictions on use
Recommended use Laundry detergent - powdered
Restrictions on use For industrial use only

Supplier details

West Penetone Inc.
11411-160 Street

Edmonton, AB,
T5M3T7
Tel: 780-454-3919

Emergency Telephone Number

Canutec (613)-996-6666

2. HAZARDS IDENTIFICATION

Classification

Acute toxicity, oral	Category 4
Acute toxicity, inhalation – dust/mist	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitizer	Category 1
Specific target organ toxicity – single exposure	Category 3
Aspiration hazard	Category 2
Hazardous to the aquatic environment, acute hazard	Category 2
Hazardous to the aquatic environment, long-term hazard	Category 3

Label Elements
DANGER
Hazard Statements

Harmful if swallowed
Harmful if inhaled
Causes skin irritation
Causes serious eye damage
May cause an allergic skin reaction
May cause respiratory irritation
May be harmful if swallowed and enters airways
Toxic to aquatic life
Harmful to aquatic life with long lasting effects

Precautionary Statements - Prevention

Avoid breathing dust.
Wash face, hands and any exposed skin thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Contaminated work clothing should not be allowed out of workplace.
Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs, get medical advice/attention. Take off contaminated clothing and wash it before re-use.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel concerned or unwell.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

Precautionary Statements - Storage

Store locked up.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant according to local, provincial/federal regulations.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
sodium carbonate	497-19-8	30-60
sodium metasilicate	6834-92-0	10-30
sodium dodecylbenzene sulfonate	25155-30-0	1-5
d-limonene	5989-27-5	1-5
sodium tripolyphosphate	7758-29-4	1-5
alcohols, C9-C11, ethoxylated	68439-46-3	1-5
poly(oxy-1,2-ethanediyl),alpha-undecyl-omega-hydroxy-	34398-01-1	1-5

4. FIRST AID MEASURES**Eye contact**

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Skin contact

Wash with plenty of water. If skin irritation or rash occurs, get medical advice/attention. Take off contaminated clothing and wash it before re-use. Call a POISON CENTER or doctor/physician if you feel concerned or unwell.

Inhalation

Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel concerned or unwell.

Ingestion

Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

Most important symptoms and effects, both acute and delayed

Contact with eyes may cause serious corneal damage or injury leading to irritation, discomfort or pain, excess blinking and tear production with marked excess redness and swelling of the conjunctiva, and blurred vision. Contact with skin may cause irritation with local redness as well as an allergic skin response with prolonged or repeated exposure. Inhalation of dust may cause respiratory tract irritation leading to a temporary burning sensation of the nose and throat, coughing, and difficulty breathing. Ingestion may cause irritation or a burning sensation of the mouth and throat and abdominal pain and lead to pneumonitis if aspirated.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE-FIGHTING MEASURES**Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

None.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed including oxides of carbon, nitrogen, phosphorous, silicon, sodium, and sulfur and other irritating gases.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. Avoid dust formation. Sweep up to prevent slipping hazard.

Environmental Precautions

Avoid flushing product into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

Sweep up with broom and keep in suitable, closed containers for disposal. Following product recovery, flush contaminated area with water.

7. HANDLING AND STORAGE**Precautions for Safe Handling**

Handling Avoid contact with skin and eyes.

Conditions for safe storage, including any incompatibilities

Storage Store locked up away from incompatible materials.

Incompatible Materials Acids, strong oxidizing agents, amphoteric or light metals.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION**Control parameters**

Only constituents with exposure limits are listed. Any constituent not listed has no known exposure limit.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
sodium metasilicate 6834-92-0	TWA: 2 mg/m ³	Not available	Not available
d-limonene 5989-27-5	TWA: 30 ppm/165.5 mg/m ³ (AIHA) – 8 h	Not available	Not available

Appropriate engineering controls

Engineering Controls Under the intended modes of handling and use, exposure control measures are not required.

Individual protection measures, such as personal protective equipment

Eye/face Protection Safety glasses with side shields or goggles.

Skin and body protection Wear protective gloves and protective clothing.

Respiratory Protection No personal respiratory equipment normally required.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Routinely wash work clothing to remove contaminants.

9. PHYSICAL AND CHEMICAL PROPERTIES**APPEARANCE :**

White powder

ODOR

Citrus

ODOR THRESHOLD :

Not applicable

pH :

10.5 (1% w/v solution)

MELTING POINT / FREEZING POINT :

Not applicable

BOILING POINT/BOILING RANGE :

Not available

FLASH POINT :

None

EVAPORATION RATE, water = 1 :

Not applicable

FLAMMABILITY (SOLID, GAS):

Not applicable

VAPOR PRESSURE, mm Hg AT 20°C :

Not applicable

VAPOR DENSITY (Air = 1) :

Not applicable

RELATIVE DENSITY AT 20°C:

Not applicable

SOLUBILITY IN WATER :

Complete

PARTITION COEFFICIENT, N-OCTANOL/WATER :

Not available

AUTO-IGNITION TEMPERATURE :

None

DECOMPOSITION TEMPERATURE:

Not available

VISCOSITY:

Not available

FLAMMABLE LIMITS :**UPPER:** Not applicable **LOWER :** Not applicable**10. STABILITY AND REACTIVITY****Reactivity**

Not reactive.

Chemical Stability

Stable under normal conditions.

Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to Avoid

Store away from incompatible materials.

Incompatible Materials

Acids, strong oxidizing agents, amphoteric or light metals.

Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decompositions can lead to release of irritating gases and vapors such as oxides of carbon, nitrogen, phosphorous, silicon, sodium, and sulfur.

11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
sodium carbonate 497-19-8	2800 mg/kg (rat)	>2000 mg/kg (rabbit)	2.3 mg/L (rat)
sodium metasilicate 6834-92-0	600 mg/kg (rat)	Not listed	Not listed
sodium dodecylbenzene sulfonate 25155-30-0	500-2000 mg/kg (rat)	Not listed	Not listed
d-limonene 5989-27-5	4400 mg/kg (rat)	>5000 mg/kg (rabbit)	Not listed
sodium tripolyphosphate 7758-29-4	3100 mg/kg (rat)	>7940 mg/kg (rabbit)	Not listed
alcohols, C9-C11, ethoxylated 68439-46-3	>2000 mg/kg (rat)	>2000 mg/kg (rabbit)	Not listed
poly(oxy-1,2-ethanediyl),alpha-undecyl-omega-hydroxy- 34398-01-1	>2000 mg/kg (rat)	>2000 mg/kg (rabbit)	Not listed
trisodium nitrilotriacetic acid 5064-31-3	1740 mg/kg (rat)	Not listed	Not listed

Information on likely sources of exposure

Serious eye damage/irritation	Causes serious eye damage.
Skin corrosion/irritation	Causes skin irritation and possible sensitization.
Ingestion	May be harmful if swallowed.
Inhalation	Expected to be a low inhalation hazard under the intended modes of use.

Delayed and immediate effects and also chronic effects from short and long-term exposure

Respiratory or skin sensitization	d-limonene (CAS 5989-27-5)	1 May cause an allergic skin reaction
Germ cell mutagenicity	None known.	
Carcinogenicity	trisodium nitrilotriacetate (CAS 5064-31-3)	2B Possibly carcinogenic to humans
Reproductive toxicity	No information available	
STOT - single exposure	sodium metasilicate (CAS 6834-92-0)	3 May cause respiratory irritation
	sodium tripolyphosphate (CAS 7758-29-4)	3 May cause respiratory irritation
STOT-repeated exposure	No information available.	
Aspiration Hazard	d-limonene (CAS 5989-27-5)	1 May be fatal if swallowed and enters airways

Symptoms related to the physical, chemical and toxicological characteristics

Eye damage. Skin irritation and possible sensitization. See Section 2 for further characteristics.

12. ECOLOGICAL INFORMATION**Ecotoxicity**

If available, ecotoxicity values of individual components are shown below.

Chemical Name	Fish	Waterflea	Algae
sodium carbonate 497-19-8	300 mg/L: 96 h bluegill sunfish	227-1200 mg/L: 48 h ceriodaphnia EC50	Not available
sodium dodecylbenzene sulfonate 25155-30-0	3.2-5.6 mg/L: 96 h rainbow trout LC50	6.3 mg/L: 48 h daphnia magna EC50	Not available
d-limonene 5989-27-5	0.702 mg/L: 96 h fathead minnow LC50	69.6 mg/L: 48 h daphnia pulex EC50	Not available
sodium tripolyphosphate 7758-29-4	1650 mg/L: 48 h leuciscus idus LC50	Not available	Not available
alcohols, C9-C11, ethoxylated 68439-46-3	5-10 mg/L: 96 h LC50	5-10 mg/L: 48 h EC50	10-100 mg/L: 72 h EC50
poly(oxy-1,2-ethanediyl), alpha-undecyl-omega-hydroxy- 34398-01-1	5-10 mg/L: 96 h LC50	5-10 mg/L: 48 h EC50	10-100 mg/L: 72 h EC50
trisodium nitrilotriacetic acid 5064-31-3	127 mg/L: 96 h pimephales promelas LC50	560-1000 mg/L: 48 h daphnia magna EC50	>100 mg/L: 72 h desmodesums subspicatus

Persistence and degradability

Expected to be potentially biodegradable.

Bioaccumulative potential

Accumulation in organisms is not to be expected.

Mobility in soil

Inorganic substances will dissociate into ions.

Other adverse effects

Do not release untreated into natural waters. No other adverse environmental effects are expected.

13. DISPOSAL CONSIDERATIONS**Waste Disposal Method**

Dispose of in accordance with local regulations.

Contaminated Packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

14. TRANSPORT INFORMATION**TDG classification**

Not regulated

15. REGULATORY INFORMATION

All ingredients are listed on the DSL

16. OTHER INFORMATION

Preparation Date

24 May, 2016

Revision Date

not applicable

Revision Note

not applicable

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS