

1. IDENTIFICATION

Product Identifier

Product Name ACCUCLEAN 250
Chemical Name Alkaline detergent solution

Recommended use of the chemical and restrictions on use

Recommended use Degreaser
Restrictions on use For industrial use only

Supplier details

West Penetone Inc. 11411-160 Street
 Edmonton, AB,
 T5M3T7
 Tel: 780-454-3919

Emergency Telephone Number

(780) 454-3919 (Mon – Fri, 8 AM – 4:30 PM, Mountain time)
 CANUTEC 1-613-996-6666 Internationally or 1-888-226-8832 – North America FOR 24 HOUR TRANSPORT EMERGENCY

2. HAZARDS IDENTIFICATION

Classification

Corrosive to metals	Category 1
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

Label Elements

DANGER

Hazard Statements

May be corrosive to metals.
 Causes severe skin burns and eye damage.
 Causes serious eye damage.



Precautionary Statements - Prevention

Keep only in original container.
 Do not breathe mists.
 Wash face, hands, and any exposed skin thoroughly after handling.
 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements - Response

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.
 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water/shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or doctor/physician.
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.
 IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so. Continue rinsing. Immediately call a POISON CENTER or physician.
 Absorb spillage to prevent material damage.

Precautionary Statements - Storage

Store locked up in a closed, corrosion resistant container.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant according to local, provincial/federal regulations

3. COMPOSITION/ INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight %
Sodium hydroxide	1310-73-2	10 – 30*
Ethanolamine	141-43-5	1 – 5*
Ethylenediaminetetraacetic acid, tetrasodium salt	64-02-8	1 – 5*
Sodium laureth sulfate	68585-34-2	1 – 5*
Sodium xylene sulfonate	1300-72-7	1 – 5*

*Actual concentration is withheld as a trade secret

4. FIRST AID MEASURES

Ingestion:	Do not induce vomiting unless directed by medical personnel. Rinse mouth with water and drink 1 or 2 glasses of water and call a POISON CENTER or doctor/physician immediately.
Skin contact:	Take off contaminated clothing and rinse skin with plenty of water. Wash any contaminated clothing before re-use. Immediately call a doctor/physician.
Inhalation:	If difficulties occur after mist/vapors/spray has been inhaled, remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician.
Eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER or doctor/physician immediately.

Most important symptoms and effects, both acute and delayed.

Contact with eyes may cause serious irritation leading to discomfort or pain, redness, swelling, and blurred vision. Contact with skin may cause severe burns or irritation with local redness.

Indication of any immediate medical attention and special treatment needed.

Treat symptomatically.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

None.

Specific hazards arising from the chemical.

During fire, gases hazardous to health may be formed including oxides of carbon, nitrogen, and sulfur and other irritating gases.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures

Use personal protective equipment.

Environmental Precautions

Avoid discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up.

Contain and solidify with inert absorbent materials. Keep in suitable, closed containers for disposal. Following product recovery, flush area with water. For large spills, stop flow of material, prevent product from entering drains, and pump off product where this is without risk and possible. Proceed as above.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Handling: Avoid contact with skin and eyes.

Conditions for safe storage, including any incompatibilities

Storage: Store away from incompatible materials. Keep from freezing

Incompatible Materials: Aluminum, tin, zinc, magnesium and other soft metals/alloys, strong oxidizing agents, acids.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Only constituents with exposure limits are listed. Any constituent not listed has no known exposure limit.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethanolamine CAS 141-43-5	STEL: 6ppm TWA: 3 ppm	Not available	Not available

Appropriate engineering controls

Engineering Controls: Under the intended modes of use, exposure control measures are not required.

Individual protection measures, such as personal protective equipment

Eye/face Protection: Safety glasses with side shields or goggles. Use a face-shield where mode of handling increases risk of splashing.

Skin and body protection: Wear protective gloves and protective clothing.

Respiratory Protection: Wear respiratory protection if ventilation is inadequate.

General Hygiene Considerations: Handle in accordance with good industrial hygiene and safety practice. Routinely wash work clothing and protective equipment to remove contaminants.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:

Colorless liquid

ODOR:

Mild, detergent

ODOR THRESHOLD:

Not applicable

pH:

12.5– 13.5 (10% v/v solution in water)

MELTING POINT / FREEZING POINT:

< 0°C

BOILING POINT/BOILING RANGE:

Not available

FLASH POINT:

None

EVAPORATION RATE, water = 1

1

FLAMMABILITY (SOLID, GAS):

Not applicable

VAPOR PRESSURE, mm Hg AT 20°C:

Not available

VAPOR DENSITY (Air = 1):

Not available

RELATIVE DENSITY AT 20°C:

1.190 - 1.210

SOLUBILITY IN WATER:

Complete

PARTITION COEFFICIENT, N-OCTANOL/WATER:

Not available

AUTO-IGNITION TEMPERATURE:

None

DECOMPOSITION TEMPERATURE:

Not available

VISCOSITY:

Not available

FLAMMABLE LIMITS:**UPPER:** Not applicable **LOWER:** Not applicable

10. STABILITY AND REACTIVITY

Reactivity

Stable under normal conditions of storage and use. The product will react with aluminum, magnesium, zinc and soft metal alloys to generate hydrogen.

Chemical Stability

Stable under normal conditions.

Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to Avoid

Store away from incompatible materials. Keep from freezing.

Incompatible Materials

Aluminum, tin, zinc, magnesium and other soft metals/alloys, strong oxidizing agents, acids

Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition can lead to release of irritating gases and vapors.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

ATE_{mix} – LD50 oral > 2000 mg/kg (rat), LD50 dermal > 5000 mg/kg (rabbit), LC50 inhalation > 10 mg/l

Not classified, highly corrosive.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium hydroxide CAS 1310-73-2	Not listed, corrosive	Not listed, corrosive	Not listed
Ethanolamine CAS 141-43-5/CAS64-02-8	1089 mg/kg (rat)	1015 mg/kg (rabbit)	11.1 mg/L, vapour
Tetrasodium ethylenediamine- tetraacetate CAS64-02-8	>3000 mg/kg (rat)	>4000 mg/kg (rabbit)	Not listed
Sodium laureth sulfate CAS 68585-34-2	4100 mg/kg (rat)	>2000 mg/kg (rabbit)	Not listed
Sodium xylene sulfonate CAS 1300-72-7	7200 mg/kg (rat)	>2000 mg/kg (rabbit)	Not listed

Information on likely sources of exposure

Ingestion	Can cause severe burns to mouth and throat if ingested.
Skin corrosion/irritation	Can cause severe skin burns or skin irritation.
Inhalation	Inhaling mists can cause severe burns to the respiratory tract
Serious eye damage/irritation	Can cause serious eye damage and permanent blindness.

Delayed and immediate effects and chronic effects from short and long-term exposure

Respiratory or skin sensitization	None known.
Germ cell mutagenicity	None known.
Carcinogenicity	None known.
Reproductive toxicity	None known.
STOT - single exposure	None known.
Aspiration Hazard	None known.

Symptoms related to the physical, chemical and toxicological characteristics.

Eye damage, skin burns or skin irritation.

12. ECOLOGICAL INFORMATION

Persistence and degradability

Expected to be readily biodegradable

Bioaccumulative potential

No information available.

Mobility in soil

No information available

Other adverse effects

Do not release untreated into natural waters.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method

Dispose of in accordance with local regulations.

Contaminated Packaging

Empty containers should be taken for local recycling, recovery, or waste disposal.

14. TRANSPORT INFORMATION

UN Number:	1760
UN Proper Shipping Name:	Corrosive Liquid, N.O.S (sodium hydroxide)
Transport Hazard Class(es)	
Class:	TDG: 8
	US DOT: 8
	IMDG: 8
Label(s):	8
Packing Group:	III
Marine Pollutant:	No
Special precautions for user:	None established

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not determined.

15. REGULATORY INFORMATION

Canada (DSL/NDSL)

All ingredients contained in this product are in compliance with the Canadian Environmental Protection Act and are listed on the DSL or are exempt.

United States (TSCA)

All ingredients contained in this product are listed on the TSCA inventory or are exempt.

16. OTHER INFORMATION

<u>Preparation Date</u>	March 15, 2024
<u>Revision Date</u>	Not applicable
<u>Revision Note</u>	Not applicable

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet