

SAFETY DATA SHEET

ACCUSTRIP A Page 1 of 6

ACCUSTRIP A SDS GHS

1. IDENTIFICATION

Product Identifier

Product Name ACCUSTRIP A

Chemical Name Sodium hydroxide and potassium hydroxide solution

Recommended use of the chemical and restrictions on use
Recommended use Hot tank cleaner
Restrictions on use For industrial use only

Supplier details West Penetone Inc. 11411-160 Street

Edmonton, AB, T5M3T7 Tel: 780-454-3919

Emergency Telephone Number

(780) 454-3919 (Mon – Fri, 8 AM – 4:30 PM, Mountain time)

CANUTEC 1-613-996-6666 Internationally or 1-888-226-8832 - North America FOR 24 HOUR TRANSPORT EMERGENCY

2. HAZARDS IDENTIFICATION

Classification

Corrosive to metals	Category 1
Skin corrosion/irritation	Category 1
Serious eve damage/eve irritation	Category 1

Label Elements

DANGER

Hazard Statements

May be corrosive to metals.

Causes severe skin burns and eye damage.

Causes serious eye damage.



Precautionary Statements - Prevention

Keep only in original container.

Do not breathe mists.

Wash face, hands, and any exposed skin thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements - Response

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water/shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or doctor/physician.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so. Continue rinsing. Immediately call a POISON CENTER or physician.

Absorb spillage to prevent material damage.

Precautionary Statements - Storage

Store locked up in a closed, corrosion resistant container.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant according to local, provincial/federal regulations

ACCUSTRIP A Page 2 of 6

3. COMPOSITION/ INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight %
Sodium hydroxide	1310-73-2	80 – 100*
Potassium hydroxide	1310-58-3	5 – 10*

^{*}Actual concentration is withheld as a trade secret

4. FIRST AID MEASURES

Ingestion: Do not induce vomiting unless directed by medical personnel. Rinse mouth with water and drink 1 or 2 glasses of

water and call a POISON CENTER or doctor/physician immediately.

Skin contact: Take off contaminated clothing and rinse skin with plenty of water. Wash any contaminated clothing before re-

use. Immediately call a doctor/physician.

Inhalation: If difficulties occur after mist/vapors/spray has been inhaled, remove person to fresh air and keep comfortable

for breathing. Call a POISON CENTER or doctor/physician.

Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Call a POISON CENTER or doctor/physician immediately.

Most important symptoms and effects, both acute and delayed.

Contact with eyes may cause serious irritation leading to discomfort or pain, redness, swelling, and blurred vision. Contact with skin may cause severe burns or irritation with local redness.

Indication of any immediate medical attention and special treatment needed.

Treat symptomatically.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

None.

Specific hazards arising from the chemical.

During fire, gases hazardous to health may be formed including oxides of carbon, nitrogen, and sulfur and other irritating gases.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus and full protective gear.

ACCUSTRIP A Page 3 of 6

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures

Use personal protective equipment.

Environmental Precautions

Avoid discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up.

Contain and solidify with inert absorbent materials. Keep in suitable, closed containers for disposal. Following product recovery, flush area with water. For large spills, stop flow of material, prevent product from entering drains, and pump off product where this is without risk and possible. Proceed as above.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Handling: Avoid contact with skin and eyes.

Conditions for safe storage, including any incompatibilities

Store away from incompatible materials. Keep from freezing

Incompatible Materials: Aluminum, tin, zinc, magnesium and other soft metals/alloys, strong oxidizing agents, acids.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Only constituents with exposure limits are listed. Any constituent not listed has no known exposure limit.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium hydroxide CAS 1310-58-3	TWA: 2 mg/m ³	2 mg/m³	2 mg/m³

Appropriate engineering controls

Engineering Controls: Under the intended modes of use, exposure control measures are not required.

Individual protection measures, such as personal protective equipment

Eye/face Protection: Safety glasses with side shields or goggles. Use a face-shield where mode of handling

increases risk of splashing.

Skin and body protection: Wear protective gloves and protective clothing.

Respiratory Protection: Wear respiratory protection if ventilation is inadequate.

General Hygiene Considerations: Handle in accordance with good industrial hygiene and safety practice. Routinely wash work

clothing and protective equipment to remove contaminants.

ACCUSTRIP A Page 4 of 6

ACCUSTRIP A SDS GHS

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: VAPOR PRESSURE, mm Hg AT 20°C:

Colorless liquid Not available

ODOR: VAPOR DENSITY (Air = 1):

Mild, detergent Not available

ODOR THRESHOLD: RELATIVE DENSITY AT 20°C:

Not applicable 1.500 - 1.520

pH: SOLUBILITY IN WATER:

13.0– 14.0 (10% v/v solution in water) Complete

MELTING POINT / FREEZING POINT: PARTITION COEFFICIENT, N-OCTANOL/WATER:

< 0°C Not available

BOILING POINT/BOILING RANGE: AUTO-IGNITION TEMPERATURE:

Approx 100°C None

FLASH POINT: DECOMPOSITION TEMPERATURE:

None Not available

EVAPORATION RATE, water = 1

VISCOSITY:

Not available

FLAMMABILITY (SOLID, GAS): FLAMMABLE LIMITS:

Not applicable UPPER: Not applicable LOWER: Not applicable

10. STABILITY AND REACTIVITY

Reactivity

Stable under normal conditions of storage and use. The product will react with aluminum, magnesium, zinc and soft metal alloys to generate hydrogen.

Chemical Stability

Stable under normal conditions.

Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to Avoid

Store away from incompatible materials. Keep from freezing.

Incompatible Materials

Aluminum, tin, zinc, magnesium and other soft metals/alloys, strong oxidizing agents, acids

Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition can lead to release of irritating gases and vapors.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

 $\underline{\text{ATE}_{\text{mix}}}$ – LD50 oral – not available, LD50 dermal – not available, LC50 inhalation - not available Not classified, highly corrosive.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium hydroxide CAS 1310-73-2	Not listed, corrosive	Not listed, corrosive	Not listed
Potassium hydroxide CAS 1310-58-3	330 mg/kg (rat)	Not listed	Not listed

ACCUSTRIP A Page 5 of 6

Information on likely sources of exposure

Ingestion Can cause severe burns to mouth and throat if ingested.

Skin corrosion/irritationCan cause severe skin burns or skin irritation.

InhalationInhaling mists can cause severe burns to the respiratory tractSerious eye damage/irritationCan cause serious eye damage and permanent blindness.

Delayed and immediate effects and chronic effects from short and long-term exposure

Respiratory or skin sensitization
Germ cell mutagenicity
None known.
Carcinogenicity
None known.
Reproductive toxicity
None known.
STOT - single exposure
None known.
Aspiration Hazard
None known.

Symptoms related to the physical, chemical and toxicological characteristics.

Eye damage, skin burns or skin irritation.

12. ECOLOGICAL INFORMATION

Persistence and degradabilityBioaccumulative potentialExpected to be readily biodegradableNo information available.

Mobility in soil Other adverse effects

No information available Do not release untreated into natural waters.

13. DISPOSAL CONSIDERATIONS

<u>Waste Disposal Method</u> Dispose of in accordance with local regulations.

<u>Contaminated Packaging</u> Empty containers should be taken for local recycling, recovery, or waste disposal.

14. TRANSPORT INFORMATION

UN Number: 1760

UN Proper Shipping Name: Corrosive Liquid, N.O.S (sodium hydroxide)

Transport Hazard Class(es)

Class: TDG: 8

US DOT: 8 IMDG: 8 8

Label(s): 8
Packing Group: III
Marine Pollutant: No

Special precautions for user: None established

 $Transport\ in\ bulk\ according\ to\ Annex\ II\ of\ MARPOL73/78\ and\ the\ IBC\ Code:\ Not\ determined.$

ACCUSTRIP A Page 6 of 6

15. REGULATORY INFORMATION

Canada (DSL/NDSL)

All ingredients contained in this product are in compliance with the Canadian Environmental Protection Act and are listed on the DSL or are exempt.

United States (TSCA)

All ingredients contained in this product are listed on the TSCA inventory or are exempt.

16. OTHER INFORMATION

Preparation DateJune 8, 2023Revision DateNot applicableRevision NoteNot applicable

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet



SAFETY DATA SHEET

ACCUSTRIP B Page 1 of 6

ACCUSTRIP B SDS GHS

1. IDENTIFICATION

Product Identifier

Product Name ACCUSTRIP B

Chemical Name Alkaline detergent solution

Recommended use of the chemical and restrictions on use

Recommended use Hot tank cleaner
Restrictions on use For industrial use only

Supplier details West Penetone Inc. 11411-160 Street

Edmonton, AB, T5M3T7

Tel: 780-454-3919

Emergency Telephone Number

(780) 454-3919 (Mon - Fri, 8 AM - 4:30 PM, Mountain time)

CANUTEC 1-613-996-6666 Internationally or 1-888-226-8832 - North America FOR 24 HOUR TRANSPORT EMERGENCY

2. HAZARDS IDENTIFICATION

Classification

Corrosive to metals	Category 1
Skin corrosion/irritation	Category 1
Serious eve damage/eve irritation	Category 1

Label Elements

DANGER

Hazard Statements

May be corrosive to metals.

Causes severe skin burns and eye damage.

Causes serious eye damage.



Precautionary Statements - Prevention

Keep only in original container.

Do not breathe mists.

Wash face, hands, and any exposed skin thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements - Response

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water/shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or doctor/physician.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so. Continue rinsing. Immediately call a POISON CENTER or physician.

Absorb spillage to prevent material damage.

Precautionary Statements - Storage

Store locked up in a closed, corrosion resistant container.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant according to local, provincial/federal regulations

ACCUSTRIP B Page 2 of 6

3. COMPOSITION/ INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight %
Sodium hydroxide	1310-73-2	1 – 5*
Alcohols, C9-11, ethoxylated	68439-46-3	1 – 5*
Cocamidopropyl betaine	61789-40-0	1 – 5*

^{*}Actual concentration is withheld as a trade secret

4. FIRST AID MEASURES

Ingestion: Do not induce vomiting unless directed by medical personnel. Rinse mouth with water and drink 1 or 2 glasses of

water and call a POISON CENTER or doctor/physician immediately.

Skin contact: Take off contaminated clothing and rinse skin with plenty of water. Get medical advice/attention. Wash any

contaminated clothing before re-use.

Inhalation: If difficulties occur after mist/vapors/spray has been inhaled, remove person to fresh air and keep comfortable

for breathing. Call a POISON CENTER or doctor/physician.

Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Call a POISON CENTER or doctor/physician immediately.

Most important symptoms and effects, both acute and delayed.

Contact with eyes may cause serious irritation leading to discomfort or pain, redness, swelling, and blurred vision. Contact with skin may cause severe burns or irritation with local redness.

Indication of any immediate medical attention and special treatment needed.

Treat symptomatically.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

None.

Specific hazards arising from the chemical.

During fire, gases hazardous to health may be formed including oxides of carbon, nitrogen, and sulfur and other irritating gases.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus and full protective gear.

ACCUSTRIP B Page 3 of 6

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures

Use personal protective equipment.

Environmental Precautions

Avoid discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up.

Contain and solidify with inert absorbent materials. Keep in suitable, closed containers for disposal. Following product recovery, flush area with water. For large spills, stop flow of material, prevent product from entering drains, and pump off product where this is without risk and possible. Proceed as above.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Handling: Avoid contact with skin and eyes.

Conditions for safe storage, including any incompatibilities

Store away from incompatible materials. Keep from freezing

Incompatible Materials: Aluminum, tin, zinc, magnesium and other soft metals/alloys, strong oxidizing agents, acids.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Only constituents with exposure limits are listed. Any constituent not listed has no known exposure limit.

Appropriate engineering controls

Engineering Controls: Under the intended modes of use, exposure control measures are not required.

Individual protection measures, such as personal protective equipment

Eye/face Protection: Safety glasses with side shields or goggles. Use a face-shield where mode of handling

increases risk of splashing.

Skin and body protection: Wear protective gloves and protective clothing.

Respiratory Protection: Wear respiratory protection if ventilation is inadequate.

General Hygiene Considerations: Handle in accordance with good industrial hygiene and safety practice. Routinely wash work

clothing and protective equipment to remove contaminants.

ACCUSTRIP B Page 4 of 6

ACCUSTRIP B SDS GHS

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: VAPOR PRESSURE, mm Hg AT 20°C:

Colorless liquid Not available

ODOR: VAPOR DENSITY (Air = 1):

Mild, detergent Not available

ODOR THRESHOLD: RELATIVE DENSITY AT 20°C:

Not applicable 1.118 - 1.138

pH: SOLUBILITY IN WATER:

12.0– 13.0 (10% v/v solution in water) Complete

MELTING POINT / FREEZING POINT: PARTITION COEFFICIENT, N-OCTANOL/WATER:

0°C Not available

BOILING POINT/BOILING RANGE: AUTO-IGNITION TEMPERATURE:

Approx 100°C None

FLASH POINT: DECOMPOSITION TEMPERATURE:

None Not available

EVAPORATION RATE, water = 1

VISCOSITY:

Not available

FLAMMABILITY (SOLID, GAS): FLAMMABLE LIMITS:

Not applicable UPPER: Not applicable LOWER: Not applicable

10. STABILITY AND REACTIVITY

Reactivity

Stable under normal conditions of storage and use. The product will react with aluminum, magnesium, zinc and soft metal alloys to generate hydrogen.

Chemical Stability

Stable under normal conditions.

Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to Avoid

Store away from incompatible materials. Keep from freezing.

Incompatible Materials

Aluminum, tin, zinc, magnesium and other soft metals/alloys, strong oxidizing agents, acids

Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition can lead to release of irritating gases and vapors.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

 $\underline{\mathsf{ATE}_{\mathsf{mix}}}$ – LD50 oral – < 2000 mg/kg, LD50 dermal – not available, LC50 inhalation - not available Not classified, not an acutely toxic mixture.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium hydroxide CAS 1310-73-2	Not listed	Not listed	Not listed
Alcohols, C9-11, ethoxylated 68439-46-3	>1200 mg/kg (rat)	>2000 mg/kg (rat)	Not listed
Cocamidopropyl betaine CAS 61789-40-0	>2000 mg/kg (rat)	7900 mg/kg (rat)	Not listed

ACCUSTRIP B Page 5 of 6

Information on likely sources of exposure

Ingestion Can cause severe burns to mouth and throat if ingested.

Skin corrosion/irritationCan cause severe skin burns or skin irritation.

InhalationInhaling mists can cause severe burns to the respiratory tractSerious eye damage/irritationCan cause serious eye damage and permanent blindness.

Delayed and immediate effects and chronic effects from short and long-term exposure

Respiratory or skin sensitization
Germ cell mutagenicity
None known.
Carcinogenicity
None known.
Reproductive toxicity
None known.
STOT - single exposure
Aspiration Hazard
None known.

Symptoms related to the physical, chemical and toxicological characteristics.

Eye damage, skin burns or skin irritation.

12. ECOLOGICAL INFORMATION

Persistence and degradabilityBioaccumulative potentialExpected to be readily biodegradableNo information available.

Mobility in soil Other adverse effects

No information available Do not release untreated into natural waters.

13. DISPOSAL CONSIDERATIONS

<u>Waste Disposal Method</u> Dispose of in accordance with local regulations.

Contaminated Packaging Empty containers should be taken for local recycling, recovery, or waste disposal.

14. TRANSPORT INFORMATION

UN Number: 1760

UN Proper Shipping Name: Corrosive Liquid, N.O.S (sodium hydroxide)

Transport Hazard Class(es)

Class: TDG: 8

US DOT: 8 IMDG: 8 8

Label(s): 8
Packing Group: III
Marine Pollutant: No

Special precautions for user: None established

 $Transport\ in\ bulk\ according\ to\ Annex\ II\ of\ MARPOL73/78\ and\ the\ IBC\ Code:\ Not\ determined.$

ACCUSTRIP B Page 6 of 6

15. REGULATORY INFORMATION

Canada (DSL/NDSL)

All ingredients contained in this product are in compliance with the Canadian Environmental Protection Act and are listed on the DSL or are exempt.

United States (TSCA)

All ingredients contained in this product are listed on the TSCA inventory or are exempt.

16. OTHER INFORMATION

Preparation DateJune 8, 2023Revision DateNot applicableRevision NoteNot applicable

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet