

# SAFETY DATA SHEET

**BIO-EZE 3** 

Page 1 of 5 Date prepared: January 2, 2017 MSDS : Bio Eze 3 SDS GHS

## **1. IDENTIFICATION**

Product Identifier Product Name	Bio-Eze 3	
Recommended use of the of	chemical and restrictions on use	
Recommended use	Liguid detergent	

West Penetone Inc. 10900 Secant Montreal, QC, H1J 5S1 Tel: 514-355-4660

### **Emergency Telephone Number**

Canutec (613)-996-6666

## 2. HAZARDS IDENTIFICATION

### **Classification**

Eye damage/ irritation	Category 1
Skin corrosion/irritation	Category 2

### Label Elements

## DANGER

Hazard Statements Causes serious eye damage Causes skin irritation



## Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

### Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Wash with plenty of water. If skin irritation or rash occurs, get medical advice/attention. Take off contaminated clothing and wash it before re-use.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
Ethanolammonium dodecylbenzene sulfonate	26836-07-7	5-10
Ethoxylated alcohol	68131-39-5	1-5
Monoethanolamine	141-43-5	1-4

## 4. FIRST AID MEASURES

Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
Skin contact	Rinse skin with water. Wash contaminated clothing before reuse.
Inhalation	Not applicable
Ingestion	Do not induce vomiting. Drink 1 or 2 glasses of water. Call a physician or Poison Control Centre immediately. Never give anything by mouth to an unconscious person.

### Most important symptoms and effects, both acute and delayed

Causes burns to eyes and irritation to skin. Symptoms include tingling sensation and / or reddening.

### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **5. FIRE-FIGHTING MEASURES**

### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Unsuitable Extinguishing Media

None.

## Specific hazards arising from the chemical

None known.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. Use personal protective equipment.

### **Environmental Precautions**

Prevent further leakage or spillage if safe to do so.

### Methods and material for containment and cleaning up

Rinse area with plenty of water.

### 7. HANDLING AND STORAGE

### **Precautions for Safe Handling**

Handling

Avoid contact with skin, eyes and clothing.

Conditions for safe storage, including any incompatibilities

None

Storage

Incompatible Materials

## Keep containers tightly closed in a dry, cool and well-ventilated place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### **Control parameters**

Only constituents with exposure limits are listed. Any constituent not listed has no known exposure limit.

Chemical Name	ACGIH TLV	OSHA PEL
Monoethanolamine 141-43-5	TWA : 3 ppm/7.5 mg/m <sup>3</sup> STEL : 6 ppm/15 mg/m <sup>3</sup>	3 ppm/6 mg/m <sup>3</sup>

### Appropriate engineering controls

Engineering ControlsNot required.Individual protection measures.sub-as personal protective equipmentEye/face ProtectionSafety goggles.Skin and body protectionWear protective gloves.Respiratory ProtectionNot required.General Hygiene ConsiderationsHandle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### **APPEARANCE :**

Clear, pale yellow liquid ODOR Detergent ODOR THRESHOLD : Not applicable pH : 10.5 MELTING POINT / FREEZING POINT : Not available BOILING POINT/BOILING RANGE : 100°C VAPOR PRESSURE, mm Hg AT 20°C : Not applicable VAPOR DENSITY (Air = 1) : Not applicable RELATIVE DENSITY AT 20°C: 1.02 SOLUBILITY IN WATER : Complete PARTITION COEFFICIENT, N-OCTANOL/WATER : Not available AUTO-IGNITION TEMPERATURE : None

Page 4 of 5 Date prepared: January 2, 2017 MSDS : Bio Eze 3 SDS GHS

### FLASH POINT : None EVAPORATION RATE, water = 1 : 1 FLAMMABILITY (SOLID, GAS): Not applicable

DECOMPOSITION TEMPERATURE: Not available VISCOSITY: < 10 cps @ 22°C FLAMMABLE LIMITS : UPPER: Not applicable LOWER : Not applicable

## **10. STABILITY AND REACTIVITY**

Conditions to Avoid None.

Possibility of hazardous reactions None

Incompatible Materials None

Stable under normal conditions.

Chemical Stability

Hazardous decomposition products None

## **11. TOXICOLOGICAL INFORMATION**

### Acute toxicity

Reactivity

Not reactive

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Monoethanolamine 141-43-5	1720 mg/kg (rat)	1000 mg/kg (rabbit)	Not available
Ethoxylated alcohol 68131-39-5	1650 mg/kg (Rat)	> 2000 mg/kg (rabbit)	Not applicable
Ethanolammonium dodecylbenzene sulfonate 26836-07-7	Not available	Not available	Not available

### Information on likely sources of exposure

Serious eye damage/irritationCauses serious eye damage.Skin corrosion/irritationCauses skin irritation.

### Delayed and immediate effects and also chronic effects from short and long-term exposure

Respiratory or skin sensitization	No
Germ cell mutagenicity	No
Carcinogenicity	No
Reproductive toxicity	No
STOT - single exposure	No
STOT-repeated exposure	No
Aspiration Hazard	No

lot a sensitizer. lone known. lo listed human carcinogens. lone known. lone known. lone known. lone.

### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms include tingling sensation and / or reddening of eyes and tissues.

## **12. ECOLOGICAL INFORMATION**

### Ecotoxicity

48 hour EC50 > 200mg/L, Daphnia magna; 72 hour EC50 > 200mg/L, Selenastrum capricornutum

### Persistence and degradability

Bioaccumulative potential No information available

Readily biodegradable, COD 0.34 mg O<sub>2</sub>/mg

No information availa

Mobility in soil No information available Other adverse effects None known

## **13. DISPOSAL CONSIDERATIONS**

Waste Disposal Method

Dispose of in accordance with local regulations.

Contaminated Packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

## **14. TRANSPORT INFORMATION**

### **TDG classification**

Not regulated

## **15. REGULATORY INFORMATION**

All ingredients are listed on the DSL Ecologo Certified UL2759, Hard Surface Cleaner

## **16. OTHER INFORMATION**

Preparation Date Revision Date Revision Note January 2, 2017 not applicable not applicable

#### **Disclaimer**

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS