

# SAFETY DATA SHEET

BISAN

Page 1 of 5

MSDS : Bisan SDS 07 2024

1. IDENTIFICATION		
<u>Product Identifier</u> Product Name	Bisan	
Recommended use of the chemic	al and restrictions on use	
Recommended use	Alcohol based sanitizer	
Restrictions on use	For industrial use only	
Supplier details	West Penetone Inc. 10900 Secant Montréal, QC, H1J 1S5 Tel: 514-355-4660	
Emergency Telephone Number Canutec: (613)-996-6666		
2. HAZARDS IDENTIFICATION		
<b>Classification</b>		

Flammable liquids	Category 3
Eye damage/Irritation	Category 2A
Specific target organ toxicity (single exposure)	Category 3

## Label Elements

# WARNING

Hazard Statements Flammable liquid and vapor Cause serious eye irritation May cause drowsiness or dizziness



## **Precautionary Statements - Prevention**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed.

Avoid breathing mist/vapors/spray. Use only outdoors or in a well-ventilated area.

Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating, lighting, and mixing equipment. Use only non-sparking tools. Take action to prevent static discharges.

Wash face, hands and any exposed skin thoroughly after handling.

Wear eye protection/face protection.

Page 2 of 5

MSDS: Bisan SDS 07 2024

#### Precautionary Statements - Response

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water (or shower).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use CO<sub>2</sub>, foam, dry chemical, water fog to extinguish.

#### Precautionary Statements - Storage

Store locked up. Store in a well ventilated place. Keep container tightly closed. Keep cool.

## Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant according to local, provincial/federal regulations.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
Isopropanol	67-63-0	60-80

## 4. FIRST AID MEASURES

Eye contact	Rinse cautiously with water for several minutes. Call a physician if irritation persists.
Skin contact	Wash with plenty of water. If skin irritation or rash occurs, get medical advice/attention.
Inhalation	If difficulties occur after mist/vapors/spray has been inhaled, remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
Ingestion	Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

## Most important symptoms and effects, both acute and delayed

Contact with eyes may cause irritation or discomfort. Inhalation of mist/vapors/spray may cause respiratory tract irritation leading to a temporary burning sensation of the nose and throat, coughing, and difficulty breathing. Ingestion may cause irritation or a burning sensation of the mouth and throat and abdominal pain.

## Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

CO<sub>2</sub>, foam, dry chemical, water fog.

#### Unsuitable Extinguishing Media

Do not use a solid water stream as this may spread the fire.

## Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed including oxides of carbon, smoke and other irritating gases.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### MSDS: Bisan SDS 07 2024

## 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Remove all sources of ignition. Avoid contact with skin, eyes and clothing. Use personal protective equipment.

#### **Environmental Precautions**

Avoid discharge into drains/surface waters/groundwater.

## Methods and material for containment and cleaning up

Contain and solidify with inert absorbent material. Keep in suitable, closed containers for disposal.

# 7. HANDLING AND STORAGE

#### **Precautions for Safe Handling**

Handling

Avoid contact with skin, eyes and clothing. Ensure thorough ventilation of work areas.

#### Conditions for safe storage, including any incompatibilities

StorageKeep containers tightly closed away from direct sunlight in a dry, cool and well-ventilated<br/>place, away from incompatible materials.

Incompatible Materials Strong oxidizing agents

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

## **Control parameters**

Only constituents with exposure limits are listed. Any constituent not listed has no known exposure limit.

Chemical Name	ACGIH TLV
Isopropanol	TWA: 200 ppm
67-63-0	STEL: 400 ppm

## Appropriate engineering controls

Engineering Controls	Ensure adequate ventilation, especially in confined areas.	
Individual protection measures, such as personal protective equipment		
Eye/face Protection	Safety glasses.	
Skin and body protection	Wear plastic or rubber gloves.	
<b>Respiratory Protection</b>	If exposure limits are exceeded or if ventilation is inadequate, NIOSH/MSHA approved respiratory protection for organic vapors should be worn.	
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.	

MSDS: Bisan SDS 07 2024

Page 4 of 5

# 9. PHYSICAL AND CHEMICAL PROPERTIES

**APPEARANCE :** Clear, colorless liquid ODOR Alcohol **ODOR THRESHOLD :** Not applicable : Ha Not applicable **MELTING POINT / FREEZING POINT :** < - 40°C **BOILING POINT/BOILING RANGE :** 95°C **FLASH POINT :** 24°C (TCC) EVAPORATION RATE, water = 1 : > 1 FLAMMABILITY (SOLID, GAS): Not applicable

VAPOR PRESSURE, mm Hg AT 20°C : Not available VAPOR DENSITY (Air = 1) : Not applicable **RELATIVE DENSITY AT 20°C:** 0.84 SOLUBILITY IN WATER : Complete **PARTITION COEFFICIENT, N-OCTANOL/WATER :** Not available **AUTO-IGNITION TEMPERATURE :** Not available **DECOMPOSITION TEMPERATURE:** Not available VISCOSITY: < 10 cps FLAMMABLE LIMITS : UPPER: Not applicable LOWER : Not applicable

Store away from incompatible materials and sources of ignition.

# **10. STABILITY AND REACTIVITY**

Conditions to Avoid

Reactivity

Not reactive

<u>Chemical Stability</u> Stable under normal conditions. Possibility of hazardous reactions None

Incompatible Materials Strong oxidizers. Hazardous decomposition products None

# **11. TOXICOLOGICAL INFORMATION**

## Acute toxicity

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Isopropanol 67-63-0	5840 mg/kg (rat)	13900 mg/kg (rabbit)	>25000 mg/m³ (rat) 6 h

## Information on likely sources of exposure

InhalationMay cause respiratory irritation and possible damageSerious eye damage/irritationCauses eye irritation.Skin corrosion/irritationMay dry skin.IngestionMay be harmful if swallowed. Minimal toxicity

Delayed and immediate effects and also chronic effects from short and long-term exposure

Respiratory or skin sensitization	None known
Germ cell mutagenicity	None known
Carcinogenicity	No listed carcinogens.
Reproductive toxicity	None known
STOT - single exposure	May cause drowsiness, or dizziness.
STOT - repeated exposure	None known
Aspiration Hazard	None known

Symptoms related to the physical, chemical and toxicological characteristics See Section 2 & 4.

MSDS: Bisan SDS 07 2024

## **12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

Low toxicity to aquatic organisms

Persistence and degradability Readily biodegradable

Mobility in soil No information available Bioaccumulative potential No information available

Other adverse effects None known

# **13. DISPOSAL CONSIDERATIONS**

Waste Disposal Method

Dispose of in accordance with local regulations.

**Contaminated Packaging** 

Empty containers should be taken for local recycling, recovery or waste disposal.

## **14. TRANSPORT INFORMATION**

## **TDG classification**

Consult transportation documents for TDG classification.

# **15. REGULATORY INFORMATION**

All ingredients are listed on the DSL

## **16. OTHER INFORMATION**

Preparation Date Revision Date Revision Note January 2, 2017 July 16, 2024 Updated transport information.

**Disclaimer** 

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS