

SAFETY DATA SHEET

CITRIKLEEN B29 Page 1 of 6

CITRIKLEEN B29 SDS GHS

1. IDENTIFICATION

Product Identifier

Product Name CITRIKLEEN B29

Chemical Name Solvent emulsion degreaser

Recommended use of the chemical and restrictions on use

Recommended use Degreaser

Restrictions on use For industrial use only

<u>Supplier details</u>
West Penetone Inc.
11411-160 Street

Edmonton, AB, T5M3T7

Tel: 780-454-3919

Emergency Telephone Number

Main office - (780)-454-3919, 8:00 AM to 4:30 PM MST

2. HAZARDS IDENTIFICATION

Classification

Flammable liquids	Category 3	
Skin corrosion/irritation	Category 2	
Serious eye damage/eye irritation	Category 1	
Skin sensitizer	Category 1	
Specific target organ toxicity – single exposure	Category 3	
Aspiration hazard	Category 1	
Hazardous to the aquatic environment, acute hazard	Category 2	•

Label Elements

DANGER

Hazard Statements

Flammable liquid and vapor

Causes skin irritation

Causes serious eye damage

May cause an allergic skin reaction

May cause respiratory irritation

May be fatal if swallowed and enters airways

Toxic to aquatic life



Precautionary Statements - Prevention

Keep away from open flame.

Keep container tightly closed.

Do not breathe mist/vapors/spray.

Wash face, hands, and any exposed skin thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

CITRIKLEEN B29 Page 2 of 6

CITRIKLEEN B29 SDS GHS

Precautionary Statements - Response

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. If skin irritation occurs get medical advice/attention. Wash contaminated clothing before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Precautionary Statements - Storage

Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant according to local, provincial/federal regulations.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %*
d-limonene	5989-27-5	10-30
poly(oxy-1,2-ethanediyl), alpha-undecyl-omega-hydroxy-	34398-01-1	10-30
diethylene glycol monobutyl ether	112-34-5	10-30
sodium xylene sulfonate	1300-72-7	1-5

^{*} The actual concentrations have been withheld as a trade secret

4. FIRST AID MEASURES

Ingestion Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

Skin contact Wash with plenty of water. If skin irritation or rash occurs, get medical advice/attention. Take off

contaminated clothing and wash it before re-use.

Inhalation If difficulties occur after mist/vapors/spray has been inhaled, remove person to fresh air and keep

comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Immediately call a POISON CENTER or doctor/physician

Most important symptoms and effects, both acute and delayed

Contact with eyes may cause serious damage leading to irritation, discomfort or pain, excess blinking and tear production with marked excess redness and swelling of the conjunctiva, blurred vision, and possible corneal injury. Contact with skin may cause irritation with local redness and aggravate previous medical skin conditions. Contact may also cause an allergic skin reaction with prolonged or repeated exposure. Inhalation of mist/vapors/spray may cause respiratory tract irritation leading to a temporary burning sensation of the nose and throat, coughing, and difficulty breathing. High concentrations may cause central nervous system depression leading to headaches, dizziness, and nausea. Ingestion may cause irritation or a burning sensation of the mouth and throat and abdominal pain. Ingestion may cause pneumonitis if aspirated into lungs.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

None.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed including oxides of carbon and other irritating gases.

CITRIKLEEN B29 Page 3 of 6

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Remove all sources of ignition. Avoid contact with skin, eyes, and clothing. Use personal protective equipment. High risk of slipping due to product leakage/spillage.

Environmental Precautions

Avoid discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

Contain and solidify with inert absorbent material. Keep in suitable, closed containers for disposal. Following product recovery, flush the area with water. For large spills, stop flow of material, prevent product from entering drains, and pump off product where this is without risk and possible. Proceed as above.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Handling Avoid contact and inhalation of mist/vapors/spray. Avoid contact with skin, eyes, and clothing. Ensure

thorough ventilation of work areas.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed away from direct sunlight in a dry, cool, and well-ventilated place, away

from incompatible materials.

Incompatible Materials Acids, strong oxidizing agents

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Only constituents with exposure limits are listed. Any constituent not listed has no known exposure limit.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
d-limonene 5989-27-5	TWA: 30 ppm/165.5 mg/m ³ (AIHA)	Not available	Not available
diethylene glycol monobutyl ether 112-34-5	TWA: 10 ppm	Not available	Not available

Appropriate engineering controls

Engineering Controls Ensure adequate ventilation, especially in confined areas. Eye wash facilities and emergency shower

must be made available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face Protection Safety glasses with side shields or goggles.

Skin and body protection Wear protective gloves and protective clothing.

Respiratory Protection Wear respiratory protection if ventilation is inadequate. Respiratory protection in case of

vapor/aerosol release.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Routinely wash work clothing

and protective equipment to remove contaminants.

CITRIKLEEN B29 Page 4 of 6

CITRIKLEEN B29 SDS GHS

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: VAPOR PRESSURE, mm Hg AT 20°C:

Clear, yellow liquid

ODOR:

Not available

VAPOR DENSITY (Air = 1):

Citrus Not available

ODOR THRESHOLD: RELATIVE DENSITY AT 20°C:

Not applicable 0.940-0.950 pH: 0.940-0.950 SOLUBILITY IN WATER:

7.0-8.0 Forms stable emulsion

MELTING POINT / FREEZING POINT: PARTITION COEFFICIENT, N-OCTANOL/WATER:

Not available Not available

BOILING POINT/BOILING RANGE:

Approx. 100°C

Not available

FLASH POINT: DECOMPOSITION TEMPERATURE: 52°C (TCC) Not available

1 Not available FLAMMABILITY (SOLID, GAS): FLAMMABLE LIMITS:

Not applicable UPPER: Not available LOWER: Not available

10. STABILITY AND REACTIVITY

VISCOSITY:

Reactivity

Not reactive.

Chemical Stability

Stable under normal conditions.

Possibility of hazardous reactions

EVAPORATION RATE, water = 1:

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to Avoid

Avoid all sources of ignition: open flame. Store away from incompatible materials.

Incompatible Materials

Acids, strong oxidizing agents

Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition can lead to release of irritating gases and vapors such as oxides of carbon as well as other low molecular weight hydrocarbons.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

<u>ATE_{mix}</u> – LD50 oral – approx. ≥ 4188 mg/kg (rat), LD50 dermal – approx. ≥ 4159 mg/kg (rabbit)

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
d-limonene 5989-27-5	4400 mg/kg (rat)	>5000 mg/kg (rabbit)	Not listed
poly(oxy-1,2-ethanediyl), alpha-undecyl-omega-hydroxy- 34398-01-1	>2000 mg/kg (rat)	>2000 mg/kg (rabbit)	Not listed
diethylene glycol monobutyl ether 112-34-5	3384 mg/kg (rat)	2700 mg/kg (rabbit)	Not listed
sodium xylene sulfonate 1300-72-7	7200 mg/kg (rat)	>2000 mg/kg (rabbit)	Not listed

Information on likely sources of exposure

Inhalation May cause respiratory irritation and possible damage

Serious eye damage/irritation Causes serious eye damage.

Skin corrosion/irritation Causes skin irritation, possible sensitization, and dermatitis.

Ingestion May be harmful if swallowed

CITRIKLEEN B29 Page 5 of 6

CITRIKLEEN B29 SDS GHS

Delayed and immediate effects and also chronic effects from short and long-term exposure

Respiratory or skin sensitization d-limonene (CAS 5989-27-5) 1 May cause an allergic skin reaction

Germ cell mutagenicity
Carcinogenicity
Reproductive toxicity
STOT - single exposure

No information available
No information available
d-limonene (CAS 5989-27-5)

GIOI - single exposure d-limonene (CAS 5989-27-5)

STOT - repeated exposure No information available

Aspiration Hazard d-limonene (CAS 5989-27-5) 1 May be fatal if swallowed and enters airways

Symptoms related to the physical, chemical and toxicological characteristics

See Section 2 & 4.

12. ECOLOGICAL INFORMATION

3 May cause respiratory irritation

Ecotoxicity

If available, ecotoxicity values of individual components are shown below.

Chemical Name	Fish	Waterflea	Algae
d-limonene 5989-27-5	0.702 mg/L: 96 h fathead minnow LC50	69.6 mg/L: 48 h daphnia pulex EC50	Not available
poly(oxy-1,2-ethanediyl), alpha-undecyl-omega-hydroxy- 34398-01-1	5-10 mg/L: 96 h	5-10 mg/L: 48 h	10-100 mg/L: 72 h
diethylene glycol monobutyl ether 112-34-5	1300 mg/L: 96 h lepomis macrochirus LC50	Not available	>100 mg/L: 96 h desmodesmus subspicatus EC50
sodium xylene sulfonate 1300-72-7	> 1000 mg/L: 96 h LC50	> 1000 mg/L: 48 h EC50	> 230 mg/kg, 72 h EC50

Persistence and degradability

Bioaccumulative potential

Expected to be readily biodegradable. Accumulation in organisms is not to be expected.

Mobility in soil Other adverse effects

No information available Do not release untreated into natural waters. No other adverse environmental

effects are expected.

13. DISPOSAL CONSIDERATIONS

<u>Waste Disposal Method</u> Dispose of in accordance with local regulations.

<u>Contaminated Packaging</u> Empty containers should be taken for local recycling, recovery, or waste disposal.

14. TRANSPORT INFORMATION

UN Number: 1993

UN Proper Shipping Name: Flammable Liquid, N.O.S. (terpenes)

Transport Hazard Class(es)

ort Hazard Class(es) Class: TDG: 3

US DOT: 3

Label(s): 3
Packing Group: III
Marine Pollutant: No

Special precautions for user: None established

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not determined

15. REGULATORY INFORMATION

Canada (DSL/NDSL)

All ingredients contained in this product are in compliance with the Canadian Environmental Protection Act and are listed on the DSL or are exempt.

United States (TSCA)

All ingredients contained in this product are listed on the TSCA inventory or are exempt.

CITRIKLEEN B29 Page 6 of 6

CITRIKLEEN B29 SDS GHS

HMIS Information:

Health: 1 Flammability: 2 Reactivity: 0

16. OTHER INFORMATION

Preparation Date24 November 2016Revision Date2 July 2025

Revision Note Revision 2 – Adjustments to Sections 1

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS