

SAFETY DATA SHEET

CITRIKLEEN XPC Page 1 of 5

Date prepared: January 2, 2017 MSDS: Citrikleen XPC SDS GHS

1. IDENTIFICATION

Product Identifier

Product Name Citrikleen XPC

Recommended use of the chemical and restrictions on use

Recommended use Solvent cleaner Restrictions on use Solvent cleaner For industrial use only

Supplier details

West Penetone Inc. 10900 Secant Montréal, QC, H1J 1S5

Tel: 514-355-4660

Emergency Telephone Number

Canutec: (613)-996-6666

2. HAZARDS IDENTIFICATION

Classification

Flammable liquids	Category 3
Skin corrosion/irritation	Category 2
Eye damage/ irritation	Category 1
Sensitization – Skin	Category 1
Aspiration hazard	Category 1

Label Elements

DANGER

Hazard Statements

Flammable liquid and vapor Causes skin irritation Causes serious eye damage May cause an allergic skin reaction May be fatal if swallowed and enters airways









<u>Precautionary Statements - Prevention</u>

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed.

Wash face, hands and any exposed skin thoroughly after handling.

Avoid breathing mist/vapors/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

Contaminated work clothing must not be allowed out of the workplace.

CITRIKLEEN XPC Page 2 of 5

Date prepared: January 2, 2017 MSDS: Citrikleen XPC SDS GHS

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Wash with plenty of water. If skin irritation or rash occurs, get medical advice/attention. Take off contaminated clothing and wash it before re-use.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

In case of fire: Use CO₂, foam, dry chemical, water fog to extinguish.

Precautionary Statements - Storage

Store locked up. Store in a well ventilated place. Keep cool.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant according to local, provincial/federal regulations.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
d-limonene	5989-27-5	75-90
Tripropylene glycol methyl ether	25498-49-1	10-15
Alcohol ethoxylate (C10)	34398-01-1	5-10

4. FIRST AID MEASURES

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician

Skin contact Wash with plenty of water. If skin irritation or rash occurs, get medical advice/attention.

Take off contaminated clothing and wash it before re-use.

Inhalation If difficulties occur after mist/vapors/spray has been inhaled, remove person to fresh air and

keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Ingestion Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or

doctor/physician.

Most important symptoms and effects, both acute and delayed

Contact with eyes may cause serious damage leading to irritation, discomfort or pain, excess blinking and tear production with marked excess redness and swelling of the conjunctiva. Contact with skin may cause irritation with local redness. May cause an allergic skin reaction with prolonged or repeated exposure. Inhalation of mist/vapors/spray may cause respiratory tract irritation leading to a temporary burning sensation of the nose and throat, coughing, and difficulty breathing. Ingestion may cause irritation or a burning sensation of the mouth and throat and abdominal pain. May cause pneumonitis if aspirated.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

CITRIKLEEN XPC Page 3 of 5

Date prepared: January 2, 2017 MSDS: Citrikleen XPC SDS GHS

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

CO₂, foam, dry chemical, water fog.

Unsuitable Extinguishing Media

Do not use a solid water stream as this may spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed including oxides of carbon, nitrogen, and sulfur and other irritating gases.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Remove all sources of ignition. Avoid contact with skin, eyes and clothing. Use personal protective equipment.

Environmental Precautions

Avoid discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

Contain and solidify with inert absorbent material. Keep in suitable, closed containers for disposal. Following product recovery, flush area with water.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Handling Avoid contact with skin, eyes and clothing. Ensure thorough ventilation of work areas.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed away from direct sunlight in a dry, cool and well-ventilated

place, away from incompatible materials.

Incompatible Materials Strong oxidizing agents

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

None of the constituents in this product have a known exposure limit.

Appropriate engineering controls

Engineering Controls Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

Eye/face ProtectionSafety glasses with side shields. **Skin and body protection**Wear solvent-proof gloves.

Respiratory Protection If exposure limits are exceeded or if ventilation is inadequate, NIOSH/MSHA approved

respiratory protection for organic vapors should be worn.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

CITRIKLEEN XPC Page 4 of 5 Date prepared: January 2, 2017

MSDS: Citrikleen XPC SDS GHS

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: VAPOR PRESSURE, mm Hg AT 20°C:

Clear, colorless liquid

ODOR VAPOR DENSITY (Air = 1): 4.7

Citrus

ODOR THRESHOLD: RELATIVE DENSITY AT 20°C:

Not applicable 0.865

: Hq **SOLUBILITY IN WATER:**

Not applicable Forms emulsion

MELTING POINT / FREEZING POINT: PARTITION COEFFICIENT, N-OCTANOL/WATER:

Not available Not available

BOILING POINT/BOILING RANGE: AUTO-IGNITION TEMPERATURE:

> 150°C Not available

DECOMPOSITION TEMPERATURE: FLASH POINT:

52°C (TCC) Not available **EVAPORATION RATE**, acetone = 1: VISCOSITY: < 10 cps < 0.05

FLAMMABILITY (SOLID, GAS): **FLAMMABLE LIMITS:**

Not applicable **UPPER:** Not available LOWER: Not available

10. STABILITY AND REACTIVITY

Reactivity Conditions to Avoid

Not reactive. Avoid all sources of ignition: open flame. Store away from incompatible materials.

Chemical Stability Possibility of hazardous reactions

Stable under normal conditions. Under normal conditions of storage and use, hazardous reactions will not occur.

Incompatible Materials Hazardous decomposition products

Strong oxidizing agents None.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
d-limonene 5989-27-5	4400 mg/kg (rat)	>5000 mg/kg (rabbit)	Not available
Tripropylene glycol methyl ether 25498-49-1	3.2 g/kg (rat)	> 20 mL/kg (rabbit)	Not available
Alcohol ethoxylate (C10) 34398-01-1	>2000 mg/kg (rat)	>2000 mg/kg (rabbit)	Not applicable

Information on likely sources of exposure

May cause respiratory irritation. Inhalation Serious eve damage/irritation Causes serious eye damage.

Skin corrosion/irritation Causes skin irritation and possible sensitization. May be harmful if swallowed. Minimally toxic. Ingestion

CITRIKLEEN XPC Page 5 of 5

Date prepared: January 2, 2017 MSDS: Citrikleen XPC SDS GHS

Delayed and immediate effects and also chronic effects from short and long-term exposure

Respiratory or skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity None known

Carcinogenicity
Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available
No information available
No information available

Aspiration Hazard May be fatal if swallowed and enters airways

Symptoms related to the physical, chemical and toxicological characteristics

See Section 2 & 4.

12. ECOLOGICAL INFORMATION

Ecotoxicity

No information available

Persistence and degradabilityBioaccumulative potentialNo information availableNo information available

Mobility in soil Other adverse effects

No information available None known

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method Dispose of in accordance with local regulations.

<u>Contaminated Packaging</u> Empty containers should be taken for local recycling, recovery or waste disposal.

14. TRANSPORT INFORMATION

TDG classification

UN 1993, Flammable Liquid, N.O.S. (d-limonene), Class 3, PG III

15. REGULATORY INFORMATION

All ingredients are listed on the DSL

16. OTHER INFORMATION

Preparation DateJanuary 2, 2017Revision Datenot applicableRevision Notenot applicable

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS