

DICHLOROSAN A + B

CHI ORINE DIOXIDE BASED SANITIZER

DICHLOROSAN A + B may be used as sanitizer on equipment in food processing plants, farms and in the horticulture industry.

DICHLOROSAN A + B is also used for the treatment of wells, irrigation and drinking water systems.

DICHLOROSAN A + B is activated when the **DICHLOROSAN A and B** powders are diluted in water.

FEATURES AND BENEFITS

- Reduces the microbiological contamination of water
- Prevents and destroys mold and yeasts
- Does not form polluting by-products in the environment
- Effective in the presence of organic matter
- More effective than chlorine, at lower dilution
- · No accumulated cellular resistance
- Effective on a wide spectrum of microorganisms
- Effective on biofilm
- Biodegradable
- Powerful oxidizer



DIRECTION FOR USE

Stock solution

Prepare a 2000 ppm stock solution prior to dilution and use. A mixture of 1% (10g / litre) of **DICHLOROSAN A** and 1% (10g /litre) of **DICHLOROSAN B** will give a 2000 ppm solution of chlorine dioxide. Mix an equal quantity of **DICHLOROSAN A** and **DICHLOROSAN B** in water, mix gently and let react for 30 minutes.

Agri-food and horticultural Buildings and Equipment

EQUIPMENT SURFACES, CEILINGS, WALLS, FLOORS

Manually remove as much soils as possible. Clean with a suitable detergent solution. Rinse with potable water. Use a 200 to 2000 ppm undiluted stock solution or at up to 1:10 and apply by spraying or circulation and / or soaking. (For concentrations greater than 200 ppm, rinse all food contact surfaces with potable water).

Shock treatment and fogging

Use a 500 to 2000 ppm undiluted stock solution or at up to 1:4. Rinse all food contact surfaces with potable water.

Treating wells

Add 25 ml (1 oz.) of 2000 ppm stock solution for every foot of lenght (6" diameter well) to give 10 ppm of chlorine dioxide for 10 days. (Ex.: For a 200 ft well, add 5 litres of stock solution) (Multiply 200 X 25 ml = 5000 ml = 5 Litres)

Irrigation system

Dilute the stock solution to a obtain a solution between 0.2 to 0.5 ppm.

Watering System

Dilute the stock solution to a obtain a solution of 1 ppm.

ALWAYS ADD DICHLOROSAN A TO WATER BEFORE DICHLOROSAN B

Always dissolve the same amount of **DICHLOROSAN A** and **DICHLOROSAN B**, for desired concentration. Stir lightly and let the mixture react for 30 minutes before use.

27-04-2021

01-27-2025 BACK ▶

DICHLOROSAN A + B CHLORINE DIOXIDE BASED SANITIZER

PHYSICAL PROPERTIES

Appearence

Odour

Specific gravity @ 20°C

Viscosity

pН

Flash point (TCC)

Water solubility

Auto ignition temperature

Chlorine

Boiling point

Freezing point

Foaming tendency

Concentration monitoring techniques

Rinsing

DICHLOROSAN A	DICHLOROSAN B	
Grayish, granular powder	White globular beads	
Faint chlorine	None	
Not applicable	Not applicable	
Not applicable	Not applicable	
Not applicable	< 1 (5% solution)	
None	None	
Not available	285 g/L at 25°C	
None	None	
Sodium chlorite	None	
Not applicable	Not applicable	
Not applicable	315°C	
Non-foaming	Non-foaming	
Titration	Titration	
Excellent	Excellent	

INCOMPATIBILITY

DICHLOROSAN A

DICHLOROSAN B

Acids, reducing agents, organic materials

Oxidizers, chlorinated products

WAREHOUSING PRECAUTIONS

Keep containers tightly closed in a dry, cool and well-ventilated place

AVAILABLE SIZES

500g	4Kg	12Kg	

IMPORTANT

Before using **DICHLOROSAN A + B**, always be sure to read and follow precautions and directions for use appearing on the product's container label, and on the safety data sheet (S.D.S).

FIRST AID MEASURES

Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Skin contact

Remove/Take off immediately all contaminated clothing. Rinse skin with water/ shower. Wash contaminated clothing before reuse.

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

Ingestion

Do not induce vomiting. Drink 1 or 2 glasses of water. Call a physician or Poison Control Centre immediately. Never give anything by mouth to an unconscious person.

PERSONAL PROTECTION











MONTREAL

10,900 Secant Street Anjou, QC H1J 1S5 Tel.: 514-355-4660 Toll free: 1 800-361-8927

EDMONTON

11411-160 Street Edmonton, Alberta T5M 3T7 Tel.: 780-454-3919 Toll free : 1 866-454-3919

