

SAFETY DATA SHEET

ENVIROSOL Page 1 of 6

ENVIROSOL SDS GHS

1. IDENTIFICATION

Product Identifier

ENVIROSOL Product Name Chemical Name Solvent degreaser

Recommended use of the chemical and restrictions on use

Recommended use Degreasing applications For industrial use only Restrictions on use

Supplier details West Penetone Inc.

11411-160 Street Edmonton, AB, T5M3T7

Tel: 780-454-3919

Emergency Telephone Number

Main office - (780)-454-3919, 8:00 AM to 4:30 PM MST

2. HAZARDS IDENTIFICATION

Classification

Flammable liquids	Category 3	
Skin corrosion/irritation	Category 2	
Serious eye damage/eye irritation	Category 2A	
Skin sensitizer	Category 1	
Specific target organ toxicity – single exposure	Category 3	
Aspiration hazard	Category 1	
Hazardous to the aquatic environment, acute hazard	Category 2	

Label Elements

WARNING

Hazard Statements

Flammable liquid and vapor

Causes skin irritation

Causes serious eye irritation

May cause an allergic skin reaction

May cause respiratory irritation

May be fatal if swallowed and enters airways

Toxic to aquatic life



Precautionary Statements - Prevention

Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking.

Keep container tightly closed.

Avoid breathing mist/vapors/spray.

Wash face, hands, and any exposed skin thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing should not be allowed out of the workplace.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

ENVIROSOL Page 2 of 6

ENVIROSOL SDS GHS

Precautionary Statements - Response

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. If skin irritation occurs: get medical advice/attention. Wash contaminated clothing before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists, get medical advice/attention.

In case of fire: Use carbon dioxide, foam or dry chemical to extinguish.

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant according to local, provincial/federal regulations.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %*
Stoddard solvent	8052-41-3	30-60
diethylene glycol monobutyl ether	112-34-5	10-30
d-limonene	5989-27-5	10-30
dipentene	68956-56-9	3-7
alcohols, C9-C11, ethoxylated	68439-46-3	1-5
ethylene glycol	107-21-1	1-5
solvent naphtha (petroleum) light aromatic	64742-95-6	1-5

^{*} The actual concentrations have been withheld as a trade secret

4. FIRST AID MEASURES

Ingestion Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

Skin contact Wash with plenty of water. If skin irritation or rash occurs, get medical advice/attention. Take off

contaminated clothing and wash before reuse.

Inhalation If difficulties occur after mist/vapors/spray has been inhaled, remove person to fresh air and keep

comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. If eye irritation persists, get medical advice/attention.

Most important symptoms and effects, both acute and delayed

Contact with eyes may cause serious irritation leading to discomfort or pain, excess blinking and tear production with marked excess redness and swelling of the conjunctiva, blurred vision, and possible corneal injury. Contact with skin may cause irritation with local redness and aggravate previous medical skin conditions. Contact may also cause an allergic skin reaction with prolonged or repeated exposure. Inhalation of mist/vapors/spray may cause respiratory tract irritation leading to a temporary burning sensation of the nose and throat, coughing, and difficulty breathing. High concentrations may cause central nervous system depression leading to headaches, dizziness, and nausea. Ingestion may cause irritation or a burning sensation of the mouth and throat and abdominal pain. Ingestion may cause pneumonitis if aspirated into lungs.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

High-volume water jet.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed including oxides of carbon and other irritating gases.

ENVIROSOL Page 3 of 6

ENVIROSOL SDS GHS

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Remove all sources of ignition. Use personal protective equipment.

Environmental Precautions

Avoid discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

Contain and solidify with inert absorbent material. Keep in suitable, closed containers for disposal. Following product recovery, flush the area with water. For large spills, stop flow of material, prevent product from entering drains, and pump off product where this is without risk and possible. Proceed as above.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Handling Avoid contact and inhalation of mist/vapors/spray. Avoid contact with skin, eyes, and clothing. Ensure

thorough ventilation of work areas. Use recommended personal protective equipment.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed away from direct sunlight in a dry, cool, and well-ventilated place,

away from incompatible materials.

Incompatible Materials Acids, strong oxidizing agents

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Only constituents with exposure limits are listed. Any constituent not listed has no known exposure limit.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Stoddard solvent 8052-41-3	TWA: 100 ppm TLV	TWA: 100 ppm/525 mg/m ³	20000 mg/m ³
diethylene glycol monobutyl ether 112-34-5	TWA: 10 ppm	Not available	Not available
d-limonene 5989-27-5	TWA: 30 ppm/165.5 mg/m ³ (AIHA)	Not available	Not available
ethylene glycol 107-21-1	100 mg/m ³ Ceiling	50 ppm/125 mg/m³ Ceiling	Not listed
solvent naphtha (petroleum) light aromatic 64742-95-6	Not available	TWA: 500 ppm/2000mg/m ³	Not available

Appropriate engineering controls

Engineering Controls Ensure adequate ventilation, especially in confined areas. Eyewash facilities and emergency shower

must be made available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face Protection Safety glasses with side shields or goggles. Face shield where risk of exposure due to splashing exists.

Skin and body protection Wear protective gloves and protective clothing.

Respiratory Protection Wear respiratory protection if ventilation is inadequate. Respiratory protection in case of

vapor/aerosol release.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Routinely wash work

clothing and protective equipment to remove contaminants.

ENVIROSOL Page 4 of 6

ENVIROSOL SDS GHS

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Clear, yellow liquid

ODOR: Citrus/solvent

ODOR THRESHOLD:

Not applicable

pH:

Not applicable

MELTING POINT / FREEZING POINT:

Approx. <-40°C (-40°F)

BOILING POINT/BOILING RANGE:

Not available FLASH POINT:

48°C / 118°F (TCC), 61°C / 142°F (COC) **EVAPORATION RATE, water = 1:**

<1

FLAMMABILITY (SOLID, GAS):

Not applicable

VAPOR PRESSURE, mm Hg AT 20°C (68°F):

Not available

VAPOR DENSITY (Air = 1):

Not available

RELATIVE DENSITY AT 20°C (68°F):

0.824-0.840

SOLUBILITY IN WATER:

Forms emulsion

PARTITION COEFFICIENT, N-OCTANOL/WATER:

Not available

AUTO-IGNITION TEMPERATURE:

Not available

DECOMPOSITION TEMPERATURE:

Not available VISCOSITY:
Not available

FLAMMABLE LIMITS:

UPPER: Not available LOWER: Not available

10. STABILITY AND REACTIVITY

Reactivity

Not reactive.

Chemical Stability

Stable under normal conditions.

Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to Avoid

Avoid all sources of ignition: heat/open flame/hot surfaces. Store away from incompatible materials.

Incompatible Materials

Acids, strong oxidizing materials.

Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition can lead to release of irritating gases and vapors such as oxides of carbon as well as other low molecular weight hydrocarbons.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

ATE_{mix} - LD50 oral - approx. >3636 mg/kg (rat), LD50 dermal - approx. >3276 mg/kg (rabbit), LC50 inhalation-vapors - approx. >20 mg/L - 4 h (rat)

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Stoddard solvent 8052-41-3	5000 mg/kg (rat)	>3000 mg/kg (rabbit)	>14.1 mg/L/>5500 mg/m³ (rat) – 4 h
diethylene glycol monobutyl ether 112-34-5	3384 mg/kg (rat)	2700 mg/kg (rabbit)	Not listed
d-limonene 5989-27-5	4400 mg/kg (rat)	>5000 mg/kg (rabbit)	Not listed
dipentene 68956-56-9	>2000 mg/kg (rat)	Not listed	Not listed
alcohols, C9-C11, ethoxylated 68439-46-3	>2000 mg/kg (rat)	>2000 mg/kg (rabbit)	Not listed
ethylene glycol 107-21-1	4000 mg/L (rat)	9530 uL/kg (rabbit)	Not listed
solvent naphtha (petroleum) light aromatic 64742-95-6	Not listed	>2000 mg/kg (rabbit)	3400 ppm/>5.2 mg/L (rat) – 4 h

Information on likely sources of exposure

Ingestion

Expected to be a low ingestion hazard.

ENVIROSOL Page 5 of 6

ENVIROSOL SDS GHS

Skin corrosion/irritation Causes skin irritation and possible sensitization. Inhalation May cause respiratory irritation and possible damage.

Serious eye damage/irritation Causes serious eye irritation.

Delayed and immediate effects and also chronic effects from short and long-term exposure

Respiratory or skin sensitization d-limonene (CAS 5989-27-5) 1 May cause an allergic skin reaction dipentene (CAS 68956-56-9) 1 May cause an allergic skin reaction

Germ cell mutagenicity No information available. Carcinogenicity No information available Reproductive toxicity No information available

STOT - single exposure d-limonene (CAS 5989-27-5) 3 May cause respiratory irritation dipentene (CAS 68956-56-9) 3 May cause respiratory irritation

STOT - repeated exposure No information available

Aspiration Hazard d-limonene (CAS 5989-27-5) 1 May be fatal if swallowed and enters airways dipentene (CAS 68956-56-9) 1 May be fatal if swallowed and enters airways

Symptoms related to the physical, chemical and toxicological characteristics

Skin and eye irritation. Ingestion may cause nausea, vomiting, diarrhea. Inhalation may cause irritation of nose, mouth, and upper respiratory tract, coughing, difficulty breathing, as well as headaches dizziness or nausea at high concentrations.

12. ECOLOGICAL INFORMATION

Ecotoxicity

If available, ecotoxicity values of individual components are shown below.

Chemical Name	Fish	Waterflea	Algae
diethylene glycol monobutyl ether 112-34-5	1300 mg/L: 96 h lepomis macrochirus LC50	Not available	>100 mg/L: 96 h desmodesmus subspicatus EC50
d-limonene 5989-27-5	0.702 mg/L: 96 h fathead minnow LC50	69.6 mg/L: 48 h daphnia pulex EC50	Not available
alcohols, C9-C11, ethoxylated 68439-46-3	5-10 mg/L: 96 h LC50	5-10 mg/L: 48 h EC50	10-100 mg/L: 72 h EC50
ethylene glycol 107-21-1	<41000 mg/L: rainbow trout LC50	Not available	1300-6500 mg/L: selenastrum capricornutum EC50
solvent naphtha (petroleum) light aromatic 64742-95-6	9.22 mg/L: 96 h rainbow trout LC50	Not available	Not available

Persistence and degradability

Bioaccumulative potential

Expected to be readily biodegradable. Accumulation in organisms is not to be expected.

Mobility in soil No information available Other adverse effects

Do not release untreated into natural waters. No other adverse environmental effects are expected.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method Dispose of in accordance with local regulations.

Empty containers should be taken for local recycling, recovery, or waste disposal. **Contaminated Packaging**

14. TRANSPORT INFORMATION

UN Number:

UN Proper Shipping Name: Hydrocarbons, Liquid, N.O.S. (mineral spirits)

Transport Hazard Class(es)

Class:

US DOT: 3 IMDG: 3 3

Label(s): Packing Group: Ш Marine Pollutant: Nο

Note packaging volume exemptions according to Part 1.33 Special Cases of the TDG Act.

Special precautions for user: None established

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not determined

ENVIROSOL Page 6 of 6

15. REGULATORY INFORMATION

Canada (DSL/NDSL)

All ingredients contained in this product are in compliance with the Canadian Environmental Protection Act and are listed on the DSL or are exempt.

United States (TSCA)

All ingredients contained in this product are listed on the TSCA inventory or are exempt.

HMIS Information:

Health: 2 Flammability: 2 Reactivity: 0

16. OTHER INFORMATION

Preparation Date6 April 2016Revision Date2 July 2025

Revision Note Revision 2 - Modifications to Section 1

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS