

LIQUID EMULSIFIER & FABRIC DEGREASER ADDITIVE

LAUNDRY



EQUALIZER is a multipurpose emulsifier and degreaser additive used to help dissolve and remove tough heavy oil or petroleum stains and odours from work-wear fabrics directly in the wash cycle.

FEATURES AND BENEFITS

- High solvency
- Excellent pre-treatment stain remover
- Boosts performance of the product SEA SPRAY
- · Does not affect reflective taping

DIRECTIONS FOR USE

Use procedure

Use EQUALIZER for fabric pre-treatment or add via manual addition or injection pump system directly to wash cycle. For optimum results, use in combination with West Penetone laundry care products

Concentration

Between 115 to 230 mL or approximately 1/2 to 1 cup per single wash load.

Between 230 to 460 mL or approximately 1 to 2 cups per triple wash load.

Temperature

Effective in both hot and cold water.

EQUALIZER

LIQUID EMULSIFIER & FABRIC DEGREASER ADDITIVE

PHYSICAL PROPERTIES

Appearance	Clear liquid
Odour	Solvent
Specific gravity @ 20°C	0.845-0.875
Viscosity	Thin
рН	Not applicable
Flash point (TCC)	40°C
Boiling point	165°C
Freezing point	-45°C
Foaming tendency	Nil
Concentration monitoring techniques	Not determined
Rinsing	Excellent
Water solubility	Emulsifies

INCOMPATIBILITY

Oxidizing materials

WAREHOUSING PRECAUTIONS

Store away from heat sources and flames



FIRST AID MEASURES

EYE CONTACT

Wash with plenty of water for 15 minutes. Consult physician if irritation develops or persists.

SKIN CONTACT

Wash with plenty of water for 15 minutes. Consult physician if irritation develops or persists.

INHALATION

Give fresh air or artificial respiration. Consult physician.

INGESTION

Do not induce vomiting. Drink plenty of water and contact physician.

HEALTH	2
FLAMMABILITY	2
REACTIVITY	0

LEGEND

- 0 = MINIMAL RISK
- 1 = SLIGHT RISK
- 2 = MODERATE RISK
- 3 = SERIOUS RISK
- 4 = SEVERE RISK

PERSONAL PROTECTION Security equipment

WHMIS

IMPORTANT: Before using EQUALIZER, always be sure to read and follow precautions and directions for use appearing on the product container label and on the material safety data sheet (m.s.d.s.).



MONTRÉAL

10,900 rue Sécant Anjou, QC H1J 1S5 Tel.: 514-355-4660 Toll free : 1-800-361-8927

EDMONTON

11411-160 Street Edmonton, Alberta T5M 3T7 Tel.: 780-454-3919 Toll free: 1-866-454-3919

www.westpenetone.com