

SAFETY DATA SHEET

EVERGREEN LIQUID Page 1 of 6

EVERGREEN LIQUID SDS GHS

1. IDENTIFICATION

Product Identifier

EVERGREEN LIQUID Product Name Chemical Name Alkali detergent solution

Recommended use of the chemical and restrictions on use

Recommended use Cleaner - vehicle exterior No information available Restrictions on use

Supplier details West Penetone Inc.

11411-160 Street Edmonton, AB, T5M3T7

Tel: 780-454-3919

Emergency Telephone Number

Canutec 1-(613)-996-6666 Internationally or 1-888-226-8832 - North America FOR 24 HOUR TRANSPORT EMERGENCY

2. HAZARDS IDENTIFICATION

Classification

Skin corrosion/irritation	Category 2	
Serious eye damage/eye irritation	Category 2A	
Hazardous to the aquatic environment, acute hazard	Category 3	
Hazardous to the aquatic environment, long-term hazard	Category 3	

Label Elements

WARNING

Hazard Statements

Causes skin and serious eye irritation Harmful to aquatic life with long lasting effects



Precautionary Statements - Prevention

Wash face, hands, and any exposed skin thoroughly after handling.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements - Response

IF ON SKIN: Wash with plenty of water. If skin irritation occurs, get medical advice/attention. Take off contaminated clothing and wash it before re-use. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant according to local, provincial/federal regulations.

EVERGREEN LIQUID Page 2 of 6

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
sodium tripolyphosphate	7758-29-4	3-7
tetrasodium ethylenediaminetetraacetate	64-02-8	1-5
sodium dodecylbenzene sulfonate	25155-30-0	0.5-1.5
alcohols, C9-C11, ethoxylated	68439-46-3	0.5-1.5
C6-12 alkyl alcohol ethoxylated phosphoric acid	68921-24-4	0.5-1.5
lauramine oxide	1643-20-5	0.5-1.5
alcohols (C12-C15 In. saturated) ethoxylate	68131-39-5	0.5-1.5
sodium lauryl ether sulphate	9004-82-4	0.1-1.0
sodium hydroxide	1310-73-2	0.1-1.0
sodium carboxymethyl inulin	430439-54-6	0.1-1.0

4. FIRST AID MEASURES

Ingestion Rinse mouth. Remove person to fresh air and keep at rest in a position comfortable for breathing. Do not

induce vomiting unless directed by medical personnel. Call a POISON CENTER or doctor/physician if you

feel concerned or unwell.

Skin contact Wash with plenty of water. If skin irritation occurs, get medical advice/attention. Take off contaminated

clothing and wash it before re-use.

Inhalation If difficulties occur after mist/vapors/spray has been inhaled, remove person to fresh air and keep

comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel concerned or unwell.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. If eye irritation persists, get medical advice/attention.

Most important symptoms and effects, both acute and delayed

Contact with eyes may cause irritation, discomfort or pain, excess blinking and tear production with marked excess redness and swelling of the conjunctiva. Contact with skin may cause irritation with local redness.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

None.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed including oxides of carbon, nitrogen, and sulfur and other irritating gases.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Use appropriate containment to avoid environmental contamination.

Environmental Precautions

Avoid discharge into drains/surface waters/groundwater.

EVERGREEN LIQUID Page 3 of 6

Methods and material for containment and cleaning up

Contain and solidify with inert absorbent materials. Keep in suitable, closed containers for disposal. Following product recovery, flush area with plenty of water. For large spills, stop flow of material, prevent product from entering drains, and pump off product where this is without risk and possible. Proceed as above.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Avoid contact with skin, eyes, and clothing. Handling

Conditions for safe storage, including any incompatibilities

Storage Store locked up away from incompatible materials.

Incompatible Materials Acids, strong oxidizing agents

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Only constituents with exposure limits are listed. Any constituent not listed has no known exposure limit.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
sodium hydroxide 1310-73-2	2 mg/m³ ceiling	2 mg/m³ ceiling	10 mg/m ³

Appropriate engineering controls

Engineering Controls Under the intended modes of use, exposure control measures are not required.

Individual protection measures, such as personal protective equipment

Eye/face Protection Safety glasses with side shields or goggles when handling the product at full concentration.

Skin and body protection Wear protective gloves and protective clothing when handling the product at full concentration.

Respiratory Protection No personal respiratory equipment normally required.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Routinely wash work clothing to

remove contaminants.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: VAPOR PRESSURE, mm Hg AT 20°C:

Clear, green liquid Not applicable

VAPOR DENSITY (Air = 1): ODOR: Detergent Not applicable

ODOR THRESHOLD: RELATIVE DENSITY AT 20°C:

Not applicable 1.065-1.085

pH: SOLUBILITY IN WATER:

12.40-13.10 Complete

MELTING POINT / FREEZING POINT: PARTITION COEFFICIENT, N-OCTANOL/WATER:

Approx. 0°C Not available

BOILING POINT/BOILING RANGE: AUTO-IGNITION TEMPERATURE:

Approx. 100°C None

FLASH POINT: **DECOMPOSITION TEMPERATURE:**

None Not available **EVAPORATION RATE**, water = 1: VISCOSITY: Not available

FLAMMABILITY (SOLID, GAS): **FLAMMABLE LIMITS:**

LOWER: Not applicable Not applicable **UPPER:** Not applicable

EVERGREEN LIQUID Page 4 of 6

10. STABILITY AND REACTIVITY

Reactivity

Not reactive.

Chemical Stability

Stable under normal conditions.

Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to Avoid

Store away from incompatible materials.

Incompatible Materials

Strong oxidizing materials, acids, amphoteric or light metals.

Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decompositions can lead to release of irritating gases and vapors such as oxides of carbon, nitrogen, and sulfur as well as other low molecular weight hydrocarbons.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
sodium tripolyphosphate 7758-29-4	3100 mg/kg (rat)	>7940 mg/kg (rabbit)	Not listed
tetrasodium ethylenediaminetetraacetate 64-02-8	>1780-<2000 mg/kg (rat)	Not listed	>1 mg/L (aerosol) (rat) – 6 h
sodium dodecylbenzene sulfonate 25155-30-0	500-2000 mg/kg (rat)	Not listed	Not listed
alcohols, C9-C11, ethoxylated 68439-46-3	>2000 mg/kg (rat)	>2000 mg/kg (rabbit)	Not listed
C6-12 alkyl alcohol ethoxylated phosphoric acid 68921-24-4	Not listed	>2500 mg/kg	Not listed
lauramine oxide 1643-20-5	>1065 mg/kg (rat)	>2000 mg/kg (rabbit)	Not listed
alcohols, C12-C15, ethoxylated 68131-39-5	>2000 mg/kg (rat)	>2000 mg/kg (rabbit)	Not listed
sodium lauryl ether sulphate 9004-82-4	>2000 mg/kg (rat)	2000-5000 mg/kg (rabbit)	Not listed
sodium hydroxide 1310-73-2	500 mg/kg (rabbit)	Not listed	Not listed
sodium carboxymethyl inulin 430439-54-6	>2000 mg/kg (rat)	>2000 mg/kg (rabbit)	Not listed

Information on likely sources of exposure

Ingestion Expected to be a low ingestion hazard.

Skin corrosion/irritation Causes skin irritation.

Inhalation Expected to be a low inhalation hazard.

Serious eye damage/irritation Causes serious eye irritation.

Delayed and immediate effects and also chronic effects from short and long-term exposure

Respiratory or skin sensitization
Germ cell mutagenicity

Not a sensitizer.
None known.

 Carcinogenicity
 No information available

 Reproductive toxicity
 No information available

 STOT - single exposure
 No information available

 STOT-repeated exposure
 No information available

Aspiration Hazard None.

Symptoms related to the physical, chemical and toxicological characteristics

Eye irritation. Skin irritation.

EVERGREEN LIQUID Page 5 of 6

EVERGREEN LIQUID SDS GHS

12. ECOLOGICAL INFORMATION

Ecotoxicity

If available, ecotoxicity values of individual components are shown below.

Chemical Name	Fish	Waterflea	Algae
sodium tripolyphosphate 7758-29-4	1650 mg/L: 48 h leuciscus idus LC50	Not available	Not available
tetrasodium ethylenediaminetetraacetate 64-02-8	>100 mg/L: 96 h lepomis macrochirus LC50	>100 mg/L: 48 h daphnia magna EC50	>100 mg/L: 72 h green algae EC50
sodium dodecylbenzene sulfonate 25155-30-0	3.2-5.6 mg/L: 96 h rainbow trout LC50	6.3 mg/L: 48 h daphnia magna EC50	Not available
alcohols, C9-C11, ethoxylated 68439-46-3	5-10 mg/L: 96 h LC50	5-10 mg/L: 48 h EC50	10-100 mg/L: 72 h EC50
C6-12 alkyl alcohol ethoxylated phosphoric acid	189 ppm: 96 h LC50	111 ppm: 96 h LC50	94 ppm: 78 h EC50
lauramine oxide 1643-20-5	2.67 mg/L: 96 h LC50	3.1 mg/L: 48 h daphnia magna EC50	0.19 mg/L: 72 h EC50
alcohols, C12-C15, ethoxylated 68131-39-5	5-10 mg/L: 96 h LC50	5-10 mg/L: 48 h EC50	10-100 mg/L: 72 h EC50
sodium lauryl ether sulphate 9004-82-4	2.3 mg/L: 96 h LC50	>13 ppm: 48 h LC50	>56 ppm: 72 h EC50
sodium hydroxide 1310-73-2	1149 mg/kg: 96 h rainbow trout LC50	Not available	Not available
sodium carboxymethyl inulin 430439-54-6	>10000 mg/L EC10	4000 mg/L: 48 h EC50	Not available

Persistence and degradability

Expected to be potentially biodegradable

Mobility in soil

No information available

Bioaccumulative potential

Accumulation in organisms is not to be expected.

Other adverse effects

Do not release untreated into natural waters. No other adverse environmental effects are expected.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method Dispose of in accordance with local regulations.

Contaminated Packaging Empty containers should be taken for local recycling, recovery, or waste disposal.

14. TRANSPORT INFORMATION

UN Number: Not regulated UN Proper Shipping Name: Not regulated

Transport Hazard Class(es)

Class: TDG: Not regulated US DOT: Not regulated

Label(s): Not regulated Not regulated Packing Group: Not applicable

Marine Pollutant: No

Special precautions for user: None established

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not determined

15. REGULATORY INFORMATION

Canada (DSL/NDSL)

All ingredients contained in this product are in compliance with the Canadian Environmental Protection Act and are listed on the DSL or are exempt.

United States (TSCA)

All ingredients contained in this product are listed on the TSCA inventory or are exempt.

EVERGREEN LIQUID Page 6 of 6

EVERGREEN LIQUID SDS GHS

HMIS Information:

Health: 1 Flammability: 0 Reactivity: 0

16. OTHER INFORMATION

Preparation Date6 April 2016Revision Date21 October 2020

Revision Note Revision 1 – Modifications to Sections 1, 9, 14, 15

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS