

# SAFETY DATA SHEET

FOAM-EZE C-100

Page 1 of 5 Date prepared: January 2, 2017 MSDS : Foameze C-100 SDS GHS

## **1. IDENTIFICATION**

Product Identifier Product Name

Foam-eze C-100

Recommended use of the chemical and restrictions on use		
Recommended use	Chlorinated alkaline degreaser	
Restrictions on use	Do not mix with acids	

#### Supplier details

West Penetone Inc. 10900 Secant Montreal, QC, H1J 5S1 Tel: 514-355-4660

#### Emergency Telephone Number

Canutec (613)-996-6666

## 2. HAZARDS IDENTIFICATION

#### Classification

Skin Corrosion/Irritation	Category 1
Eye damage/Irritation	Category 1
Corrosive to metals	Category 1

## Label Elements

## DANGER

#### **Hazard Statements**

Causes severe skin burns and eye damage. May be corrosive to metals.



#### **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash face, hands and any exposed skin thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection. Keep only in original packaging.

## Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a POISON CENTER or doctor/physician.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician. Absorb spillage to prevent material damage.

#### Precautionary Statements - Storage

Store locked up

## Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant according to local, provincial/federal regulations.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
Sodium hydroxide	1310-73-2	1-5
Myristyl dimethyl amine oxide	3332-27-2	1-5
Sodium hypochlorite	7681-52-9	1-5
Sodium xylene sulfonate	1300-72-7	1-5

## **4. FIRST AID MEASURES**

Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
Skin contact	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician.
Ingestion	Do not induce vomiting. Drink 1 or 2 glasses of water. Call a physician or Poison Control Centre immediately. Never give anything by mouth to an unconscious person.

#### Most important symptoms and effects, both acute and delayed

Causes burns to eyes, skin and mucous membranes. Symptoms include tingling sensation and / or reddening of tissues.

#### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### **Unsuitable Extinguishing Media**

None.

#### Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. Use personal protective equipment.

#### **Environmental Precautions**

Prevent further leakage or spillage if safe to do so.

#### Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

Acids

#### 7. HANDLING AND STORAGE

#### **Precautions for Safe Handling**

Handling

Avoid contact with skin, eyes and clothing.

#### Conditions for safe storage, including any incompatibilities

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Materials

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Control parameters**

Only constituents with exposure limits are listed. Any constituent not listed has no known exposure limit.

Chemical Name	ACGIH TLV
Sodium hydroxide 1310-73-2	STEL: 2 mg/m <sup>3</sup>

#### Appropriate engineering controls

**Engineering Controls** Ensure adequate ventilation, especially in confined areas.

#### Individual protection measures, such as personal protective equipment

Eye/face Protection	Safety goggles.
Skin and body protection	Wear rubber or neoprene gloves, rubber apron and boots.
Respiratory Protection	If exposure limits are exceeded or if ventilation is inadequate, NIOSH/MSHA approved respiratory protection should be worn.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE :
Clear, light green liquid
ODOR
Faint chlorine
ODOR THRESHOLD :
Not applicable

VAPOR PRESSURE, mm Hg AT 20°C : Not applicable VAPOR DENSITY (Air = 1) : Not applicable RELATIVE DENSITY AT 20°C: 1.12

Page 4 of 5 Date prepared: January 2, 2017 MSDS : Foameze C-100 SDS GHS

pH : > 13 MELTING POINT / FREEZING POINT : Not available BOILING POINT/BOILING RANGE : 100 °C FLASH POINT : None EVAPORATION RATE, water = 1 : 1 FLAMMABILITY (SOLID, GAS): Not applicable SOLUBILITY IN WATER : Complete PARTITION COEFFICIENT, N-OCTANOL/WATER : Not available AUTO-IGNITION TEMPERATURE : None DECOMPOSITION TEMPERATURE: Not available VISCOSITY: <10 cps FLAMMABLE LIMITS : UPPER: Not applicable LOWER : Not applicable

## **10. STABILITY AND REACTIVITY**

None

## **Reactivity**

Not reactive

### Chemical Stability

Stable under normal conditions.

#### Conditions to Avoid Store away from incompatible materials.

Hazardous decomposition products

Possibility of hazardous reactions Chlorine gas is generated when mixed with acids.

Incompatible Materials

Acids

## 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium hydroxide 1310-73-2	500 mg/kg (Rabbit LDLo)	1350 mg/kg (Rabbit)	Not applicable
Myristyl dimethyl amine oxide 3332-27-2	No data available	No data available	Not applicable
Sodium hypochlorite 7681-52-9	5.3 g/kg (Rat)	No data available	Not applicable
Sodium xylene sulfonate 1300-72-7	7200 mg/kg (Rat)	No data available	Not applicable

#### Information on likely sources of exposure

Serious eye damage/irritation	Corrosive to eyes and may cause grave lesions, including blindness.
Skin corrosion/irritation	Corrosive to skin.
Ingestion	Ingestion may cause burns to the digestive and respiratory tract.
Inhalation	Spray mist may cause irritation or burns to respiratory tract.

#### Delayed and immediate effects and also chronic effects from short and long-term exposure

Respiratory or skin sensitization	Not a sensitizer.
Germ cell mutagenicity	None known.
Carcinogenicity	No listed human carcinogens.
Reproductive toxicity	None known.
STOT - single exposure	No information available.
STOT-repeated exposure	No information available.
Aspiration Hazard	None.

#### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms include tingling sensation and / or reddening of tissues, eventually leading to burn lesions.

## FOAM-EZE C-100

## **12. ECOLOGICAL INFORMATION**

Ecotoxicity No information available

Persistence and degradability No information available

Mobility in soil No information available Bioaccumulative potential No information available

Other adverse effects None known

## **13. DISPOSAL CONSIDERATIONS**

Waste Disposal Method

Dispose of in accordance with local regulations.

Contaminated Packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

## **14. TRANSPORT INFORMATION**

#### **TDG classification**

UN1760, corrosive liquid n.o.s. (sodium hydroxide), class 8, PG III

## **15. REGULATORY INFORMATION**

All ingredients are listed on the DSL

## **16. OTHER INFORMATION**

Preparation Date Revision Date Revision Note

January 2, 2017 not applicable not applicable

#### **Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS