

SAFETY DATA SHEET

GRAFIKLEEN FLEXO WASH Page 1 of 5

Date prepared: January 2, 2017

MSDS: Grafikleen Flexo Wash SDS GHS

1. IDENTIFICATION

Product Identifier

Product Name Grafikleen Flexo Wash

Recommended use of the chemical and restrictions on use

Recommended use Flexographic ink remover Restrictions on use For industrial use only

Supplier details

West Penetone Inc. 10900 Secant Montreal, QC, H1J 5S1

Tel: 514-355-4660

Emergency Telephone Number

Canutec (613)-996-6666

2. HAZARDS IDENTIFICATION

Classification

Eye damage/ irritation	Category 1
Skin corrosion/irritation	Category 2

Label Elements

DANGER

Hazard Statements

Causes serious eye damage Causes skin irritation



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Wash with plenty of water. If skin irritation or rash occurs, get medical advice/attention. Take off contaminated clothing and wash it before re-use.

Page 2 of 5

Date prepared: January 2, 2017 MSDS: Grafikleen Flexo Wash SDS GHS

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
Ethanolammonium dodecylbenzene sulfonate	26836-07-7	5-10
Ethoxylated alcohol	68439-46-3	1-5
Ethylene glycol monobutyl ether	111-76-2	1-5
d-limonene	5989-27-5	1-3

4. FIRST AID MEASURES

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Skin contact Rinse skin with water. Wash contaminated clothing before reuse.

Inhalation Not applicable

Ingestion Do not induce vomiting. Drink 1 or 2 glasses of water. Call a physician or Poison Control

Centre immediately. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Causes burns to eyes and irritation to skin. Symptoms include tingling sensation and / or reddening.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

None.

Specific hazards arising from the chemical

None known.

<u>Protective Equipment and Precautions for Firefighters</u>

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Date prepared: January 2, 2017

MSDS: Grafikleen Flexo Wash SDS GHS

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. Use personal protective equipment.

Environmental Precautions

Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Rinse area with plenty of water.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Handling Avoid contact with skin, eyes and clothing.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Materials Strong oxidizers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Only constituents with exposure limits are listed. Any constituent not listed has no known exposure limit.

Chemical Name	ACGIH TLV
Ethylene glycol monobutyl ether	TWA: 20 ppm
111-76-2	

Appropriate engineering controls

Engineering Controls Not required.

Individual protection measures, such as personal protective equipment

Eye/face Protection Safety goggles.

Skin and body protection Wear protective gloves.

Respiratory Protection Not required.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: VAPOR PRESSURE, mm Hg AT 20°C:

Clear, pale yellow liquid Not applicable

ODOR
Citrus

VAPOR DENSITY (Air = 1):
Not applicable

ODOR THRESHOLD:Not applicable

RELATIVE DENSITY AT 20°C:
1.00

pH: SOLUBILITY IN WATER:

10 Complete

MELTING POINT / FREEZING POINT : PARTITION COEFFICIENT, N-OCTANOL/WATER :

Not available Not available

BOILING POINT/BOILING RANGE : AUTO-IGNITION TEMPERATURE :

100°C None

GRAFIKLEEN FLEXO WASH Page 4 of 5

Date prepared: January 2, 2017 MSDS: Grafikleen Flexo Wash SDS GHS

FLASH POINT: DECOMPOSITION TEMPERATURE:

 None
 Not available

 EVAPORATION RATE, water = 1 :
 VISCOSITY:

 1
 < 10 cps @ 22°C</td>

FLAMMABILITY (SOLID, GAS): FLAMMABLE LIMITS :

Not applicable UPPER: Not applicable LOWER: Not applicable

10. STABILITY AND REACTIVITY

Reactivity Conditions to Avoid

Not reactive Store away from incompatible materials.

<u>Chemical Stability</u> <u>Possibility of hazardous reactions</u>

Stable under normal conditions. None

<u>Incompatible Materials</u> <u>Hazardous decomposition products</u>

Strong oxidizers. None

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethylene glycol monobutyl ether 111-76-2	1300 mg/kg (Rat)	> 2 g/kg (Rat)	450 ppm (rat) – 4 hours
Ethoxylated alcohol 68439-46-3	>2000 mg/kg (rat)	>2000 mg/kg (rabbit)	Not applicable
Ethanolammonium dodecylbenzene sulfonate 26836-07-7	Not available	Not available	Not available
d-limonene 5989-27-5	4400 mg/kg (rat)	>5000 mg/kg (rabbit)	Not available

Information on likely sources of exposure

Serious eye damage/irritation Causes serious eye damage. Skin corrosion/irritation Causes skin irritation.

Delayed and immediate effects and also chronic effects from short and long-term exposure

Respiratory or skin sensitization Germ cell mutagenicityNone known.

Not a sensitizer.
None known.

Carcinogenicity No listed human carcinogens.

Reproductive toxicity
STOT - single exposure
STOT-repeated exposure
Aspiration Hazard
None known.
None.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms include tingling sensation and / or reddening of eyes and tissues.

Page 5 of 5

Date prepared: January 2, 2017

MSDS: Grafikleen Flexo Wash SDS GHS

12. ECOLOGICAL INFORMATION

Ecotoxicity

No information available

Persistence and degradabilityBioaccumulative potentialNo information availableNo information available

Mobility in soil Other adverse effects

No information available None known

13. DISPOSAL CONSIDERATIONS

<u>Waste Disposal Method</u> Dispose of in accordance with local regulations.

<u>Contaminated Packaging</u> Empty containers should be taken for local recycling, recovery or waste disposal.

14. TRANSPORT INFORMATION

TDG classification

Not regulated

15. REGULATORY INFORMATION

All ingredients are listed on the DSL

16. OTHER INFORMATION

Preparation DateJanuary 2, 2017Revision Datenot applicableRevision Notenot applicable

<u>Disclaimer</u>

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS