

SAFETY DATA SHEET

PENETONE 4022P

Page 1 of 5

Date prepared: 21 April 2016

MSDS: PENETONE 4022P SDS GHS

1. IDENTIFICATION

Product Identifier

Product Name PENETONE 4022P

Recommended use of the chemical and restrictions on use

Recommended use Paraffin dispersant
Restrictions on use No information available

Supplier details

West Penetone Inc. 11411-160 Street Edmonton, AB, T5M3T7

Tel: 780-454-3919

Emergency Telephone Number

Canutec (613)-996-6666

2. HAZARDS IDENTIFICATION

Classification

Flammable liquids	Category 3
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Carcinogenicity	Category 2
Reproductive toxicity	Category 2
Specific target organ toxicity – single exposure	Category 1
Specific target organ toxicity – single exposure	Category 3
Specific target organ toxicity – repeated exposure	Category 1
Specific target organ toxicity – repeated exposure	Category 2
Aspiration hazard	Category 1
Hazardous to the aquatic environment, acute hazard	Category 2
Hazardous to the aquatic environment, long-term hazard	Category 2

Label Elements

DANGER

Hazard Statements

Flammable liquid and vapor

Causes skin irritation

Causes serious eye damage

Suspected of causing cancer (inhalation)

Suspected of damaging fertility or the unborn child

Causes damage to organs (lungs) (inhalation, oral)

May cause respiratory irritation

May cause drowsiness or dizziness

Causes damage to organs (nervous system) through prolonged or repeated exposure (inhalation)

May causes damage to organs (kidneys, ears) through prolonged or repeated exposure

May be fatal if swallowed and enters airways

Toxic to aquatic life

Toxic to aquatic life with long lasting effects











PENETONE 4022P Page 2 of 5

Date prepared: 21 April 2016 MSDS: PENETONE 4022P SDS GHS

Precautionary Statements - Prevention

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/lighting/ventilation equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe fume/gas/mist/vapors/spray.

Wash face, hands and any exposed skin thoroughly after handling.

Do not eat, drink, or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

<u>Precautionary Statements - Response</u>

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. If skin irritation occurs: get medical advice/attention. Wash contaminated clothing before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

If exposed or concerned: Get medical advice/attention.

Collect spillage.

In case of fire: Use carbon dioxide, foam or dry chemical to extinguish.

Precautionary Statements - Storage

Store locked up. Store in a well ventilated place. Keep container tightly closed. Keep cool.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant according to local, provincial/federal regulations.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
xylenes	1330-20-7	60-100
nonylphenol ethoxylate – NP 6	9016-45-9	7-13

4. FIRST AID MEASURES

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Skin contact Wash with plenty of water. If skin irritation occurs, get medical advice/attention. Take

off contaminated clothing and wash before reuse.

Inhalation If difficulties occur after fume/gas/mist/vapors/spray has been inhaled, remove person to

fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician

if you feel unwell.

Ingestion Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or

doctor/physician.

Most important symptoms and effects, both acute and delayed

Contact with eyes may cause serious eye damage leading to irritation, discomfort or pain, excess blinking and tear production with marked redness and swelling of the conjunctiva. Corneal injury may result. Contact with skin may be harmful if absorbed and cause irritation with local redness. Inhalation of fume/gas/mist/vapors/spray may cause respiratory tract irritation. Inhalation of vapors may cause drowsiness or dizziness, headaches, fatigue, muscular weakness and in extreme cases, loss of consciousness. Ingestion may be harmful and cause gastrointestinal irritation, nausea, vomiting and diarrhea. Ingestion may cause pneumonitis if aspirated. Material contains ingredients which may cause damage to the nervous system (CNS), liver, kidneys, lungs, ears, skin or testes through prolonged or repeated exposure. See Section 2 for possible delayed effects.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

PENETONE 4022P Page 3 of 5

Date prepared: 21 April 2016

MSDS: PENETONE 4022P SDS GHS

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

High-volume water jet.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed including oxides of carbon.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Avoid breathing fume/gas/mist/vapors/spray. Put on personal protective equipment. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Environmental Precautions

Avoid discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

Contain and solidify with inert absorbent material. Keep in suitable, closed containers for disposal. Following product recovery, flush contaminated area with water. For large spills, stop flow of material, prevent product from entering drains, and pump off product where this is without risk and possible. Proceed as above.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Handling Avoid inhalation of fume/gas/mist/vapors/spray. Avoid contact with skin, eyes and clothing.

Ensure thorough ventilation of work areas. Use personal protective equipment. Use explosion-proof equipment. Keep away from sources of ignition. Smoking should be

prohibited in the application area.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed away from direct sunlight in a dry, cool and well-ventilated

place, away from incompatible materials.

Incompatible Materials Acids, strong oxidizing agents

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Only constituents with exposure limits are listed. Any constituent not listed has no known exposure limit.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
xylenes	TWA: 100 ppm/434 mg/m ³	TWA: 100 ppm/435 mg/m ³	Not available
1330-20-7	STEL: 150 ppm/651 mg/m ³	STEL: 150 ppm/655 mg/m ³	

Appropriate engineering controls

Engineering Controls Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

Eye/face Protection Safety glasses with side shields or goggles. Use a face-shield where mode of handling

increases risk of splashing.

Skin and body protection Wear protective gloves and protective clothing.

PENETONE 4022P

Page 4 of 5

Date prepared: 21 April 2016

MSDS : PENETONE 4022P SDS GHS

Respiratory Protection Wear respiratory protection if ventilation is inadequate. Use respiratory protection in case

of vapor/aerosol release.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Routinely wash

work clothing and protective equipment to remove contaminants.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: VAPOR PRESSURE, mm Hg AT 20°C:

Clear, brown liquid Not available

 ODOR
 VAPOR DENSITY (Air = 1) :

 Solvent
 3-4

 ODOR THRESHOLD :
 RELATIVE DENSITY AT 20°C:

0.7-40 ppm 0.875-0.880 pH: SOLUBILITY IN WATER:

pH:Not applicable

SOLUBIL
Insoluble

MELTING POINT / FREEZING POINT : PARTITION COEFFICIENT, N-OCTANOL/WATER :

< -40°C Not available

BOILING POINT/BOILING RANGE:

135-145°C

FLASH POINT:

AUTO-IGNITION TEMPERATURE:

432-530°C

DECOMPOSITION TEMPERATURE:

25°C (TCC)

Not available

EVAPORATION RATE, water = 1:

VISCOSITY:

>1 Not available FLAMMABILITY (SOLID, GAS): FLAMMABLE LIMITS :

Not applicable UPPER: 1% v/v LOWER: 7% v/v

10. STABILITY AND REACTIVITY

Reactivity

Not reactive.

Chemical Stability

Stable under normal conditions.

Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to Avoid

Avoid extreme temperatures. Store away from incompatible materials.

Incompatible Materials

Strong oxidizing materials, acids.

Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition can lead to release of irritating gases and vapors such as oxides of carbon as well as other low molecular weight hydrocarbons.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
xylenes 1330-20-7	3500-4300 mg/kg (rat)	>2000 mg/kg (rabbit)	>20 mg/L (rat) – 4 h 5000 ppm (rat) – 4 h
nonylphenol ethoxylate – NP 6 9016-45-9	1310 mg/kg (rat)	2 mL/kg (rabbit)	Not listed

Information on likely sources of exposure

Inhalation May cause respiratory irritation, drowsiness or dizziness.

Serious eye damage/irritation Causes eye damage. May cause pain, watering, redness, and blurred vision.

Skin corrosion/irritation Causes skin irritation, possible dermatitis with prolonged exposure.

Ingestion May be harmful if swallowed. May cause stomach pains and other delayed effects.

Delayed and immediate effects and also chronic effects from short and long-term exposure

PENETONE 4022P Page 5 of 5

Date prepared: 21 April 2016

MSDS: PENETONE 4022P SDS GHS

Not a sensitizer. Respiratory or skin sensitization Germ cell mutagenicity None known.

xylenes (CAS 1330-20-7) Carcinogenicity 2 Suspected of causing cancer (inhalation) Reproductive toxicity xylenes (CAS 1330-20-7) 2 Suspected of damaging fertility or the unborn child STOT - single exposure xylenes (CAS 1330-20-7) 3 May cause drowsiness or dizziness; narcotic effects

xylenes (CAS 1330-20-7) 3 May cause respiratory irritation

xylenes (CAS 1330-20-7) 1 Causes damage to organs (lungs) (inhalation, oral) xylenes (CAS 1330-20-7) 1 Causes damage to organs (nervous system) through

prolonged or repeated exposure (inhalation) 2 May causes damage to organs (kidneys, ears) through xylenes (CAS 1330-20-7)

prolonged or repeated exposure

1 May be fatal if swallowed and enters airways **Aspiration Hazard** xylenes (CAS 1330-20-7)

Symptoms related to the physical, chemical and toxicological characteristics

See Section 2 & 4.

STOT - repeated exposure

12. ECOLOGICAL INFORMATION

Ecotoxicity

If available, ecotoxicity values of individual components are shown below.

Chemical Name	Fish	Waterflea	Algae
xylenes 1330-20-7	1-10 mg/L: 96 h LC50	1-10 mg/L: 48 h EC50	1-10 mg/L: 72 h EC50
nonylphenol ethoxylate – NP 6 9016-45-9	>1 mg/L: 96 h LC50	>1 mg/L: 48 h EC50	>1 mg/L: 72 h EC50

Persistence and degradability

Expected to be readily biodegradable.

Bioaccumulative potential

Indication of accumulation in organisms.

Mobility in soil

No information available

Other adverse effects

Do not release untreated into natural waters. No other adverse environmental effects

are expected.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method Dispose of in accordance with local regulations.

Empty containers should be taken for local recycling, recovery or waste disposal. **Contaminated Packaging**

14. TRANSPORT INFORMATION

TDG classification

UN 1307, Xylenes, Class 3, PG III

15. REGULATORY INFORMATION

All ingredients are listed on the DSL

16. OTHER INFORMATION

21 April, 2016 **Preparation Date** not applicable **Revision Date** not applicable **Revision Note**

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.