

SAFETY DATA SHEET

PENSCRUB A-150 Page 1 of 5

Date prepared: 6 October, 2016 MSDS: PENSCRUB A-150 SDS GHS

1. IDENTIFICATION

Product Identifier

Product Name PENSCRUB A-150

Recommended use of the chemical and restrictions on use

Recommended use Acid cleaner - scale removal, hydrogen sulfide scavenger

Restrictions on use For industrial use only

Supplier details West Penetone Inc.

11411-160 Street Edmonton, AB, T5M3T7

Tel: 780-454-3919

Emergency Telephone Number

Canutec (613)-996-6666

2. HAZARDS IDENTIFICATION

Classification

Corrosive to metals	Category 1	
Acute toxicity, inhalation – gases	Category 4	
Skin corrosion/irritation	Category 1B	
Serious eye damage/eye irritation	Category 1	
Specific target organ toxicity – single exposure	Category 3	
Aspiration hazard	Category 1	
Hazardous to the aquatic environment, acute hazard	Category 2	

Label Elements

DANGER

Hazard Statements

May be corrosive to metals.

Harmful if inhaled.

Causes severe skin burns and eye damage.

May cause respiratory irritation.

May be fatal if swallowed and enters airways

Toxic to aquatic life



Precautionary Statements - Prevention

Keep only in original packaging.

Wear protective gloves/protective clothing/eye protection/face protection.

Do not breathe dust or mists.

Use only outdoors or in a well-ventilated area.

Do not eat, drink or smoke when using this product.

Wash face, hands and any exposed skin thoroughly after handling.

Avoid release to the environment.

Date prepared: 6 October, 2016 MSDS: PENSCRUB A-150 SDS GHS

Precautionary Statements - Response

IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician. Absorb spillage to prevent material damage.

Precautionary Statements - Storage

Store in corrosive resistant/container with a resistant liner. Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant according to local, provincial/federal regulations.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
hydrogen chloride	7647-01-0	7-13
lauramine oxide	1643-20-5	5-10
alcohols, C9-11, ethoxylated	68439-46-3	1-5
citric acid	77-92-9	0.5-1.5

4. FIRST AID MEASURES

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Skin contact Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash

contaminated clothing before reuse.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician.

Ingestion Do not induce vomiting. Drink 1 or 2 glasses of water. Call a physician or Poison Control

Centre immediately. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Contact with liquid may cause immediate burns and permanent damage to eyes, skin and mucous membranes. Symptoms include pain with local reddening, blistering, ulceration or discoloration of tissues. Prolonged exposure to vapors or mists may cause redness, irritation, burns and difficulty breathing. Inhalation of concentrated vapors or mists may cause pulmonary edema and may be delayed for up to 48 hours. Ingestion may cause pneumonitis if aspirated into lungs.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

Water jet.

PENSCRUB A-150
Page 3 of 5
Date prepared: 6 October, 2016

MSDS : PENSCRUB A-150 SDS GHS

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. Use personal protective equipment. High risk of slipping due to leakage/spillage of product.

Environmental Precautions

Avoid discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

Contain, neutralize, and solidify with inert absorbent material. Keep in suitable, closed containers for disposal. Following product recovery, flush area with water. For large spills, stop flow of material, prevent product from entering drains, and pump off product where this is without risk and possible. Proceed as above.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Handling Avoid contact with skin, eyes and clothing. Avoid breathing dust/fume/gas/mist/vapors/spray.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Materials Strong or chlorinated alkali, amphoteric or light metals

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Only constituents with exposure limits are listed. Any constituent not listed has no known exposure limit.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrogen chloride	TWA: 2 ppm ceiling	5 ppm/7 mg/m ³ ceiling	50 ppm
7647-01-0			

Appropriate engineering controls

Engineering Controls Ensure adequate ventilation, especially in confined areas. Eye wash facilities and emergency

shower must be made available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face Protection Splash proof goggles and face shield.

Skin and body protection Rubber or neoprene gloves, rubber apron and boots.

Respiratory ProtectionRespiratory protection if ventilation is inadequate or in case of vapor/aerosol release.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Wash soiled clothing

immediately.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:

VAPOR PRESSURE, mm Hg AT 20°C :

Clear, colorless to yellow liquid

Not applicable

PENSCRUB A-150

Page 4 of 5

Date prepared: 6 October, 2016

MSDS : PENSCRUB A-150 SDS GHS

ODOR VAPOR DENSITY (Air = 1):

Acidic Not applicable

ODOR THRESHOLD: RELATIVE DENSITY AT 20°C:

Not applicable 1.035-1.040

pH: SOLUBILITY IN WATER:

<1.0 Complete

MELTING POINT / FREEZING POINT : PARTITION COEFFICIENT, N-OCTANOL/WATER :

Approx. -15 °C Not available

BOILING POINT/BOILING RANGE: AUTO-IGNITION TEMPERATURE:

Approx. 100 °C Not available

FLASH POINT: DECOMPOSITION TEMPERATURE:

None Not available VISCOSITY:

1 Not available VISCOSITY: Not available

FLAMMABILITY (SOLID, GAS): FLAMMABLE LIMITS :

Not applicable UPPER: Not applicable LOWER: Not applicable

10. STABILITY AND REACTIVITY

Reactivity Conditions to Avoid

Not reactive under normal conditions.

Store away from incompatible materials.

Chemical Stability Possibility of hazardous reactions

Stable under normal conditions. None

Incompatible Materials Hazardous decomposition products

Strong or chlorinated alkali, amphoteric or light metals.

Hydrogen chloride.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

ATE_{mix} – LD50 oral – approx. ≥ 3942 mg/kg (rat), LD50 dermal – approx. > 12865 mg/kg (rabbit), LC50 inhalation – approx. 6154 ppm – 4 h (rat)

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
hydrogen chloride 7647-01-0	700-900 mg/kg (rat)	>5000 mg/kg (rabbit)	4.66 mg/L – 4 h rat 3124 ppm – 1 h rat
lauramine oxide 1643-20-5	>1065 mg/kg (rat)	>2000 mg/kg (rabbit)	Not listed
alcohols, C9-11, ethoxylate 68439-46-3	>2000 mg/kg (rat)	>2000 mg/kg (rabbit)	Not applicable
citric acid 77-92-9	3000 mg/kg(rat)	Not listed	Not listed

Information on likely sources of exposure

Serious eye damage/irritation Corrosive to eyes and may cause grave lesions, including blindness.

Skin corrosion/irritationCorrosive to skin.

IngestionIngestion may cause burns to the digestive and respiratory tract.InhalationSpray or mist may cause irritation or burns to respiratory tract.

Delayed and immediate effects and also chronic effects from short and long-term exposure

Respiratory or skin sensitization Germ cell mutagenicityNone known.

CarcinogenicityNo listed human carcinogens.Reproductive toxicityNo information available.STOT - single exposureNo information available.STOT-repeated exposureNo information available.

Aspiration Hazard None known.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms include tingling sensation and / or reddening of tissues, eventually leading to burn lesions.

Page 5 of 5

Date prepared: 6 October, 2016

MSDS: PENSCRUB A-150 SDS GHS

12. ECOLOGICAL INFORMATION

Ecotoxicity

If available, ecotoxicity values of individual components are shown below.

Chemical Name	Fish	Waterflea	Algae
hydrogen chloride 7647-01-0	282 mg/L: 96 h gambusia affinis LC50	Not listed	Not listed
lauramine oxide 1643-20-5	2.67 mg/L: 96 h LC50	3.1 mg/L: 48 h Daphnia magna EC50	0.19 mg/L: 72 h EC50
alcohols, C9-11, ethoxylate 68439-46-3	5-10 mg/L: 96 h LC50	5-10 mg/L: 48 h EC50	10-100mg/L: 72 h
citric acid 77-92-9	440-706 mg/L: 96 h goldfish LC50	Not listed	Not listed

Persistence and degradability Bioaccumulative potential

Not applicable to inorganic materials.

Significant accumulation in organisms is not to be expected.

Mobility in soil Other adverse effects

No information available Do not release untreated in natural waters.

13. DISPOSAL CONSIDERATIONS

<u>Waste Disposal Method</u> Dispose of in accordance with local regulations.

<u>Contaminated Packaging</u> Empty containers should be taken for local recycling, recovery or waste disposal.

14. TRANSPORT INFORMATION

TDG classification

UN 3264, Corrosive Liquid, Acidic, Inorganic, N.O.S. (contains hydrochloric acid), Class 8, PG II

15. REGULATORY INFORMATION

All ingredients are listed on the DSL

16. OTHER INFORMATION

Preparation Date6 October, 2016Revision Date15 November, 2017

Revision Note Adjustment to Section 2 – hazard classifications

<u>Disclaimer</u>

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS