

1. IDENTIFICATION

Product Identifier

Product Name PENSURB A-150
Chemical Name Acid cleaner and hydrogen sulfide scavenger

Recommended use of the chemical and restrictions on use

Recommended use Scale removal applications requiring in-situ hydrogen sulfide control
Restrictions on use For industrial use only

Supplier details

West Penetone Inc.
 11411-160 Street
 Edmonton, AB,
 T5M3T7
 Tel: 780-454-3919

Emergency Telephone Number

Main office – (780)-454-3919, 8:00 AM to 4:30 PM MST

2. HAZARDS IDENTIFICATION

Classification

| | |
|--|-------------|
| Corrosive to metals | Category 1 |
| Acute toxicity, inhalation – gases | Category 4 |
| Skin corrosion/irritation | Category 1B |
| Serious eye damage/eye irritation | Category 1 |
| Specific target organ toxicity – single exposure | Category 3 |
| Aspiration hazard | Category 1 |
| Hazardous to the aquatic environment, acute hazard | Category 2 |

Label Elements

DANGER

Hazard Statements

May be corrosive to metals.
 Harmful if inhaled.
 Causes severe skin burns and eye damage.
 May cause respiratory irritation.
 May be fatal if swallowed and enters airways
 Toxic to aquatic life



Precautionary Statements - Prevention

Keep only in original packaging.
 Do not breathe dust or mists.
 Wash face, hands, and any exposed skin thoroughly after handling.
 Do not eat, drink, or smoke when using this product.
 Use only outdoors or in a well-ventilated area.
 Avoid release to the environment.
 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements - Response

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Absorb spillage to prevent material damage.

Precautionary Statements - Storage

Store in corrosive resistant/container with a resistant liner. Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant according to local, provincial/federal regulations.

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Chemical Name | CAS-No | Weight %* |
|------------------------------|------------|-----------|
| hydrogen chloride | 7647-01-0 | 7-13 |
| lauramine oxide | 1643-20-5 | 5-10 |
| alcohols, C9-11, ethoxylated | 68439-46-3 | 1-5 |
| citric acid | 77-92-9 | 0.5-1.5 |

* The actual concentrations have been withheld as a trade secret

4. FIRST AID MEASURES**Ingestion**

Do not induce vomiting. Drink 1 or 2 glasses of water. Call a physician or Poison Control Centre immediately. Never give anything by mouth to an unconscious person.

Skin contact

Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Most important symptoms and effects, both acute and delayed

Contact with liquid may cause immediate burns and permanent damage to eyes, skin and mucous membranes. Symptoms include pain with local reddening, blistering, ulceration, or discoloration of tissues. Prolonged exposure to vapors or mists may cause redness, irritation, burns, and difficulty breathing. Inhalation of concentrated vapors or mists may cause pulmonary edema and may be delayed for up to 48 hours. Ingestion may cause pneumonitis if aspirated into lungs.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE-FIGHTING MEASURES**Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

Water jet.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes, and clothing. Use personal protective equipment. High risk of slipping due to leakage/spillage of product.

Environmental Precautions

Avoid discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

Contain, neutralize, and solidify with inert absorbent material. Keep in suitable, closed containers for disposal. Following product recovery, flush area with water. For large spills, stop flow of material, prevent product from entering drains, and pump off product where this is without risk and possible. Proceed as above.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Handling Avoid contact with skin, eyes and clothing. Avoid breathing dust/fume/gas/mist/vapors/spray. Use recommended personal protective equipment.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Materials Strong or chlorinated alkali, amphoteric or light metals

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Only constituents with exposure limits are listed. Any constituent not listed has no known exposure limit.

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|--------------------------------|--------------------|-----------------------------------|------------|
| Hydrogen chloride 7647-01-0 | TWA: 2 ppm ceiling | 5 ppm/7 mg/m ³ ceiling | 50 ppm |

Appropriate engineering controls

Engineering Controls Ensure adequate ventilation, especially in confined areas. Eyewash facilities and emergency shower must be made available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face Protection Splash proof goggles and face shield.

Skin and body protection Rubber or neoprene gloves, rubber apron and boots.

Respiratory Protection Respiratory protection if ventilation is inadequate or in case of vapor/aerosol release.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Wash soiled clothing immediately.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:

Clear, colorless to yellow liquid

ODOR:

Acidic

ODOR THRESHOLD:

Not applicable

pH:

<1.0

MELTING POINT / FREEZING POINT:

Approx. -15 °C (5°F)

VAPOR PRESSURE, mm Hg AT 20°C (68°F):

Not applicable

VAPOR DENSITY (Air = 1):

Not applicable

RELATIVE DENSITY AT 20°C (68°F):

1.035-1.040

SOLUBILITY IN WATER:

Complete

PARTITION COEFFICIENT, N-OCTANOL/WATER:

Not available

BOILING POINT/BOILING RANGE:

Approx. 100 °C (212°F)

FLASH POINT:

None

EVAPORATION RATE, water = 1:

1

FLAMMABILITY (SOLID, GAS):

Not applicable

AUTO-IGNITION TEMPERATURE:

Not available

DECOMPOSITION TEMPERATURE:

Not available

VISCOSITY:

Not available

FLAMMABLE LIMITS:**UPPER:** Not applicable **LOWER:** Not applicable**10. STABILITY AND REACTIVITY****Reactivity**

Not reactive under normal conditions.

Conditions to Avoid

Store away from incompatible materials.

Chemical Stability

Stable under normal conditions.

Possibility of hazardous reactions

None

Incompatible Materials

Strong or chlorinated alkali, amphoteric or light metals.

Hazardous decomposition products

Hydrogen chloride.

11. TOXICOLOGICAL INFORMATION**Acute toxicity****ATE_{mix}** – LD50 oral – approx. ≥ 3942 mg/kg (rat), LD50 dermal – approx. > 12865 mg/kg (rabbit), LC50 inhalation - gases – approx. 6154 ppm – 4 h (rat)

| Chemical Name | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|---|---------------------|------------------------|---|
| hydrogen chloride 7647-01-0 | 700-900 mg/kg (rat) | >5000 mg/kg (rabbit) | 4.66 mg/L – 4 h rat 3124 ppm – 1 h rat |
| lauramine oxide 1643-20-5 | >1065 mg/kg (rat) | >2000 mg/kg (rabbit) | Not listed |
| alcohols, C9-11, ethoxylate 68439-46-3 | >2000 mg/kg (rat) | >2000 mg/kg (rabbit) | Not applicable |
| citric acid 77-92-9 | 3000 mg/kg(rat) | Not listed | Not listed |

Information on likely sources of exposure**Ingestion**

Ingestion may cause burns to the digestive and respiratory tract.

Skin corrosion/irritation

Corrosive to skin.

Inhalation

Spray or mist may cause irritation or burns to respiratory tract.

Serious eye damage/irritation

Corrosive to eyes and may cause grave lesions, including blindness.

Delayed and immediate effects and also chronic effects from short and long-term exposure**Respiratory or skin sensitization**

Not a sensitizer.

Germ cell mutagenicity

None known.

Carcinogenicity

No listed human carcinogens.

Reproductive toxicity

No information available.

STOT - single exposure

No information available.

STOT-repeated exposure

No information available.

Aspiration Hazard

None known.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms include tingling sensation and / or reddening of tissues, eventually leading to burn lesions. Eye damage or irritation. Ingestion may cause irritation or burns of mouth, esophagus and stomach, abdominal pain, nausea, vomiting, diarrhea. Inhalation may cause irritation or burns of nose, mouth, and upper respiratory tract.

12. ECOLOGICAL INFORMATION**Ecotoxicity**

If available, ecotoxicity values of individual components are shown below.

| Chemical Name | Fish | Waterflea | Algae |
|---|---|--------------------------------------|----------------------|
| hydrogen chloride 7647-01-0 | 282 mg/L: 96 h gambusia affinis LC50 | Not listed | Not listed |
| lauramine oxide 1643-20-5 | 2.67 mg/L: 96 h LC50 | 3.1 mg/L: 48 h Daphnia magna EC50 | 0.19 mg/L: 72 h EC50 |
| alcohols, C9-11, ethoxylate 68439-46-3 | 5-10 mg/L: 96 h LC50 | 5-10 mg/L: 48 h EC50 | 10-100mg/L: 72 h |
| citric acid 77-92-9 | 440-706 mg/L: 96 h goldfish LC50 | Not listed | Not listed |

Persistence and degradability

Not applicable to inorganic materials.

Bioaccumulative potential

Significant accumulation in organisms is not to be expected.

Mobility in soil

No information available

Other adverse effects

Do not release untreated in natural waters.

13. DISPOSAL CONSIDERATIONS**Waste Disposal Method**

Dispose of in accordance with local regulations.

Contaminated Packaging

Empty containers should be taken for local recycling, recovery, or waste disposal.

14. TRANSPORT INFORMATION

UN Number: 3264
UN Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S. (contains hydrochloric acid)
Transport Hazard Class(es):
Class: TDG: 8
US DOT: 8
IMDG: 8
Label(s): 8
Packing Group: II
Marine Pollutant: No
Special precautions for user: None established
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not determined

15. REGULATORY INFORMATION

Canada (DSL/NDSL)

All ingredients contained in this product are in compliance with the Canadian Environmental Protection Act and are listed on the DSL or are exempt.

United States (TSCA)

All ingredients contained in this product are listed on the TSCA inventory or are exempt.

HMIS Information:

Health: 3
Flammability: 0
Reactivity: 0

16. OTHER INFORMATION**Preparation Date**

6 October 2016

Revision Date

2 July 2025

Revision Note**Revision 3** - Modifications to Section 1**Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS