

# SAFETY DATA SHEET

**PENSCRUB AS-150** Page 1 of 5

Date prepared: 15 October 2018 MSDS: PENSCRUB AS-150 SDS GHS

### 1. IDENTIFICATION

**Product Identifier** 

Product Name PENSCRUB AS-150

**Chemical Name** Acid cleaner and hydrogen sulfide scavenger

Recommended use of the chemical and restrictions on use

Recommended use Scale removal applications requiring in-situ hydrogen sulfide control

Restrictions on use For industrial use only

Supplier details West Penetone Inc.

11411-160 Street Edmonton, AB, T5M3T7

Tel: 780-454-3919

### **Emergency Telephone Number**

Canutec (613)-996-6666 or 1-888-226-8832 - FOR 24 HOUR TRANSPORT EMERGENCY WITHIN CANADA Chemtrec 1-800-424-9300 - FOR 24 HOUR TRANSPORT EMERGENCY WITHIN USA

### 2. HAZARDS IDENTIFICATION

#### Classification

Corrosive to metals	Category 1	
Acute toxicity, inhalation – mists	Category 3	
Skin corrosion/irritation	Category 1A	
Serious eye damage/eye irritation	Category 1	
Specific target organ toxicity – single exposure	Category 3	
Aspiration hazard	Category 1	
Hazardous to the aquatic environment, acute hazard	Category 2	

### **Label Elements**

### DANGER

### **Hazard Statements**

May be corrosive to metals

Toxic if inhaled

Causes severe skin burns and eye damage

May cause respiratory irritation

May be fatal if swallowed and enters airways

Toxic to aquatic life



### **Precautionary Statements - Prevention**

Keep only in original packaging.

Do not breathe dust or mists.

Wash face, hands and any exposed skin thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

PENSCRUB AS-150 Page 2 of 5

Date prepared: 15 October 2018 MSDS: PENSCRUB AS-150 SDS GHS

#### Precautionary Statements - Response

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician.

Absorb spillage to prevent material damage.

#### **Precautionary Statements - Storage**

Store in corrosive resistant/container with a resistant liner. Store in a well-ventilated place. Keep container tightly closed. Store locked up.

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant according to local, provincial/federal regulations.

# 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
sulphuric acid	7664-93-9	15-40
lauramine oxide	1643-20-5	5-10
alcohols, C9-11, ethoxylated	68439-46-3	1-5
citric acid	77-92-9	0.5-1.5

### 4. FIRST AID MEASURES

Ingestion Do not induce vomiting. Drink 1 or 2 glasses of water. Call a physician or Poison Control

Centre immediately. Never give anything by mouth to an unconscious person.

Skin contact Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated

clothing before reuse.

**Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician.

**Eye contact** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

### Most important symptoms and effects, both acute and delayed

Contact with liquid may cause immediate burns and permanent damage to eyes, skin and mucous membranes. Symptoms include pain with local reddening, blistering, ulceration or discoloration of tissues. Prolonged exposure to vapors or mists may cause redness, irritation, burns and difficulty breathing. Inhalation of concentrated vapors or mists may cause pulmonary edema and may be delayed for up to 48 hours. Ingestion may cause pneumonitis and severe tissue damage if aspirated into lungs.

#### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### **Unsuitable Extinguishing Media**

Water jet.

### Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

PENSCRUB AS-150
Page 3 of 5
Date prepared: 15 October 2018

MSDS : PENSCRUB AS-150 SDS GHS

### 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. Use personal protective equipment. High risk of slipping due to leakage/spillage of product.

#### **Environmental Precautions**

Avoid discharge into drains/surface waters/groundwater.

### Methods and material for containment and cleaning up

Contain, neutralize, and solidify with inert absorbent material. Keep in suitable, closed containers for disposal. Following product recovery, flush area with water. For large spills, stop flow of material, prevent product from entering drains, and pump off product where this is without risk and possible. Proceed as above.

### 7. HANDLING AND STORAGE

#### **Precautions for Safe Handling**

Handling Avoid contact with skin, eyes and clothing. Avoid breathing dust/fume/gas/mist/vapors/spray. Use

recommended personal protective equipment.

### Conditions for safe storage, including any incompatibilities

**Storage** Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Materials Strong or chlorinated alkali, amphoteric or light metals

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Control parameters**

Only constituents with exposure limits are listed. Any constituent not listed has no known exposure limit.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
sulphuric acid 7664-93-9	TWA: 0.2 mg/m <sup>3</sup>	TWA: 1 mg/m³	15 mg/m <sup>3</sup>

#### **Appropriate engineering controls**

Engineering Controls Ensure adequate ventilation, especially in confined areas. Eyewash facilities and emergency shower

must be made available when handling this product.

#### Individual protection measures, such as personal protective equipment

Eye/face Protection Splash proof goggles and face shield.

**Skin and body protection** Rubber or neoprene gloves, rubber apron and boots.

Respiratory Protection Respiratory protection if ventilation is inadequate or in case of vapor/aerosol release.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Wash soiled clothing

immediately.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: VAPOR PRESSURE, mm Hg AT 20°C (68°F):

Clear, colorless to darkened liquid

ODOR:

Acidic

Not applicable

VAPOR DENSITY (Air = 1):

Not applicable

ODOR THRESHOLD: RELATIVE DENSITY AT 20°C (68°F):

Not applicable 1.245-1.250

pH: SOLUBILITY IN WATER: <1.0 Complete

MELTING POINT / FREEZING POINT: PARTITION COEFFICIENT, N-OCTANOL/WATER:

Not available Not available

PENSCRUB AS-150 Page 4 of 5

Date prepared: 15 October 2018 MSDS: PENSCRUB AS-150 SDS GHS

BOILING POINT/BOILING RANGE: AUTO-IGNITION TEMPERATURE:

Not available Not available

FLASH POINT: DECOMPOSITION TEMPERATURE:

None Not available EVAPORATION RATE, water = 1: VISCOSITY:

1 Not available

FLAMMABILITY (SOLID, GAS):

Not applicable

FLAMMABLE LIMITS:

UPPER: Not applicable

LOWER: Not applicable

### 10. STABILITY AND REACTIVITY

Reactivity Conditions to Avoid

Not reactive under normal conditions.

Store away from incompatible materials.

<u>Chemical Stability</u> <u>Possibility of hazardous reactions</u>

Stable under normal conditions. None

Incompatible Materials Hazardous decomposition products

Strong or chlorinated alkali, amphoteric or light metals. Sulphuric acid, oxides of carbon, nitrogen, and sulphur, ammonia,

low molecular weight hydrocarbons.

## 11. TOXICOLOGICAL INFORMATION

#### **Acute toxicity**

ATE<sub>mix</sub> – LD50 oral – approx. ≥ 4100 mg/kg (rat), LD50 dermal – approx. > 11 g/kg (rabbit), LC50 inhalation - mists – approx. 0.8 mg/L – 4 h (rat)

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
sulphuric acid 7664-93-9	2140 mg/kg (rat)	Not listed	255 mg/m $^3$ – 4 h rat 540 mg/m $^3$ – 2 h rat
lauramine oxide 1643-20-5	>1065 mg/kg (rat)	>2000 mg/kg (rabbit)	Not listed
alcohols, C9-11, ethoxylate 68439-46-3	>2000 mg/kg (rat)	>2000 mg/kg (rabbit)	Not applicable
citric acid 77-92-9	3000 mg/kg(rat)	Not listed	Not listed

### Information on likely sources of exposure

**Ingestion** Ingestion may cause burns to the digestive and respiratory tract.

**Skin corrosion/irritation** Corrosive to skin.

InhalationSpray or mist may cause irritation or burns to respiratory tract.Serious eye damage/irritationCorrosive to eyes and may cause grave lesions, including blindness.

#### Delayed and immediate effects and also chronic effects from short and long-term exposure

Respiratory or skin sensitization Not a sensitizer. Germ cell mutagenicity None known.

CarcinogenicityNo listed human carcinogens.Reproductive toxicityNo information available.STOT - single exposureNo information available.STOT-repeated exposureNo information available.

Aspiration Hazard None known.

### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms include tingling sensation and / or reddening of tissues, eventually leading to burn lesions. Eye damage or irritation. Ingestion may cause irritation or burns of mouth, esophagus and stomach, abdominal pain, nausea, vomiting, diarrhea. Inhalation may cause irritation or burns of nose, mouth, and upper respiratory tract.

### 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

If available, ecotoxicity values of individual components are shown below.

PENSCRUB AS-150

Page 5 of 5 Date prepared: 15 October 2018 MSDS: PENSCRUB AS-150 SDS GHS

Chemical Name	Fish	Waterflea	Algae
sulphuric acid 7664-93-9	500 mg/L: 96 h brachydanio rerio LC50	Not listed	Not listed
lauramine oxide 1643-20-5	2.67 mg/L: 96 h LC50	3.1 mg/L: 48 h Daphnia magna EC50	0.19 mg/L: 72 h EC50
alcohols, C9-11, ethoxylate 68439-46-3	5-10 mg/L: 96 h LC50	5-10 mg/L: 48 h EC50	10-100mg/L: 72 h
citric acid 77-92-9	440-706 mg/L: 96 h goldfish LC50	Not listed	Not listed

Persistence and degradability Bioaccumulative potential

Not applicable to inorganic materials. Significant accumulation in organisms is not to be expected.

Mobility in soil Other adverse effects

No information available Do not release untreated in natural waters.

### 13. DISPOSAL CONSIDERATIONS

<u>Waste Disposal Method</u> Dispose of in accordance with local regulations.

<u>Contaminated Packaging</u> Empty containers should be taken for local recycling, recovery or waste disposal.

### 14. TRANSPORT INFORMATION

UN Number: 3264

UN Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, N.O.S. (contains sulphuric acid)

Transport Hazard Class(es)

Class: TDG: 8

US DOT: 8 IMDG: 8

Label(s): 8
Packing Group: II
Marine Pollutant: No

Special precautions for user: None established

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not determined

# 15. REGULATORY INFORMATION

Canada (DSL/NDSL)

All ingredients contained in this product are in compliance with the Canadian Environmental Protection Act and are listed on the DSL or are exempt.

United States (TSCA)

All ingredients contained in this product are listed on the TSCA inventory or are exempt.

HMIS Information:

Health: 3
Flammability: 0
Reactivity: 0

# **16. OTHER INFORMATION**

Preparation Date15 October 2018Revision DateNot applicableRevision NoteNot applicable

### **Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.