

# SAFETY DATA SHEET

**SCAVEX AG** Page 1 of 6

SCAVEX AG SDS GHS

# 1. IDENTIFICATION

**Product Identifier** 

**Product Name** SCAVEX AG

Dialdehyde-type hydrogen sulfide scavenger **Chemical Name** 

Recommended use of the chemical and restrictions on use

Aqueous hydrogen sulfide control applications Recommended use

Restrictions on use For industrial use only

Supplier details West Penetone Inc.

> 11411-160 Street Edmonton, AB, T5M3T7

Tel: 780-454-3919

### **Emergency Telephone Number**

Main office - (780)-454-3919, 8:00 AM to 4:30 PM MST

# 2. HAZARDS IDENTIFICATION

#### Classification

Skin corrosion/irritation	Category 2	
Serious eye damage/eye irritation	Category 2B	
Skin sensitizer	Category 1B	
Germ cell mutagenicity	Category 2	
Specific target organ toxicity – repeated exposure	Category 2	

# **Label Elements**

#### WARNING

# **Hazard Statements**

H315 + H320 - Causes skin and eye irritation

H317 - May cause an allergic skin reaction

H341 - Suspected of causing genetic defects (non-mammalian)

H373 - May cause damage to organs (kidneys) through prolonged or repeated exposure (ingestion, skin)



#### <u>Precautionary Statements - Prevention</u>

P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P260 - Do not breathe mist/vapors/spray.

P264 - Wash face, hands, and any exposed skin thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

#### Precautionary Statements - Response

P302 + P352, P332 + P313, P362 + P364 - IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off immediately all contaminated clothing and wash it before re-use.

P305 + P351 + P338, P337 + P313 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

P308 + P314 - If exposed or concerned: Get medical advice/attention if you feel unwell.

#### **Precautionary Statements - Storage**

P405 - Store locked up.



SCAVEX AG Page 2 of 6

SCAVEX AG SDS GHS

#### **Precautionary Statements - Disposal**

P501 - Dispose of contents/container to an approved waste disposal plant according to local, provincial/federal regulations.

#### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %*
propylene glycol	57-55-6	30-60
glyoxal	107-22-2	10-30
ethylene glycol	107-21-1	0.0 - ≤ 1.5

<sup>\*</sup> The actual concentrations have been withheld as a trade secret

# 4. FIRST AID MEASURES

**Ingestion** Rinse mouth. Remove person to fresh air and keep at rest in a position comfortable for breathing. Do not induce

vomiting unless directed by medical personnel. Call a POISON CENTER or doctor/physician if you feel

concerned or unwell.

Skin contact Wash with plenty of water. Call a POISON CENTER or doctor/physician if you feel unwell. If skin

irritation or rash occurs, get medical advice/attention. Take off immediately all contaminated clothing

and wash it before re-use.

Inhalation If difficulties occur after mist/vapors/spray have been inhaled, remove person to fresh air and keep

comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. If eye irritation persists, get medical advice/attention.

#### Most important symptoms and effects, both acute and delayed

Contact with eyes may cause stinging, tearing, redness, swelling, and blurred vision. Contact with skin may cause irritation with local redness. Prolonged or repeated exposure may cause sensitization by skin contact. Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels. The substance may cause damage to the kidney after repeated ingestion. The substance may cause damage to the kidney after repeated skin contact with high doses. See Section 2 for possible delayed effects.

#### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

# Unsuitable Extinguishing Media

None

#### Specific hazards arising from the chemical

No particular hazards known.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. Use personal protective equipment. Risk of slipping due to product leakage/spillage.

### **Environmental Precautions**

Avoid discharge into drains/surface waters/groundwater.

SCAVEX AG Page 3 of 6

SCAVEX AG SDS GHS

#### Methods and material for containment and cleaning up

Contain and solidify with inert absorbent material. Keep in suitable, closed containers for disposal. Following product recovery, flush area with plenty of water. For large spills, stop flow of material, prevent product from entering drains, and pump off product where this is without risk and possible. Proceed as above.

#### 7. HANDLING AND STORAGE

#### **Precautions for Safe Handling**

Handling Avoid contact with skin, eyes and clothing. Smoking, eating and drinking should be prohibited in the

application area. Use recommended personal protective equipment.

#### Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed away from direct sunlight or temperatures >50°C (>122°F), away from

incompatible materials.

**Incompatible Materials** Alkali, strong oxidizing agents

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Control parameters**

Only constituents with exposure limits are listed. Any constituent not listed has no known exposure limit.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
glyoxal 107-22-2	TWA: 0.1 mg/m³ inhalable fraction and vapor	Not listed	Not listed
ethylene glycol 107-21-1	100 mg/m <sup>3</sup> Ceiling	50 ppm/125 mg/m³ Ceiling	Not listed

#### Appropriate engineering controls

**Engineering Controls** Under the intended modes of use, exposure control measures are not required.

### Individual protection measures, such as personal protective equipment

**Eye/face Protection** Safety glasses with side shields or goggles.

Skin and body protection Wear protective gloves and protective clothing.

**Respiratory Protection** Wear respiratory protection in case of vapor/aerosol release.

Handle in accordance with good industrial hygiene and safety practice. Routinely wash work clothing **General Hygiene Considerations** 

and protective equipment to remove contaminants.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: VAPOR PRESSURE, mm Hg AT 20°C (68°F):

Clear, colorless to light yellow liquid Not available

VAPOR DENSITY (Air = 1): ODOR: Odorless Not available

**ODOR THRESHOLD:** RELATIVE DENSITY AT 20°C (68°F):

Not applicable 1.100-1.150 **SOLUBILITY IN WATER:** pH:

3.0-4.0

Complete **MELTING POINT / FREEZING POINT:** PARTITION COEFFICIENT, N-OCTANOL/WATER:

< -40°C (<-40°F) Not available

**BOILING POINT/BOILING RANGE: AUTO-IGNITION TEMPERATURE:** 

Not available Not available **DECOMPOSITION TEMPERATURE:** FLASH POINT:

None Not available

**EVAPORATION RATE, water = 1:** VISCOSITY AT 20°C (68°F):

Not available

FLAMMABILITY (SOLID, GAS): FLAMMABLE LIMITS:

UPPER: Not available LOWER: Not available Not applicable

**SCAVEX AG** Page 4 of 6

SCAVEX AG SDS GHS

#### 10. STABILITY AND REACTIVITY

#### Reactivity

Not reactive.

# **Chemical Stability**

Stable under normal conditions.

#### Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

#### Conditions to Avoid

Avoid extreme temperatures. Store away from incompatible materials.

#### **Incompatible Materials**

Alkali, strong oxidizing agents

#### **Hazardous decomposition products**

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# 11. TOXICOLOGICAL INFORMATION

#### **Acute toxicity**

ATE<sub>mix</sub> - LD50 oral - approx. >10,000 mg/kg (rat), LD50 dermal - approx. 4295 mg/kg (rabbit), LC50 inhalation-mists - approx. 14 mg/L - 4 h (rat)

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
propylene glycol 57-55-6	20000 mg/kg (rat)	20800 mg/kg (rabbit)	Not listed
glyoxal 107-22-2	>5000 mg/kg (rat)	>2000 mg/kg (rat)	5.79 mg/L (rat) – 4 hr
ethylene glycol 107-21-1	4000 mg/L (rat)	9530 uL/kg (rabbit)	Not listed

#### Information on likely sources of exposure

Ingestion Expected to be a low ingestion hazard.

Skin corrosion/irritation Mists/spray or exposure may cause skin irritation and possible sensitization. Inhalation Expected to be a low inhalation hazard. Mists/spray may irritate nose and throat.

Serious eye damage/irritation Mists/spray or exposure may causes eye irritation.

#### Delayed and immediate effects and also chronic effects from short and long-term exposure

Glyoxal (CAS 107-22-2) 1B May cause an allergic skin reaction Respiratory or skin sensitization Glyoxal (CAS 107-22-2) Germ cell mutagenicity 2 Suspected of causing genetic defects in non-mammalian studies

Carcinogenicity No listed carcinogens. Reproductive toxicity No information available. STOT - single exposure Glyoxal (CAS 107-22-2)

STOT - repeated exposure Glyoxal (CAS 107-22-2)

3 Causes temporary irritation of respiratory tract

2 May cause kidney damage after repeated ingestion or repeated

skin contact with high doses.

**Aspiration Hazard** None.

### Symptoms related to the physical, chemical and toxicological characteristics

Eye irritation including redness, swelling, and blurred vision. Skin irritation with local redness. Kidney damage after repeated ingestion or skin contact.

# 12. ECOLOGICAL INFORMATION

If available, ecotoxicity values of individual components are shown below. Expected to be non-toxic to aquatic organisms.

SCAVEX AG Page 5 of 6

SCAVEX AG SDS GHS

Chemical Name	Fish	Waterflea	Algae
propylene glycol 57-55-6	51600 mg/L: 96 h rainbow trout LC50	Not available	19000 mg/L: 96 h pseudokirchneriella subcapitata EC50
glyoxal 107-22-2	>460-<680 mg/L: 96 h Leusciscus idus LC50	404 mg/L: 48 h Daphnia magna EC50	>100 mg/L: 72 h Scenedesmus subspicatus EC50
ethylene glycol 107-21-1	<41000 mg/L: rainbow trout LC50	Not available	1300-6500 mg/L: selenastrum capricornutum EC50

Persistence and degradability Bioaccumulative potential

Expected to be readily biodegradable. Accumulation in organisms is not to be expected.

Mobility in soil Other adverse effects

No information available No other adverse environmental effects are expected.

# 13. DISPOSAL CONSIDERATIONS

<u>Waste Disposal Method</u> Dispose of in accordance with local regulations.

<u>Contaminated Packaging</u> Empty containers should be taken for local recycling, recovery or waste disposal.

#### 14. TRANSPORT INFORMATION

UN Number: Not regulated UN Proper Shipping Name: Not regulated

Transport Hazard Class(es)

Class:

TDG: Not regulated

US DOT: Not regulated IMDG: Not regulated

Label(s): Not regulated Packing Group: Not applicable

Marine Pollutant: No

Special precautions for user: None established

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not determined

# 15. REGULATORY INFORMATION

Canada (DSL/NDSL)

All ingredients contained in this product are in compliance with the Canadian Environmental Protection Act and are listed on the DSL or are exempt.

United States (TSCA)

All ingredients contained in this product are listed on the TSCA inventory or are exempt.

HMIS Information:

Health: 1 Flammability: 0 Reactivity: 0

# **RCRA HAZARD CLASS**

Nonhazardous waste

SARA 311/312 REPORTABLE HAZARD CATEGORIES: Immediate (Acute) Health

**REPORTING REQUIREMENTS** (all quantities in pounds)

Component CAS /

313 Code Section 302 (EHS) TPQ Section 304 EHS RQ CERCLA RQ Section 313 CAA 112(r) TQ CWA / OPA

no component is subject to reporting requirements

#### **NEW JERSEY RIGHT-TO-KNOW INFORMATION**

This product contains water (CAS# 7732-18-5), propylene glycol (CAS# 57-55-6), and glyoxal (CAS# 107-22-2).

SCAVEX AG Page 6 of 6

SCAVEX AG SDS GHS

#### **CALIFORNIA PROPOSITION 65 INFORMATION**

WARNING: This product contains a chemical recognized by the state of California to cause cancer: glyoxal (CAS# 107-22-2). For more information, go to www.P65Warnings.ca.gov

#### **SCAQMD INFORMATION**

Is there a photochemically reactive material present? Yes What is the % by volume of photochemically reactive material? 13 What is the VOC content? 130 g/L What is the vapor pressure of VOC's? Less than 0.1 mm Hg @ 20°C

# **16. OTHER INFORMATION**

Preparation Date 15 April 2016 Revision Date 3 July 2025

Revision Note Revision 3 – Modifications to Section 1

#### **Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of SDS**