

## WEST PEROX

### HIGH-EFFICIENCY DISINFECTANT/VIRUCIDE

**WEST PEROX** is a stabilized hydrogen peroxide and 5<sup>th</sup> generation quaternary ammonium based non-corrosive cleaner and disinfectant. Unlike its competitors, it leaves an active disinfectant film after drying.

**WEST PEROX** is ideal for effective and safe cleaning and disinfection of agricultural and horticultural buildings such as hog barns, hatcheries, poultry houses, animal shelters, and agricultural equipment.

**WEST PEROX** is accepted by Health Canada for use on farms and in livestock buildings.

**DIN 02552205**

### FEATURES AND BENEFITS

- Contains 7.5% stabilized hydrogen peroxide
- Contains 5.76% 5th-generation quaternary ammonium
- Residual effect
- Broad-spectrum activity
- Extremely effective and fast-acting
- Low odor
- Contains only biodegradable ingredients
- Compliant with the volatile organic compound (VOC) concentration limits regulations, SOR/2021-268
- Safe on aluminum and stainless steel



### DIRECTION FOR USE

**Equipment to be cleaned**

Agricultural and horticultural buildings and equipment: trucks, ceilings, walls, floors, equipment.

**Technique**

Remove heavy dirt deposits from surfaces. Apply with a cloth, mop, sponge, or trigger sprayer. Spray at a distance of 15 to 20 cm from the surface, ensuring it is thoroughly wet. Keep the treated surface wet for 10 minutes. Scrub with a brush, sponge, or cloth. Avoid inhaling spray fumes. Wipe with a clean cloth and allow to air dry.

**Concentration**

16 mL / litre of water (1:64)

**Dwell time/Operation time**

Minimum 10 minutes. Do not let animals back in until the treatment has been absorbed and dried.

**Temperature**

Between 4°C and 40°C (39 and 105°F).

**Rinsing**

Rinse with potable water treated areas such as racks, troughs, feed bunks, feeders, fountains and drinkers and all equipment that comes in contact with food.

#### TESTED SUCCESSFULLY IN INDEPENDENT LABORATORY AGAINST:

Porcine Epidemic Diarrhea Virus (PED)	Pandemic 2009 H1N1 (swine flu) (H1N1)
Porcine Respiratory and Reproductive Syndrome Virus (PRRS)	Pseudomonas aeruginosa
Avian Influenza Virus Type A (H5N1)	Staphylococcus aureus
Infectious Laryngotracheitis Virus (25ml/L 1:40)	Salmonella enterica
Poliovirus (25ml/L 1:40)	Escherichia coli (E. coli)

# WEST PEROX HIGH-EFFICIENCY DISINFECTANT/VIRUCIDE

## PHYSICAL PROPERTIES

Appearance	Clear, colorless liquid
Odour	Faint peroxide
Specific gravity @ 20°C	1.02
Viscosity	< 10 cps @ 22°C
pH	1.8
Flash point (TCC)	None
Water solubility	Complete
Auto ignition temperature	None
Chlorine	None
Boiling point	100°C
Freezing point	Not available
Foaming tendency	High
Concentration monitoring techniques	Titration
Rinsing	Excellent

## INCOMPATIBILITY

Strong oxidizers, caustics

## WAREHOUSING PRECAUTIONS

Keep containers tightly closed in a dry, cool and well-ventilated place

## AVAILABLE SIZES

		
20L	205L	1000L

## IMPORTANT

Before using **WEST PEROX**, always be sure to read and follow precautions and directions for use appearing on the product's container label, and on the safety data sheet (S.D.S).

## FIRST AID MEASURES

### Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

### Skin contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

### Inhalation

Not applicable.

### Ingestion

Do not induce vomiting. Drink 1 or 2 glasses of water. Call a physician or Poison Control Centre immediately. Never give anything by mouth to an unconscious person.

## PERSONAL PROTECTION



WHMIS

