

## WESTKLEEN 4115

### GENERAL PURPOSE ALKALINE DEGREASER

**WESTKLEEN 4115** is a multi purpose liquid cleaner which combines the qualities of a solvent and mild alkaline detergent. It is moderately foaming and may be used manually or mechanically for medium to light duty cleaning.

**WESTKLEEN 4115** is effective on a wide variety of deposits such as lubricating oils and grease, wax, printing ink, rubber marks on floors and walls.

### FEATURES & BENEFITS

- Low alkalinity
- Mild odour
- Non flammable
- Completely water dilutable and forms a stable solution
- Phosphate free
- Moderate foaming
- Easy to rinse
- Environmentally and user safe
- Non-corrosive on all surfaces
- Does not interfere with water treatment systems



### DIRECTIONS FOR USE

#### PROCEDURE #1

##### EQUIPMENT TO BE CLEANED

Industrial equipment, floors, walls, work tables, tools, shower stalls, printing presses.

##### SOILS TO BE REMOVED

Effective on a wide variety of deposits such as lubricating oils and grease, wax, printing ink, rubber marks.

##### USE PROCEDURE

Soak a pad or cloth and scrub surfaces to be cleaned. Rinse with water.

##### CONCENTRATION

1% to 5%

##### USE TEMPERATURE

High temperature recommended.

##### DWELL TIME/OPERATION TIME

Not applicable with manual cleaning.

##### MECHANICAL ACTION

Scrubbing with a steel pad recommended.

##### RINSING

Warm or hot water.

##### REUSE/RECYCLING

No.

#### PROCEDURE #2

##### EQUIPMENT TO BE CLEANED

Heavy industrial equipment, floors and walls, shower areas.

##### SOILS TO BE REMOVED

Effective on a wide variety of deposits such as lubricating oil and grease, wax, printing ink, rubber marks.

##### USE PROCEDURE

Inject product into the water of the high pressure (HPLV) cleaning system. Apply with high pressure then rinse with water.

##### CONCENTRATION

1% to 5%

##### USE TEMPERATURE

High 50°C recommended.

##### DWELL TIME/OPERATION TIME

Allow to dwell before final rinse.

##### MECHANICAL ACTION

Scrubbing with a steel pad recommended.

##### RINSING

Warm or hot water.

##### REUSE/RECYCLING

No.

# WESTKLEEN 4115 GENERAL PURPOSE ALKALINE DEGREASER

## PHYSICAL PROPERTIES

Appearance	Clear, yellow liquid
Odour	Butyl solvent
Specific gravity @ 20°C	1.04
Viscosity	<10 cps
pH	13
Flash point (TCC)	None
Water solubility	Complete
Boiling point	100°C (212°F)
Freezing point	Not available
Foaming tendency	Moderate
Rinsing	Excellent
Concentration monitoring techniques	Electrical conductivity, titration

## INCOMPATIBILITY

Strong acids

## WAREHOUSING PRECAUTIONS

Keep containers tightly closed away from direct sunlight in a dry, cool and well-ventilated place

## AVAILABLE SIZES

			
4L	20L	205L	1000L



ETIMAD HALAL



## IMPORTANT

Before using **WESTKLEEN 4115**, always be sure to read and follow precautions and directions for use appearing on the product's container label, and on the safety data sheet (S.D.S).

## FIRST AID MEASURES

### Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

### Skin contact

Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.

### Inhalation

Remove person to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

### Ingestion

Do not induce vomiting. Drink 1 or 2 glasses of water. Call a physician or Poison Control Centre immediately. Never give anything by mouth to an unconscious person.

## PERSONAL PROTECTION



WHMIS

